



PRESENT

The Business Case for Community Health Workers in Connecticut¹

Population-based approaches to health require the integration of public health practice and medical practice. Community health workers (CHWs) hold a unique understanding of how local communities function, and how the local resources, environment, and culture influence healthy lifestyles and affect health outcomes. Qualified CHWs can connect what happens inside a physician's office and what happens in the communities where these patients live and work. This paper discusses the value of establishing a contingent of CHWs in Connecticut and how CHWs can improve access to health care, can improve quality of health care, can increase health care affordability, and ultimately, can facilitate better health outcomes in Connecticut's most at risk populations.

Published Fall 2014

¹ The Connecticut Department of Public Health supported the development of this paper with federal grant funding from the Centers for Disease Control and Prevention.

CHWs support service delivery across a broad range of health areas

Nutrition
Women's health
Pregnancy, prenatal care
Infant and child health
HIV/AIDS
Diabetes
Immunizations
Sexual behavior
Obesity
Family planning
High blood pressure
Breastfeeding
Tobacco control
Physical activity
Low birth weight and premature birth prevention
Substance abuse
Cancer
Cardiovascular and heart disease
Mental health
Men's health
Children w/ special health care needs
Asthma
Violence
Lead poisoning
Stroke
Emergency preparedness
Alzheimer's disease and dementia

Source: 2006 Community Health Worker National Education Collaborative Survey

CHWs Defined

The American Public Health Associationⁱ defines community health workers (CHWs) as:

Frontline public health workers who are trusted members of and/or have an unusually close understanding of the community served. This trusting relationship enables CHWs to serve as a liaison...between health/social services and the community to facilitate access to services and improve the quality and cultural competence of service delivery. CHWs also build individual and community capacity by increasing health knowledge and self-sufficiency through a range of activities such as outreach, community education, informal counseling, social support, and advocacy.

CHWs complement clinically-trained health care teams comprised of physicians, physician assistants, and nurses, among others. CHWs carry out a broad range of responsibilities that facilitate access to health care services and that support patients achieve goals in their care plans. Examples include:

- Outreach and community mobilization
- Health care and social service system navigation
- Community and cultural liaison services
- Facilitation of participatory research
- Case management and care coordination
- Home-based support service delivery
- Health promotion and coaching

CHWs play vital roles in improving population-based health outcomes across a variety of issues (see sidebar). In 2009, the U.S. Department of Labor created a distinct Standard Occupational Classification for CHWs (i.e., 21-094) who “assist individuals and communities to adopt healthy behaviors.”

CHWs and Medical Homes

The Centers for Medicare and Medicaid Services define six core services from designated health homes or medical homes:

- 1) Comprehensive care management
- 2) Care coordination and health promotion
- 3) Comprehensive transitional care from inpatient to other settings, including appropriate follow up
- 4) Individual and family support, which includes authorized representatives
- 5) Referral to community and social support services as warranted
- 6) Use of health information technology to link services

CHWs can play a supportive medical or non-medical role depending on the issue, their training, and the positioning of CHWs in the delivery system. The role of the CHW depends on the service delivery model.

CHWs - A Human Face

“Susie”, a 75 year old woman, entered the United States in 1995 from Liberia and lived with her son and his family. In 2000, Susie first accessed health care in the United States through a community health center. A CHW set up a medical appointment for her with a Primary Care Physician (PCP). The PCP diagnosed Susie with obesity, lower extremity edema, Diabetes II, an ulcerated stomach, hypertension, eye problems, high cholesterol and other health problems. The CHW supported Susie in implementing her care plan(s). And, the CHW worked weekly with Susie to resolve her housing issue, enroll her into HUSKY A, Temporary Assistance for Needy Families (TANF), and Supplemental Nutrition Assistance Program (SNAP).

In 2006, Susie suffered a severe stroke and was hospitalized. The CHW served as a liaison with a culturally diverse medical team, and helped Susie enter into a rehabilitation center conveniently located near her family and covered by her insurance. Later, the CHW obtained home health services to support a successful transition. The CHW reviewed Susie’s prescriptions and realized that four different doctors who were not communicating with each other prescribed Susie 20 different medications – six of which related to pain management.

The CHW coordinated the communication between Susie’s doctors and the pharmacist, and helped Susie organize her daily medicine routine through education and a weekly pill box organizer. The CHW worked with the pharmacist and insurance company to maintain a consistent medication regimen by reducing the introduction of alternative brands (e.g., generics). Consistency of medications produced higher medication adherence with Susie.

The CHW forged a strong partnership with Susie that significantly improved her quality of life and health outcomes. The local pharmacist now monitors Susie’s medication, meets with her on a monthly basis and communicates changes in medications. Susie lost 50 pounds since the 2006 stroke and stopped taking many of her pain medications. Susie was granted SNAP in April 2013 and she lives comfortably in senior housing. Susie now more effectively advocates for herself with her medical team. For example, Susie called her gastroenterologist to relay that her stomach did not hurt anymore, so the gastroenterologist discontinued the pain medications prescribed for her stomach.

Institute of Medicine values the role of CHWs

Over a decade ago, the Institute of Medicine published a report titled, *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. The IOM recommended including CHWs as members of multidisciplinary teams to serve diverse populations and to reach underserved communities in the context of improving health care delivery, implementing prevention strategies, and enhancing risk reduction.

More recently, the IOM recommended that the Centers for Disease Control and Prevention Division for Heart Disease and Stroke Prevention facilitate state-level policy and system change to train CHWs who could reach large numbers of residents in diverse communities and promote behavioral and lifestyle changes.

Source: Smedley B, Stith A, Nebo A. *Unequal treatment: confronting racial and ethnic disparities in health care*. Washington, DC: Institute of Medicine, 2002. www.iom.edu/?id=16740

Source: A population-based policy and systems change approach to prevent and control hypertension. Institute of Medicine. Board on Population Health and Public Health Practice. Committee on Public Health Priorities to Reduce and Control Hypertension in the U.S. Population. February 2010.

Program Models

The U.S. Department of Health and Human Services offers several examples of CHW program models.ⁱⁱ Each of these models improves access to care, increases knowledge, prevents disease, and improves select health outcomes for target populations.

- ***Promotora de Salud / Lay Health Worker Model.*** CHWs activate their peers in the desired target population. These CHWs share social, cultural and economic characteristics with individuals who they will help as a patient advocate, educator, mentor, outreach worker or translator.
- ***Member of Multidisciplinary Team Model.*** CHWs collaborate with medical professionals to deliver health services such as blood pressure screening, first aid care, medication counseling, and health screenings. The CHWs provide a range of other important services such as health education and patient activation.
- ***Care Coordinator / Care Manager Model.*** Individuals with complex health conditions including chronic diseases rely on CHWs to navigate systems of care. CHWs may provide information, schedule appointments, organize transportation, develop care plans, and monitor progress.
- ***Health Educator Model.*** CHWs teach individuals and groups about chronic disease prevention, healthy lifestyles, and healthy choices. ***Outreach and Enrollment Agent Model.*** CHWs identify, recruit, and enroll individuals into appropriate programs. The process may include assisting in eligibility screening or other assessment processes.
- ***Community Organizer and Capacity Builder Model.*** CHWs play a more directive and participatory role in addressing social determinants of health inequities. Activities may include needs assessment, public awareness, training, organizing, and policy change.

Each of these CHW program models exist in Connecticut. However, scaling up these models will require changes in health care reimbursement and delivery systems.

A brief history of CHWs

CHWs hold a long history of activating and supporting residents from low income communities domestically and internationally.

1960s

References in the literature about CHWs emerge during the mid-1960s. CHWs intervened in disease prevention and health care issues in the context of anti-poverty strategies.

1970s – 1980s

During the 1970s and 1980s, publicly and privately-funded special projects supported interventions involving CHWs with an increasing emphasis on health promotion and health access.

1990s

During the 1990s, state and federal initiatives changed the landscape for CHWs, albeit using categorical funding streams.

2000

In 2003, an Institute of Medicine report on reducing health disparities recognized the role of CHWs, and a federal Patient Navigator bill and legislation in several states (e.g., Texas) formally articulated the role and certification requirements of CHWs.

Source: Community Health Worker National Workforce Study. March 2007. U.S. Department of Health and Human Services. Health

Evidence for Success

Substantial evidence exists to confirm that intervention models involving CHWs produce improved health outcomes. Examples span a wide range of health topics and populations:

- An analysis of 26 peer-reviewed publications, the majority involving randomized, controlled trials, concluded that peer counselors effectively improved rates of breastfeeding initiation, duration, and exclusivity as well as a significant decrease in the incidence of infant diarrhea and a significant increase in the duration of lactational amenorrhea.ⁱⁱⁱ
- CHWs who met one-on-one with HIV patients were demonstrated better control of viral loads (<50 copies/ml) than their counterparts receiving usual care.^{iv}
- CHWs, with a history of incarceration, provided newly released prisoners individual case management services for 12-months and facilitated access to primary care and community health resources. Patients in the CHW intervention group recorded lower rates of emergency service utilization compared to their formerly incarcerated counterparts with no CHW supports.^v
- The Institute for Clinical and Economic Review offers an extensive review of program evaluation, evidence on effectiveness of value, and status of workforce development in New England.^{vi} Of 50 studies involving CHWs, 32 reported positive findings in health outcomes and/or resource utilization across a wide range of health topics such as immunizations, cancer screening, cardiovascular disease, hypertension, asthma, and diabetes.

Evidence-based CHW program models lend themselves to core services offered by health homes or medical homes (see page 3 sidebar) and hold great promise to address health disparities.

Sustainable financing mechanisms for CHWs

Researchers estimate that soft money such as grants, contracts or philanthropic gifts support 70% to 80% of paid CHW positions. Recently, states such as Minnesota have adjusted Medicaid policy for the reimbursement of CHW services related to health education and the coordination of care – creating a mainstream, sustainable financing mechanism. Other public and private financing mechanisms can benefit from cost saving and revenue enhancements associated with the effective use of CHWs.

Source: Dower C, Knox M, Lindler C, O’Neil E. Advancing Community Health Worker Practice and Utilization: The Focus on Financing. San Francisco, CA: National Fund for Medical Education; 2009.

Return on Investment

Research confirms that intervention models involving CHWs create cost savings and revenue enhancements across a wide range of health issues. For example:

- CHWs provided home visit services, appointment support, health literacy and education, advocacy, and facilitated access to equipment and supplies to 691 high-risk patients enrolled in the New Mexico Medicaid managed care plan. An evaluation of claims data for a sample of patients and a non-CHW comparison group showed significant reductions in Emergency Department use, hospitalization, and prescription medication producing an annual cost offset of \$3,003 per patient relative to the non-CHW comparison group. Total program costs were estimated at \$559 per patient per year (or \$46.58 per month).^{vii}
- CHWs in Seattle-King County provided a home environmental assessment, individual consultations related to patient-specific action plans, educational and social support, and facilitation to home environmental mitigation resources to 214 low-income, high-intensity children suffering from persistent asthma. Children in the CHW group produced a cost off-set of \$342 to \$480 annual from reduced use of emergent or urgent care.^{viii}
- CHWs working with behavioral health care patients in Denver increased patient utilization for primary care and specialty care and decreased utilization of urgent, inpatient, and outpatient care. The model produced a cost savings of \$2.28 for every dollar.^{ix}
- CHWs in Baltimore helped Medicaid diabetic patients reduce their emergency room visits by 38% and hospitalizations by 30% translating to a cost savings of \$80,000 annually per CHW.^x
- In Connecticut CHW’s working as part of cross-cultural teams with pharmacists provided Medication Therapy Management to 100 Limited English speaking persons who had experienced extreme trauma. The average person had 6.1 medication problems and the teams were able to solve 93% of the problems at a cost savings of \$3,032 per person per year.

Economic impact studies will increase in the future with the advancement of electronic health records.

How other states expand the CHW workforce

Texas Legislation calls for the **Texas Department of State Health Services** (DSHS) to establish and operate a training and certification program for persons who act as CHWs, instructors and sponsoring institutions/training programs. DSHS mandates information in eight core competencies for training. Once CHWs become certified, they must complete twenty hours of continuing education (CEU) to maintain their certificate and they must re-certify every two years.

The **Community Health Worker Initiative of Boston** created a Community Health Worker Career Pathway model describing the different positions within CHWs. The career pathway includes CHW I, CHW II, CHW III, Program Director and Department Head. Training programs are provided in Massachusetts through the Outreach Worker Training Institute, the Community Health Education Center, and the Lowell Community Health Center Northeast.

The **Community Health Workers Network of New York City** (CHWNYC) exists to advance the CHW practice through education, advocacy, and research, while preserving the identity and character of the CHWs. The network is the only independent professional association of CHWs in NYC. They are partners with the New York State Community Health Worker association, and they represent over 500 members from over 250 organizations.

Expanding the CHW Workforce

Credentialing and certification requirements for CHWs vary by state (see sidebar). Qualified CHWs hold competencies such as: communication skills; interpersonal skills; service coordination skills; capacity building skills; advocacy skills; teaching skills; organization skills; and knowledge base on specific health issues.

National and statewide initiatives exist to expand the CHW workforce. For example, the Community Health Worker National Education Collaborative offers a national community of practice website to support the development of college responsive programs and to facilitate development of CHW educational resources, services, curricula, and promising practice delivery strategies. Visit www.chw-nec.org.

Connecticut can take advantage of CHW workforce efforts championed by other states including Massachusetts, New York, and Texas. These states have developed legislation, competency-based frameworks, curricula, certifications and credentials, career pathways from CHWs to health care occupations, training delivery systems, and professional organizations for CHWs.

In 2009, the US Department of Labor Bureau of Labor Statistics created a Standard Occupational Category (#21-1094) specifically for CHWs.^{xi} The category creates a methodology to assess changes in the CHW workforce and adjust the capacity of the CHW education and training systems.

Connecticut's Area Health Education Centers champion CHW efforts in Connecticut, and coordinate with other similar efforts underway in the Northeast Region. The Southwestern Connecticut AHEC recently published results from a survey of CHWs in Connecticut.

**Build your CHW knowledge via
online training**

The Centers for Disease Control offers an online course titled, *“promoting policy and systems change to expand employment of community health workers (CHWs).”* The course builds basic knowledge about CHWs and covers how states can engage in policy and system change efforts to establish a sustainable approach for CHWs. The six-session course covers:

- CHWs’ roles and functions
- Current status of the CHW occupation
- Areas of public policy affecting CHWs
- Credentialing CHWs
- Sustainable funding for CHW positions
- Examples of states successful system and policy change efforts

For additional information or to take the course, visit: http://www.cdc.gov/dhdsp/pubs/chw_elearning.htm

Recommendations

The CHW movement in Connecticut presents a distinct opportunity to reduce racial and ethnic health disparities. CHWs sharpen the health care delivery system’s focus on population health. CHWs help at-risk patients mitigate social and environmental determinants of health through grass-roots, community-based, and culturally competent services.

1. Educate stakeholders such as policy makers, health insurance industry leaders, physicians, and state and local agencies on the value of CHWs (see sidebar).
2. Inventory the existing CHW workforce. Document job titles, responsibilities, geographic reach, target population, language, areas of health expertise, and funding sources, among other considerations.
3. Support the CHW Association of Connecticut as an intermediary and professional learning community that promotes professional identity, accelerates policy change, and advances credentialing and professional development processes.
4. Establish a CHW education and training infrastructure that aligns with and creates maximum leverages with the workforce development and higher education systems.
5. Identify, leverage, and enact opportunities created through the Affordable Care Act and health policy change to develop sustainable financing for CHW positions and/or condition-specific intervention models supported by CHWs.²
6. Establish collaborative efforts among partners to conduct research studies on cost-effectiveness of CHWs.

1. ² On July 13th CMS ruled that Medicaid can cover preventive services that are recommended by physicians or other licensed practitioners, and gives the states latitude to determine who is appropriate to provide these services. Medicaid, either directly or through its managed care contractors, can pay for community-based interventions carried out by asthma educators, healthy homes specialists, or community health workers.

**For more information about
CHWs, contact**

Meredith Ferraro

Executive Director

Southwestern AHEC, Inc.

5 Research Drive, 2nd Floor

Shelton, CT 06484

Phone: 203.372.5503

Fax: 203.513.2834

e-mail:

mferraro@swctahec.org

Meredith Ferraro, Executive Director of the Southwestern Area Health Education Center, Inc., champions the CHW movement in Connecticut and serves as a liaison with other national CHW experts and CHW associations located in other states.

* * * * *

The Connecticut Area Health Education Center Program (AHEC) was established in 1995 by the Connecticut General Assembly and received its initial federal funding from HRSA in 1997. The AHEC program is based at the University of Connecticut School of Medicine in Farmington and implemented by four regional AHECs: Central AHEC, Inc., Eastern AHEC, Inc., Northwestern AHEC, and Southwestern AHEC.

Connecticut CHW Survey Findings

The Yale School of Public Health and the Southwestern AHEC, Inc. published a recent study titled, “Funding Community Health Workers: Best Practices and the Way Forward.”³ The authors reviewed CHW literature, surveyed 43 CHWs and 97 CHW employers, and interviewed 10 health care industry leaders. Main themes from the survey included:

- CHWs commonly assist with access to medical and non-medical services, provide community advocacy and deliver case management and social support services.
- Nonprofit agencies and local health departments most commonly employ CHWs. CHWs work across diverse for profit and non-profit settings.
- CHWs face numerous challenges and obstacles such as lack of awareness about the role of CHWs, job instability, and lack of training resources.
- CHW employers believe CHWs should hold skills in areas such as advocacy, bilingual communication, organization, self-management, and interpersonal communication. CHWs should demonstrate knowledge about local communities, community resources, care coordination, and health care privacy protocols.
- CHW employers rely on temporary sources of funding.

Leaders in the health care industry recognized three important policy areas for leaders to address:

- Development of the professional identity of CHWs
- Integration of CHWs health care organizations or intervention models
- Identification of stable, sustainable funding mechanism for CHWs

The report confirms that a strong foundation exists in Connecticut to build a CHW movement.

³ The CT-RI Public Health Training Center provided support for this project.

Special thanks to the
Community Health Worker Task
Force - Business Case
Workgroup who provided their
time and expertise for this
document.

Jennifer Alvisurez
Sandra Barnes
Tracy Blanford
Maritza Bond
Benjamin Clopper
Renee Coleman-Mitchell
Mehul Dalal, MD
Grace Damio
Brenda Delgado
Loretta Ebron
Charles Felix
Meredith Ferraro
Peggy Gallup
Crystal Gibson
Jasmin Harpe
Patricia Harrity
Suzanne Lagarde, MD
Erika Lynch
Leticia Marulanda
Melody Martin
Simone A. Mason
Sharon Mierzwa
Anne Morris
Elaine O'Keefe
Jacqueline M. Ortiz
Elena Padin
Baker Salisbury
Milagrosa Seguinot
Sue Starkey
Kathi Traugh
Carolyn Wilson

References

- i American Public Health Association. Support for community health workers to increase health access and to reduce health inequities. Policy no. 20091. Washington, DC: American Public Health Association; 2009. <http://www.apha.org/advocacy/policy/policysearch/default.thm?id=1393>.
- ii Community health workers evidence-based models toolbox. HRSA Office of Rural Health Policy. U.S. Department of Health and Human Services. Health Resources Services Administration. August 2011.
- iii Chapman, D.J., Morel, K, Anderson, A.K., Damio, G. & Perez-Escamilla, R. (2010). Breastfeeding Peer Counseling: From Efficacy through Scale-up. *Journal of Human Lactation*. August; 26(3): 314-326.
- iv Roth AM, Holmes AM, Stump TE, et al. Can lay health workers promote better medical self-management by persons living with HIV? An evaluation of the Positive Choices program. *Patient Education Counseling*. 2012;89(1):184-190.
- v Wang, EA, Hong CS, Shavit S, Sanders R, Kessell E, Kushel MB. Engaging individuals recently released from prison into primary care: a randomized trial. *American Journal of Public Health*. 2012; 102(9):e22-e29.
- vi The Institute for Clinical and Economic Review. Community Health Workers: A Review of Program Effectiveness and Value, and Status of Workforce Development in New England. Draft Report May, 2013.
- vii Johnson D, Saavedra P, Sun E, et al. Community health workers and Medicaid managed care in New Mexico. *Journal of Community Health*. 2012; 37(3):563-571.
- viii Krieger JW, Takaro TK, Song L, Weaver M. The Seattle-king County Health Homes Project: a randomized, controlled trial of a community health worker intervention to decrease exposure to indoor asthma triggers. *American Journal of Public Health*. 2005;95(4):652-659.
- ix Whitley EM, Everhart RM, Wright RA. Measuring return on investment of outreach by community health workers. *Journal of Health Care Poor and Underserved*. 2006; 17 (1 Suppl):6-15.
- x Fedder DO, Chang RJ, Curry S et al. The effectiveness of a community health worker outreach program on healthcare utilization of West Baltimore City Medicaid patients with diabetes, with or without hypertension. *Ethnicity and Disease*. 2003; 13(1):22-27.
- xi Office of Management and Budget. Standard occupational classification. Available at: <http://www.bls.gov/soc/2010/soc211094.htm>.