

## Just a spoonful of sugar...

# Lessons learnt on the road to Medication Management

**Bob Ribbons** 

Manager, Clinical Informatics
Peninsula Health. Frankston, Victoria.




#### Overview

- Provide a definition of Medication Management.
- Review our initial attempts to introduce inpatient e-Prescribing in 2003 and again in late 2004.
- Briefly describe outcomes, lessons learnt & subsequent improvements resulting in decreased medication errors.
- Share innovative developments on the road to introducing Medication Management using the ORION Health cOrders 3.0 Module.



#### **Definition**





#### **Process**

- The Concerto<sup>™</sup> MAP CIS in use for discharge eprescribing since 2002.
- Initial e-Prescribing pilot commenced on one Medical Unit in July 2003 using Soprano Order Entry 1.2.
- e-Prescribing ONLY.
- Once prescribed, a computer generated chart was printed on ward.
- Asynchronous.



#### **Outcomes**

#### ACUTE Pilot...withdrawn after 8 wks!

#### SUB-ACUTE Pilot...

- Successful implementation
- Production of legibile med chart

**Chart Samples** 


- Used for 100% of routine medication orders (excludes IV, stat & telephone orders)
- System on-going & now viewed as accepted part of safe clinical practice



#### **Evaluation**

## Formal analysis resulted in identification of six separate impediment clusters...

Figure 1. Cause & Effect Diagram





Building a
Healthy Community

#### **Evaluation**

#### Process / Procedures...

- Failed to understand workflow.
- Lack of convenient space on the wards to store wireless laptops.

#### Training...

- Training sessions constantly interrupted.
- No round the clock support.

#### Equipment...

- Insufficient!
- Wireless laptops NOT the answer.



#### Evaluation (cont)

#### Environmental...

 Lack of convenient space on the wards to store wireless laptops.

#### Cultural...

- The culture of the ward round (reluctance of SMOs).
- Clinicians reluctant to accept systems that interfere with traditional work flow.
- Adherence to traditional handwritten methods → tension between nursing and medical staff.

#### Technology...

 Slow and did not support class level allergy checking.



#### Evaluation (cont)

#### June – November 2004...

- A subsequent attempt at implementing a full Computerised Provider Order Entry (CPOE) system including...
  - e-Prescribing,
  - Lab & Rad ordering
  - Allied Health
- Underlying Drug Data Base found to be "not fit for purpose".
- Project halted pending identification of alternative.



#### Lessons Learnt

- Integration of hospital systems and workflows is a time consuming, highly complex task.
- Critically important to understand clinical workflows
- 'Close the loop'.
- Medication Management must be considered as 'business critical' and have appropriate resources allocated to it.
- Effective change management is paramount!
- Critical to get POCC right (Multi platform approach).



### Subsequent Results

- Medications e-prescribed...↑ from 1,948/month in March '03 to 13,403/month in July '08.
- ◆ of 19% in medication errors achieved using Soprano application for discharge e-prescribing (Lam, 2003).
- A recent audit of errors related to Oxycodone dosage forms had ↓ from 3.4% to 1.2%.



#### Current Development Process cOrders 3.x

- More systematic analysis (lit reviews, white paper, workflow analysis etc).
- Successful ORION clinical workshops .
- FDB Workshops.
- Use of <u>'ORION Central'</u> provides a unique development environment using a collaboration & knowledge management tool.
- 'User Stories' to better define application requirements.
- Use of DMZ to access product development



#### Medication Management Solution Development

- PBS support is critical.
- Formulary Support (Formulary Vs Non Formulary Medications).
- Barcoding; ~ 90% of products now have EAN barcodes.
- Encounter linking.
- Order Sets & Drug Templates (pre-loaded instructions).
- Complex orders (e.g. tapering Warfarin & Prednisolone).
- Robust Level 2 CDSS (Allergies, Drug/Drug using mapped SMOMED-CT to ICD-10 codification).
- Disaster recovery.

PENINSULA HEALTH




#### **Conclusion**

PENINSULA HEALTH

- Several "bitter" experiences!
- Implementing Medication Management is a complex & resource intensive task.
- Results indicate e-Prescribing can be successfully implemented in sub-acute areas.
- CIS vendors need to adopt innovative 'client centric' methods of application development.
- Medication Management is a difficult pill to swallow...requiring a systematic approach to socio/technical, change management, environmental & process issues.

Building a Healthy Community



#### PENINSULA HEALTH - REGULAR & PRN MEDICATION CHART 12/02/2004 11:58am Chart 1 of 1

DUMMY 000000 FREDERICK ARTHUR MR 01/01/1956 48 Y M 10 HEATHERHILL RD

FRANKSTON 3199

0784 7777

#### **DRUG REACTIONS / ALLERGIES**

Elastoplast - rash Pethidine - fitting Morphine Sulphate

DOSE CODE

A = Absent From Ward F = Fasting S = Self Administered L = On Leave

R = Refused N = Medication Not Obtainable

V = Vomiting WH = Withheld

9784 7777									X = Doctor's Instructions			I=No IV Access					
J. JORDAN	GPMEDF 5FN	Wt:kg	kg														
				Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date	Date
		Pharmacy Use	Time											-		_	
tenolol 50mg	Take ONE tablet in the																-
Tablets MORNING																	
	1																
3/10/03 Dushyanthi TILA	KAWARDENA																
Norphine SR 20ma	Take ONE capsule TWICE a day																
<b>Capsules</b> da																	
	•	1															
3/10/03 Dushyanthi TILA	KAWARDENA																
spirin + Codeine	pirin + Codeine Take ONE or TWO tablets every																
00/8mg Disp. Tablets	SIX hours when needed for pain.																
Aspalgin)																	_
3/10/03 Dushyanthi TILA	KAWARDENA	<u> </u>															
	Take according to dosage chart or administration chart					-						_					
						_				_				-		-	_
3/10/03 Dushyanthi TILA	KAWARDENA	<u> </u>															
lotoclopramido	1 tds prn for nausea					-		-		-		_		-		-	
Metoclopramide 1 tds prn for nausea 10mg Tablets	i lus piirioi nausea																
						_								_		_	
3/10/03 Dushyanthi TILA	KAWARDENA																
	1 bd																
rimethoprim + ulfamethoxazole																	
		1 ⊩				-		-		-				-		-	_
60/800mg Tablets 3/10/03 Dushyanthi TILA	KAWARDENA	†															_
evodopa + arbidopa 250/25mg	1 tablet at 8am, midday and 8pm																
arbidopa 250/25mg ablets																	
3/10/03 Dushyanthi TILA	KAWARDENA	<u> </u>															
			-														_