



ISBER BIOSPECIMEN SCIENCE LITERATURE COMPILATION

[Glenn GC, Hathaway TK. Effects of specimen evaporation on quality control. Am. J. Clin. Pathol. 1976 ; 66 : 645-652.](#)

[Narayanan S, et al. Control of blood collection and processing variables to obtain extended \(greater than five days\) stability in serum constituents. Clin. Chem. 1979 ; 25 : 1086.](#)

[Kubasik NP, Graham M, Sine HE. Storage and stability of folate and vitamin B12 in plasma and blood samples. Clin Chim Acta 1979; 95: 147-149.](#)

[Kubasik NP, Ricotta M, Hunter T, Sine HE. Effect of duration and temperature of storage on serum analyte stability: examination of 14 selected radioimmunoassay procedures. Clin. Chem. 1982 ; 28 : 164-165.](#)

[Sibilia R, et al. Analyte stability in closed containers after six days storage. Clin. Chem. 1989 ; 35 : 1158.](#)

[Bachorik PS. Collection of blood samples for lipoprotein analysis. Clin Chem 1982, 28: 1375-1378](#)

[Calam RR. Reviewing the importance of specimen collection. J Am Med Tech 1977, 39: 297-302](#)

[Anand VD, White JM, Nino HV. Some aspects of specimen collection and stability in trace element analysis of body fluids. Clin Chem 1975; 21: 595-602.](#)

[Kramlova M, Pristoupil TI, Ulrych S, Hrkal Z. Stroma-free haemoglobin solution for infusion: changes during storage. Haematologia \(Budap \) 1976;10\(3-4\):365-71.](#)

[Crawford D, Cowen S, Hyder S, McMenamin M, Smith D, Leake R. New storage procedure for human tumor biopsies prior to estrogen receptor measurement. Cancer Res 1984; 44: 2348-2351.](#)

[Toppila M, Willcocks D, Tyler JPP, Eastman CJ, Hudson CN. The effect of storage time and molybdate on steroid receptors in gynaecological tissues. Steroids 1982; 40: 139-148.](#)

Normative documents

[BACK TO TOP](#)

[ISO17025:2005, General requirements for the competence of testing and calibration laboratories.](#)

[ISO/DIS 6710. Single-use containers for human venous blood specimen collection. Draft 2001.](#)

[EN/ISO15189:2007, Medical laboratories: particular requirements for quality and competence. Published in 2003, the ISO 15189 quickly became a widely accepted standard to be used for accreditation of clinical laboratory competence. The ISO15189 standard is divided in two parts, management requirements and technical requirements related to activities carried out by clinical laboratories. Importantly, the last ISO15189, 2007 version establishes responsibility of the clinical laboratory for all preanalytical steps, including ordering and sampling. However, detailed technical preanalytical requirements are absent from normative documents.](#)

[Dati F. The new European directive on in vitro diagnostics. Clin Chem Lab Med. 2003 Oct;41\(10\):1289-98. \(Review\).](#)

General Guidelines

[BACK TO TOP](#)

[OECD guidelines on Good Laboratory Practice and Compliance Monitoring \(ENV/MC/CHEM\(98\)17\) have been issued following international collaboration \(\[http://www.oecd.org/document/63/0,2340,en_2649_34381_2346175_1_1_1,1,00.htm\]\(http://www.oecd.org/document/63/0,2340,en_2649_34381_2346175_1_1_1,1,00.htm\)\) between scientific societies. These are being increasingly implemented and propagated by organization of the national Clinical Chemistry societies under the umbrella of the EFCC: European Federation of Clinical Chemistry and Laboratory Medicine.](#)

[Guder WG, Narayanan S, Wisser H, Zawta B. Samples: From the Patient to the Laboratory. Darmstadt: GIT, 2001, 2nd ed.](#)

[Genetics, A. C. o. M. \(2006\). "Standards and Guidelines for Clinical Genetics Laboratories."](#)

[Thomas L\(ed.\). Clinical Laboratory Diagnosis. Frankfurt: TH-Books, 1998. Tietz NW. Clinical Guide to Laboratory Tests. Philadelphia: Saunders, 1995, 3rd](#)

[Young DS. Effects of preanalytical variables on clinical laboratory tests. Washington: AACC Press, 1997, 2nd ed.](#)

D. YoungÂ’s databank available at: www.fxol.org ChronolabÂ’s databank
"Recommendations for detection and management of unsuitable samples in clinical
laboratoriesÂ” by the same Working Group (Clin Chem Lab Med 2007; 45: 728-36)

Duchassaing D. Quality assurance and preanalytic phase. Ann. Biol. Clin. 1997. 55.5.
497-508

Ghnassia JC. Echantillons biologiques. Phase prÃ©analytique et prÃ©lÃ“vements en
biologie mÃ©dicale. Book. (1Ã¢re Ã©dition) Option Bio 1998

Direction GÃ©nÃ©rale de la SantÃ©. Commission du ContrÃ©le de QualitÃ© des
Analyses de Biologie MÃ©dicale. Document de travail : Banque d'Ã“Items de la Phase
PrÃ©-analytique 204

Jacobs DM, DeMott WR, Oxley D, eds. Jacobs & DeMott Laboratory Test Handbook,
5th edition. Lexi-Comp, Inc., Cleveland, OH, 2001

Landi MT, Caporaso N. Sample collection, processing and storage. IARC Sci Publ
1997;(142):223-36.

Troyer D. Biorepository standards and protocols for collecting, processing, and storing
human tissues. Methods Mol Biol 2008;441:193-220.

Lippi G, Salvagno GL, Montagnana M, Franchini M, Guidi GC. Phlebotomy issues and
quality improvement in results of laboratory testing. Clin Lab 2006;52(5-6):217- 30.

Narayanan S. The preanalytic phase. An important component of laboratory medicine.
Am J Clin Pathol 2000 March;113(3):429-52.

Ashavaid TF, Dandekar SP, Keny B & Bhambhwani VR. Influence of blood specimen
collection method on various preanalytical sample quality indicators. Indian Journal of
Clinical Biochemistry 2008; 23(2): 144-149.

Bailey IR & Thurlow VR. Is suboptimal phlebotomy technique impacting on potassium
results for primary care? Annals of Clinical Biochemistry 2008; 45: 266-269.

Quillen K & Murphy K. Quality improvement to decrease specimen mislabeling in
transfusion medicine. Arch Pathol Lab Med 2006; 130(8): 1196-8.

Lippi G & Guidi GC. Preanalytic indicators of laboratory performances and quality
improvement of laboratory testing. Clin Lab 2006; 52: 457-462.

Garon JE. Patient safety and the preanalytical phase of testing. Clin Leadersh Manag Rev
2004; 18(6): 322-7.

Jensen EA, Stahl M, Brandslund I & Grinsted. Stability of heparin blood samples during transport based on defined pre-analytical quality goals. Clin Chem Lab Med 2008; 46(2): 225-234.

Banks RE. Preanalytical influences in clinical proteomic studies: Raising awareness of fundamental issues in sample banking. Clinical Chemistry 2008; 54(1): 6-7.

Chen G, Kobayashi L & Nazarenko. The Effect of sample aliquot size on the limit of detection and reproducibility of clinical assays. Clinical Chemistry 2007; 53(11): 1962-1965.

Lippi G & Guidi GC. Transferability of laboratory data and standardization of preanalytical variables. Clin Chem Lab Med 2007; 45(9): A143-A162. Abstracts: 39th Annual Congress of SIBioC 2007, Rimini, Italy, Oct 2-5, 2007.

Carraro P & Plebani M. Errors in a Stat Laboratory: Types and frequencies 10 years later. Clinical Chemistry 2007; 53(7): 1338-1342.

Alsina Kirchner MJ, Alvarez Funes V, Biosca Adzet C, Domínguez Clar MV, Ibarz Escuer M, Minchinela Girona J, Pastor Barellas RM, Perich Alsina C, Ricart Aguilà C, Trujillo Isern G & Vilanova Navarro C. Quality indicators and specifications for key processes in clinical laboratories: a preliminary experience. Clin Chem Lab Med 2007; 45(5): 672-677.

Lima-Oliveira GS, Picheth G, Assan NK, Ferreira CES, Mangueira CLP, Sumita NM & Scartezini M. The effects of tourniquet application vs. subcutaneous tissue transilluminator device in blood sample collection on hematological parameters. Journal Compilation 2007, Int. Inl. Lab. Hem. 2007; 29(suppl. 1): 1-45.

Lippi G, Guidi GC. Risk management in the preanalytical phase of laboratory testing. Clin Chem Lab Med 2007; 45(6): 720-27.

Lippi G, Banfi G, Buttarello M, Ceriotti F, Daves M, Dolci A, Caputo M, Giavarina D, Montagnana M, Miconi V, Milanesi B, Mosca A, Morandini M, Salvagno GL. Recommendations for detection and management of unsuitable samples in clinical laboratories. Clin Chem Lab Med 2007; 45(6): 728-36.

Lippi G, Montagnana M, Giavarina D; Italian Society of Clinical Biochemistry and Clinical Molecular Biology; Italian Society of Laboratory Medicine; Italian Committee for Standardisation of Laboratory and Haematological Methods. National survey on the pre-analytical variability in a representative cohort of Italian laboratories. Clin Chem Lab Med 2006; 44(12): 1491-94.

G Lippi, GC Guidi, C Mattiuzzi and M Plebani. Preanalytical Variability: The Dark Side of the Moon in Laboratory Testing. Clin Chem Lab Med 2006; 44(4): 358-65.

Lippi G, Salvagno GL, Brocco G, Guidi GC. Preanalytical variability in laboratory testing: influence of the blood drawing technique. Clin Chem Lab Med 2005; 43(3): 319-25.

Young DS. Conveying the importance of the preanalytical phase. Clin Chem Lab Med 2003; 41(7): 884-887.

S Narayanan. The Preanalytic Phase. An Important Component of Laboratory Medicine. Am J Clin Pathol 2000; 113(3): 429-52.

Watine J, Miedouge M. Pre-analytical variation of laboratory variables. Clin Chem Lab Med 2000; 38(3): 263.

Biron-Andreani C, Mallol C, SAGuret F & Schved JF. Plastic versus siliconized glass tubes: Evaluation in current laboratory practice. Thromb Haemost 2000; 83(5): 800-1.

Berg B, Estborn B & Tryding N. Stability of serum and blood constituents during mail transport. Scand J Clin Lab Invest 1981; 41(5): 425-430.

Rynning M, Wentzel-Larsen T & Bolann BJ. A model for an uncertainty budget for Preanalytical Variables in Clinical Chemistry Analyses. Clinical Chemistry 2007; 53(7): 1343-1348.

Caporaso N. Collection, processing and analysis of preneoplastic specimens. In: T.R.EL Franco (ed) Cancer Precursors: Epidemiology, Detection, and Prevention. New York: Springer-Verlag, 2002.

Barnes RO, Parisien M, Murphy LC, Watson PH. Influence of evolution in tumour biobanking on the interpretation of translational research. Cancer Epidemiol Biomarkers Prev 2008;17:3344-50.

Tuck MK, Chan DW, Chia D, et al. Standard operating procedures for serum and plasma collection: early detection research network consensus statement standard operation procedure integration working group. J Proteome Res 2009;8:113-117.

Guder WG, Narayanan S, Wisserh H, Zawta B, eds. Samples: from the patient to the laboratory: the impact of preanalytical variables on the quality of laboratory results, 3rd ed New York: Wiley, 2003:106p

Haslam PL, Baughman RP. Report of ERS Task Force: guidelines for measurement of acellular components and standardization of BAL. Eur Respir J 1999;14:245-248.

Leyland-Jones BR, Ambrose CB, Bartlett J et al. Recommendations for Collection and Handling of Specimens From Group Breast Cancer Clinical Trials. J. Clin. Onc. 2007; 15: 1712.

Domain-specific

[BACK TO TOP](#)

[NCCLS document H18-A4-Procedures for the handling and processing of blood specimens ; approved guideline-fourth edition.](#)

[CLSI, AUTO07-A: Data content for specimen identification](#)

[CLSI, H21-A4: Collection, transport and processing of blood specimens for testing plasma-based coagulation assays](#)

[CLSI, MM13-A: Collection, transport, preparation and storage of specimens for molecular methods.](#)

[Hicks JM, Young DS, Rifai N. Directory of Rare Analyses. AACC Press, Washington, DC 2000-2002 \(or any subsequent edition\).](#)

[Mani H, Kirchmayr K, Kläffling C, Schindewolf M, Luxembourg B, Linnemann B & Lindhoff-Last E. Influence of blood collection techniques on platelet function. Platelets 2004; 15\(5\): 315-8.](#)

[Ernst DJ & Calam R. NCCLS simplifies the order of draw: a brief history. Medical Laboratory Observer 2004; 6 pages.](#)

[Wannecke G. Useful tips to avoid preanalytical errors in blood gas testing: Metabolites. www.bloodgas.org 2004; 6 pages.](#)

[Wannecke G. Useful tips to avoid preanalytical errors in blood gas testing: Neonatal Total Bilirubin. www.bloodgas.org 2004; 6 pages.](#)

[Wannecke G. Useful tips to avoid preanalytical errors in blood gas testing: Electrolytes. www.bloodgas.org 2003; 9 pages.](#)

[Toennes SW & Kauert GF. Importance of vacutainer selection in forensic toxicological analysis of drugs of abuse. J Anal Toxicol 2001; 25\(5\): 339-343.](#)

[Stankovic AK, DiLauri E. Quality improvements in the preanalytical phase: focus on urine specimen workflow. Clin Lab Med 2008;28:339-350.](#)

[Leyland-Jones BR, Ambrosone CB, Barlett J, et al. Recommendations for collection and handling of specimens from group breast cancer clinical trials. J Clin Oncol 2008;26:5638-5644.](#)

Hematology

[BACK TO TOP](#)

[First Symposium on the impact of the preanalytical phase on the quality of laboratory results in Haemostasis \(Montpellier 1996\).](#)

Ruf A, Patscheke H. Whole blood stabilization for the immunocytometric analysis of blood cells. In: Samples from patients to laboratories. The impact of the preanalytical phase on the quality of laboratory results. Proceedings of the 3rd Symposium in Basel/Switzerland, Aug 15-16, 1997. Meylan: Becton Dickinson, 1997: 24.

Nilsson TK, Boman K, Jansson JH, Thogersen AM, Berggren M, Broberg A, Granlund A. Comparison of soluble thrombomodulin, von Willebrand factor, tPA/PAI-1 complex, and high sensitivity CRP concentrations in serum, EDTA plasma, citrated plasma, and acidified citrated plasma (Stabilyte) stored at -70°C for 8-11 years. Thromb Res 2005; 116: 249-254.

Woodhams B, Girardot O, Blanco MJ, Colesse G, Gourmelin Y. Stability of coagulation proteins in frozen plasma. Blood Coagul Fibrinolysis 2001; 12: 229-236.

We I et al. Long-term storage of fresh frozen plasma at -40°C. A multicenter study on the stability of labile coagulation factors over a period of 3 years. Transfusion Medicine and Hematology 2001; 28: 189-194.

Ben-Tal, O., E. Zwang, et al. (2003). "Vitamin K-dependent coagulation factors and fibrinogen levels in FFP remain stable upon repeated freezing and thawing." Transfusion 43(7): 873-877.

Lewis, M. R., P. W. Callas, et al. (2001). "Longitudinal stability of coagulation, fibrinolysis, and inflammation factors in stored plasma samples." Thromb Haemost 86(6): 1495-1500.

von Heymann, C., A. Pruss, et al. (2006). "Thawing procedures and the time course of clotting factor activity in fresh-frozen plasma: a controlled laboratory investigation." Anesth Analg 103(4): 969-974.

Dunstan RA, Simpson MB. Stability of platelet surface antigens during storage. Transfusion 1985; 25: 563-564.

Vogelaar SA, Posthuma D, Boomsma D, Kluft C. Blood sample stability at room temperature for counting red and white blood cells and platelets. Vascul Pharmacol 2002 August;39(3):123-5.

Camargo JL, Felisberto M, Gross JL. Effect of pre-analytical variables on glycohemoglobin measurements in routine clinical care. Clin Biochem 2004; 37(9): 836-9.

Van Cott E, Lewandrowski K, Patel S, Grzybek D, Patel H, Fletcher S, and Kratz A. Comparison of glass K3EDTA versus plastic K2EDTA blood-drawing tubes for complete blood counts, reticulocyte counts, and white blood cell differentials.

Laboratory Hematology 2003; 9:10-14.

Recommendations of the international council for standardization in haematology for ethylenediaminetetraacetic acid anticoagulation of blood for blood cell counting and sizing. International Council for Standardization in Haematology: Expert Panel of Cytometry. AJCP 1993; 100(4): 371-372.

Lippi G, Blanckaert N, Bonini P, Green S, Kitchen S, Palicka V, Vassault AJ & Plebani M. Haemolysis: An overview of the leading cause of unsuitable specimens in clinical laboratories. Clin Chem Lab Med 2008; 46(6): 764-772.

Unger J, Filippi G & Patsch W. Measurements of free hemoglobin and hemolysis index: EDTA- or Lithium-Heparinate plasma? Clinical Chemistry 2007; 53(9): 1717- 18.

Van Der Merwe L, Reyers F. The effect of hemolysis on plasma antithrombin activity as determined by a chromogenic method. Vet Clin Pathol. 2007; 36(1):55-9.

Tamechika Y, Iwatani Y, Tohyama K & Ichihara K. Insufficient filling of vacuum tubes as a cause of microhemolysis and elevated serum lactate dehydrogenase levels. Use of a data-mining technique in evaluation of questionable laboratory test results. Clin Chem Lab Med 2006; 44(5): 657-661.

Giuseppe Lippi, Gian Luca Salvagno, Martina Montagnana, Giorgio Brocco and Gian Cesare Guidi. Influence of Hemolysis on Routine Clinical Chemistry Testing. Clin Chem Lab Med 2006; 44:3, 311-316.

Ismail A, Shingler W, Seneviratne J & Burrows G. In vitro and in vivo haemolysis and potassium measurement. BMJ 2005; 333: 949.

Zürcher M, Sulzer I, Barizzi G, Lämmle B & Alberio L. Stability of coagulation assays performed in plasma from citrated whole blood transported at ambient temperature. Thromb Haemost 2008; 99: 416-426.

Kitchen S. Preanalytical variability in coagulation testing. Clin Chem Lab Med 2007; 45(9): A143-A162. Abstracts: 39th Annual Congress of SIBioC 2007, Rimini, Italy, Oct 2-5, 2007.

Salvagno GL, Lippi G, Montagnana M, Franchini M, Gelati M & Guidi GC. Influence of storage temperature on routine coagulation testing. Clin Chem Lab Med 2007; 45(9): A143-A162. Abstracts: 39th Annual Congress of SIBioC 2007, Rimini, Italy, Oct 2-5, 2007.

Serin F & Bugdayci G. Effect of tube filling order on specific coagulation parameters in healthy subjects. Laboratory Medicine 2007; 38(9): 556-558.

Lippi G, Salvagno GL, Montagnana M & Guidi GC. Influence of primary sample mixing on routine coagulation testing. Letter to the editor. Blood Coagulation and Fibrinolysis 2007; 18: 709-711.

Polack B. Evaluation of blood collection tubes. Thrombosis Research 2007; 119: 133- 134.

Lippi G, Salvagno GL, Montagnana M, Manzato F, Guidi GC. Influence of the centrifuge time of primary plasma tubes on routine coagulation testing. Blood Coagul Fibrinolysis 2007; 18(5): 525-28.

Favaloro EJ. Preanalytical variables in coagulation testing. Blood Coagul Fibrinolysis 2007; 18(1): 86-9.

BlombÃ¤ck, Konkle BA, Manco-Johnson MJ, Bremme K, Hellgren SM and Kaaja on behalf of the ISTH SSC Subcommittee on Women's Health Issues. Preanalytical conditions that affect coagulation testing, including hormonal status and therapy. J Thromb Haemost 2007; 5: 855-8.

Stegnar M, Cuderman TV, Bozic M. Evaluation of pre-analytical, demographic, behavioural and metabolic variables on fibrinolysis and haemostasis activation markers utilised to assess hypercoagulability. Clin Chem Lab Med 2007; 45(1): 40-6.

Lippi G, Salvagno GL, Montagnanna M, Poli G, Guidi GC. Influence of centrifuge temperature on routine coagulation testing. Clin Chem 2006; 52(3): 537-8.

Lippi G, Salvagno GL, Montagnana M, Guidi GC. Influence of two different buffered sodium citrate concentrations on coagulation testing. Blood Coagul Fibrinolysis 2005; 16(5): 381-3.

McGlasson DL, Kaczor DA, Krasuski RA, Campbell CL, Kostur MR, Adinaro JT. Effects of pre-analytical variables on the anti-activated factor X chromogenic assay when monitoring unfractionated heparin and low molecular weight heparin anticoagulation. Blood Coagul Fibrinolysis 2005; 16(3): 173-6.

Van Geest-Daalderop JH, Mulder AB, Boonman-de Winter LJ, Hoekstra MM, van den Besselaar AM. Preanalytical variables and off-site blood collection: influences on the results of the prothrombin time/international normalized ratio test and implications for monitoring of oral anticoagulant therapy. Clin Chem 2005; 52(3): 561-8.

Lippi G & Guidi GC. Effect of specimen collection on routine coagulation assays and D-Dimer measurement. Clinical Chemistry 2004; 50(11): 2150-2152.

[Almagor M & Lavid-Levy O. Effect of blood-collection systems and tubes on hematologic, chemical, and coagulation tests and on plasma hemoglobin. Letter to the editor. Clinical Chemistry 2001; 47\(4\): 795-795.](#)

[Polack B, Schved JF, Boneu B; Groupe d'Etude sur l'Hemostase et la Thrombose' \(GEHT\). Preanalytical recommendations of the 'Groupe d'Etude sur l'Hemostase et la Thrombose' \(GEHT\) for venous blood testing in hemostasis laboratories. Haemostasis 2001; 31\(1\): 61-8.](#)

[Polack B, Vigier JP. Stability of prothrombin time and the impact of container material. Clin Lab Haematol 2000; 22\(1\): 58.](#)

[Adcock D, Kressin D, Marlar RA. The effect of time and temperature variables on routine coagulation tests. Blood Coagul Fibrinolysis 1998; 9\(6\): 463-70.](#)

[Van den Besselaar AM, Witteveen E, Meeuwisse-Braun J, Schaefer-van Mansfeld H. Artificial prologantion of the prothrombin time of lyophilized plasma induced by transportation with solid carbon dioxide. Vis R. Thromb Haemost 1992; 67\(6\): 725.](#)

[Van den Besselaar AM, Meeuwisse-Braun J, Jansen-Gruter R, Bertina RM. Monitoring heparin therapy by the activated partial thromboplastin time – the effect of pre-analytical conditions. Thromb Haemost 1987; 57\(2\): 226-31.](#)

[Mylonakis ME, Leontides L, Farmaki R, Kostoulas P, Koutinas AF, Christopher M. Effect of anticoagulant and storage conditions on platelet size and clumping in healthy dogs. J Vet Diagn Invest 2008;20:774-779.](#)

[Thiele T, Steil L, Gebhard S, Scharf C, Hammer E, Brigulla M, Lubenow N, Clemetson KJ, VÄ¶lker U, Greinacher A. Profiling of alterations in platelet proteins during storage of platelet concentrates. Transfusion 2007;47:1221-1233.](#)

[Betsou F, Roussel B, Guillaume N, LefrÃ¨re JJ. Long-term stability of coagulation variables : Protein S as a biomarker for preanalytical storage-related variations in human plasma. Thromb Haemost 2009;101:1172-1175.](#)

[Lippi G, Salvagno GL, Montagnana M, Guidi GC. Reliability of the thrombin-generation assay in frozen-thawed platelet-rich plasma. Clin Chem 2006;52:1827- 1828.](#)

[Bostrom F, Ekemar L, Olsson D, Egberg N, Lundahl J. Rapid thawing of fresh-frozen plasma with radio wave-based thawing technology and effects on coagulation factors during prolonged storage at 4 degrees C. Vox Sanguinis 2009;97\(1\):34-38.](#)

Bone

[BACK TO TOP](#)

Garnero P, Carlier MC, Bianchi F, Garnero P, Genty V, Jacob N, Kamel S, Kindermans C, Plouvier E, Pressac M, Souberbielle JC. Markers of bone turnover: preanalytical variability and recommendations for use. Ann Biol Clin (Paris). 2002 May-Jun;60(3):339-41

Ju, H. S., S. Leung, et al. (1997). "Comparison of analytical performance and biological variability of three bone resorption assays." Clin Chem 43(9): 1570-1576.

Seibel, M. J. (2005). " Biochemical Markers of Bone Turnover Part I: Biochemistry and Variability." Clin Biochem 26(4): 97-122.

Kostiak PE. 2000. The evolution of quality systems in human bone banking: The U.S. experience. Cell Tissue Banking 1:155-160.

Immunology

[BACK TO TOP](#)

Geisland JR, Milam JD. Spuriously positive direct antiglobulin tests caused by use of silicone gel. Tranfusion. 1980 ; 20 : 711-713.

Beaumont, K. and F. Betsou (2010). "Immunological fingerprinting method for differentiation of serum samples in research-oriented biobanks." Clin Vaccine Immunol 17(5): 735-740.

Pinsky, N. A., J. M. Huddleston, et al. (2003). "Effect of multiple freeze-thaw cycles on detection of measles, mumps, and rubella virus antibodies." Clin Diagn Lab Immunol 10(1): 19-21.

Draber P, Draberova E, Novakova M. Stability of monoclonal IgM antibodies freeze-dried in the presence of trehalose. J Immunol Methods 1995; 181: 37-43.

Vai S, Cavallo R, et al Stability of specific antibodies in blood collected on filter paper disks. G Batteriol Virol Immunol 1987; 80: 253-261.

Thavasu PW, Longhurst S, Joel SP, Slevin ML, Balkwill FR. Measuring cytokine levels in blood. Importance of anticoagulants, processing, and storage conditions. J Immunol Methods 1992; 153: 115-124.

Bowen RAR, Chan Y, Ruddel ME, Hortin GL, Csako G, Demosky SJ, Remaley AT. Immunoassay interference by a commonly used blood collection tube additive, the organosilicone surfactant silwet 1-720. Clin Chem 2005;51:1874-1882.

Ellis V, Charlett A & Bendall R. A comparison of IgG anti-rubella activity in frozen serum stored in primary gel separation tubes or secondary tubes. J Clin Pathol 2004; 57(7): 104-106.

Roosa-Fraile M, Sampedro A, Rodríguez-Granger J, Camacho E & Manrique E.

Suitability of frozen serum stored on gel separator primary sampling tubes for serological testing. Clin Diagn Lab Immunol. 2004; 11(1): 219-21.

Spencer K. The influence of different sample collection types on the levels of markers used for Downâ€™s syndrome screening as measured by the Kryptor Immunoassay system. Ann Clin Biochem 2003; 40: 166-168.

Endocrinology

[BACK TO TOP](#)

Reyna R, Traynor KD, Hines G, Boots LR, Azziz R. Repeated freezing and thawing does not generally alter assay results for several commonly studied reproductive hormones. Fertil Steril 2001; 76: 823-825.

Gandara, B., L. LeResche, et al. (2006). "Effects of Repeated Freeze-Thaw in Self-collected Salivary Hormone Specimens."

Groschl, M., R. Wagner, et al. (2001). "Stability of salivary steroids: the influences of storage, food and dental care." Steroids 66(10): 737-741.

Helzlsouer, K. J., A. J. Alberg, et al. (1995). "Serum gonadotropins and steroid hormones and the development of ovarian cancer." JAMA 274(24): 1926-1930.

Kesner JS, Knecht EA, Krieg EF Jr. Stability of urinary female reproductive hormones stored under various conditions. Reprod Toxicol 1995; 9: 239-244.

Bolelli G, Muti P, Micheli A, Sciajno R, Franceschetti F, Krogh V, Pisani P, Berrino F. Validity for epidemiological studies of long-term cryoconservation of steroid and protein hormones in serum and plasma. Cancer Epidemiol Biomarkers Prev 1995; 4: 509-513.

Volkmann DH. The effects of storage time and temperature and anticoagulant on laboratory measurements of canine blood progesterone concentrations. Theriogenology 2006;66:1583â€“1586.

Jones ME, Folkard E, Doody D, Iqbal J, et al. Effect of delays in processing blood samples on measured endogenous plasma sex hormone levels in women. Cancer Epidemiol Biomarkers Prev 2007; 16(6):1136-1139.

Michaud DS, Manson JE, Spiegelman D et al. Reproducibility of plasma and urinary sex hormone levels in premenopausal women over a one-year period. Cancer Epidemiol Biomarkers Prev 1999 December;8(12):1059-64.

Kesner J, Knecht E, Krieg E. Stability of urinary female reproductive hormones stored under various conditions. Reproductive Toxicology. 1995;9(3):239-244.

Livesey JH, Roud HK, Metcalf MG, Donald RA. Glycerol prevents loss of immunoreactive follicle-stimulating hormone and luteinizing hormone from frozen

urine. J Endocrinol 1983 September;98(3):381-4.

MÃ¤nnistÃ¶ T, Surcel HM, Bloigu A, Ruokonen A, Hartikkainen AL, JÃ¤rvelin MR, Pouta A, VÃ¤istÃ¶smÃ¤ki M & Suvanto-Luukkonen E. The effect of freezing, thawing, and short- and long-term storage on serum thyrotropin, thyroid hormones, and thyroid autoantibodies: Implications for analyzing samples stored in serum banks. Letter to the editor. Clinical Chemistry 2007; 53(11): 1986-1987.

Ferry JD. Effect of serum volume and time of exposure to gel barrier tubes on results for progesterone by Roche Diagnostics Elecsys 2010. Clinical Chemistry 1999; 45(9): 1574-1575.

Platz EA. Low testosterone and risk of premature death in older men: Analytical and preanalytical issues in measuring circulating testosterone. Clinical Chemistry 2008; 54(7): 1110-1112.

Glendenning P, Laffer LLA, Weber HK, Musk AA & Vasikaran SD. Parathyroid hormone is more stable in EDTA plasma than in serum. Clinical Chemistry 2002; 48(5): 766-777.

Nutrition

[BACK TO TOP](#)

Blanck HM, Bowman BA, Cooper GR, Myers GL, Miller DT. Laboratory issues: use of nutritional biomarkers. J Nutr. 2003;133 Suppl 3:888S-894S.

Clinical Chemistry

[BACK TO TOP](#)

Umemura U, Koike KA, Sato S, Iso H, Shimamoto T, Komachi Y. The effect of storage on serum fatty acids. Nippon Eiseigaku Zasshi 1991; 46: 976-983.

Giltay, E. J., J. M. Geleijnse, et al. (2003). "High stability of markers of cardiovascular risk in blood samples." Clin Chem 49(4): 652-655.

Reynolds, B., B. Taillade, et al. (2006). "Effect of repeated freeze-thaw cycles on routine plasma biochemical constituents in canine plasma." Vet Clin Pathol 35(3): 339-340.

Hankinson SE, London SJ, Chute CG, Barbieri RL, Jones L, Kaplan LA, Sacks FM, Stampfer MJ. Effect of transport conditions on the stability of biochemical markers in blood. Clin Chem 1989; 35: 2313-2316.

Menssen HD, Melber K, Brandt N, Thiel E. The use of hirudin as universal anticoagulant in haematology, clinical chemistry and blood grouping. Clin Chem Lab Med 2001; 39: 1267-1277.

Zhang DJ, Elswick RK, Miller WG, Bailey JL. Effect of serum-clot contact time on

clinical chemistry laboratory results. Clin Chem 1998; 44: 1325-1333.

Jackson C, Best N, Elliott P. UK biobank pilot study: stability of haematological and clinical chemistry analytes. Intl J Epidemiol 2008;37:116-122.

Tanner M, Kent N, Smith B, Fletcher S, Lewer M. Stability of common biochemical analytes in serum gel tubes subjected to various storage temperatures and times pre-centrifugation. Ann Clin Biochem 2008;45:375-379.

Clark S, Youngman LD, Chukwurah B, Palmer A, Parish S, Peto R, Collins R. Effect of temperature and light on the stability fat-soluble vitamins in whole blood over several days: implications for epidemiological studies. Int J Epidemiol 2004;33:518- 525.

Hankinson S, London S, Chute C, Barbieri R, Jones L, Kaplan L, Sacks F, Stampfer M. Effect of transport conditions on the stability of biochemical markers in blood. Clinical Chemistry 1989;35(12):2313-2316.

Urbanova J, Vojtisek B, Drybcak J, Alexa P, Pecka F, Bursa J. [The effect of a light regimen on the dynamics of biochemical indicators in the blood, serum and urine of heifers during 1 day]. Vet Med (Praha) 1983 January;28(1):21-30.

Shih J, Datwyler SA, Hsu SC, Matias MS, Pacenti DP, Lueders C, Mueller C, Danne O & MÄ¶ckel M. Effect of collection tube type and preanalytical handling on myeloperoxidase concentrations. Clinical Chemistry 2008; 54(6): 1076-1079.

Yue B, Pattison E, Roberts WL, Rockwood AL, Danne O, Lueders C & MÄ¶ckel M. Choline in whole blood and plasma: sample preparation and stability. Clinical Chemistry 2008; 54(3): 590-593.

Cauliez B, Guignery J, Marinier S, Mariau I & Lavoinne A. Two-year stability of NT-proBNP in frozen samples using the Roche ELecsys system. Ann Clin Biochem. 2008; 45: 318-319.

Scheidhauer R, Guessregen B, Hohl A & Arndt T. Effects of prolonged ambient storage of sodium fluoride/heparin specimens on plasma homocysteine. Clinical Chemistry 2005; 51(8): 1564-1565.

Bush V, Blennerhasset J, Wells A & Dasgupta A. Stability of therapeutic drugs in serum collected in Vacutainer Serum Separator Tubes containing a new gel (SST II). Therapeutic Drug Monitoring 2001; 23: 259-262.

Rehak NN & Chiang BT. Storage of whole blood: Effect of temperature on the measured concentration of analytes in serum. Clinical Chemistry 1988; 34(10): 2111- 2114

Ronald H. Laessig, David J. Hassemer, Thomas A. Paskey and Thomas H. Schartz. The Effects of 0.1 Per Cent Erythrocytes and Hemolysis on Serum Chemistry Values. A.J.C.P.

1979; 66:639-644.

Lippi G, Salvagno GL, Montagna M, Brocco G, Guidi GC. Influence of short-term venous stasis on clinical chemistry testing. Clin Chem Lab Med 2005; 43(8):869-75.

Froom P, Bieganiec B, Ehrenrich Z et al. Stability of common analytes in urine refrigerated for 24h before automated analysis by test strips. Clin Chem 2000; 46: 1384-1386.

Innanent VT, Groom BM, De Campos FM. Microalbumin and freezing. Clin Chem 1997; 43 : 1093-1094.

Chris Jackson, Nicky Best, and Paul Elliott. UK Biobank Pilot Study: Stability of haematological and clinical chemistry analytes. Int. J. Epidemiol. 37: i16-i22 (2008).

Lippi G, Salvagno GL, Montagnana M, Brocco G, Cesare Guidi G. Influence of the needle bore size used for collecting venous blood samples on routine clinical chemistry testing. Clin Chem Lab Med 2006;44:1009-1014.

Hedberg P, Majaya A, Kiviluoma K, Ohtonen P. Potential preanalytical errors in whole-blood analysis: Effect of syringe sample volume on blood gas, electrolyte and lactate values. Scand J Clin Lab Invest 2009;24:1-7.

Lippi G, Salvagno GL, Montagnana M, Brocco G, Guidi GC. Influence of hemolysis on routine clinical chemistry testing. Clin Chel Lab Med 2006;44:311-316.

Guder WG. Haemolysis as an influence and interference factor in clinical chemistry. J Clin Chem Clin Biochem 1986;24:125-126.

Sonntag O. Haemolysis as an interference factor in clinical chemistry. J Clin Chem Clin Biochem 1986;24:127-139.

Bowen RA, Hortin GL, Csako G, Otañez OH, Remaley AT. Impact of blood collection devices on clinical chemistry assays. Clin Biochem 2009.

Parekh RS, Kao WHL, Meoni LA, Ipp E, Kimmel PL, La Page J, et al. Reliability of urinary albumin, total protein, and creatinine assays after prolonged storage: the family investigation of nephropathy and diabetes. Clinical Journal of the American Society of Nephrology 2007;2(6):1156-1162.

Brinkman JW, De Zeeuw D, Duker JJ, Gansevoort RT, Kema IP, Hillege HL, et al. Falsely low urinary albumin concentrations after prolonged frozen storage of urine samples. Clin Chem. 2005;51(11):2181-2183.

Brinkman JW, De Zeeuw D, Gansevoort RT, Duker JJ, Kema IP, De Jong PE, et al. Prolonged frozen storage of urine reduces the value of albuminuria for mortality

[prediction. Clinical Chemistry 2007;53\(1\):153-154.](#)

[Collins ACG, Sethi M, Macdonald FA, Brown D, Viberti GC. Storage-temperature and differing methods of sample preparation in the measurement of urinary albumin. Diabetologia 1993;36\(10\):993-997.](#)

Toxicology- Pharmacology

[BACK TO TOP](#)

[Wiki, T. "Tamoxifen."](#)

[Barfield, M. and R. Wheller \(2011\). "Use of dried plasma spots in the determination of pharmacokinetics in clinical studies: validation of a quantitative bioanalytical method." Anal Chem 83\(1\): 118-124.](#)

[Singh, S. S., K. Sharma, et al. \(2005\). "Estimation of rosuvastatin in human plasma by HPLC tandem mass spectroscopic method and its application to bioequivalence study." J. Braz. Chem. Soc 16\(5\): 944-950.](#)

[Murphy, C. M. and M. A. Huestis \(2005\). "LC-ESI-MS/MS analysis for the quantification of morphine, codeine, morphine-3-beta-D-glucuronide, morphine-6- beta-D-glucuronide, and codeine-6-beta-D-glucuronide in human urine." J Mass Spectrom 40\(11\): 1412-1416.](#)

[Coles, R. and E. D. Kharasch \(2007\). "Stereoselective analysis of bupropion and hydroxybupropion in human plasma and urine by LC/MS/MS." J Chromatogr B Analyt Technol Biomed Life Sci 857\(1\): 67-75.](#)

[Fang, W. B., Y. Chang, et al. \(2009\). "Determination of naloxone and nornaloxone \(noroxymorphone\) by high-performance liquid chromatography-electrospray ionization-tandem mass spectrometry." J Anal Toxicol 33\(8\): 409-417.](#)

[Gunasakaran, S., R. Nageshwara, et al. \(2010\). "Determination of Levocetirizine in human plasma by liquid chromatography electrospray mass spectrometry. ." Biomirror.](#)

[Keller, K. M., D. Belveal, et al. "Determination of Levodopa and Carbidopa in Human Plasma by Solid-Phase Extraction."](#)

[Kozikowski, B. A., T. M. Burt, et al. \(2003\). "The effect of freeze/thaw cycles on the stability of compounds in DMSO." J Biomol Screen 8\(2\): 210-215.](#)

[Pan, J., X. Jiang, et al. \(2010\). "Automatic Supported Liquid Extraction \(SLE\) Coupled with HILIC-MS/MS: An Application to Method Development and Validation of Erlotinib in Human Plasma." Pharmaceutics 2: 105-118.](#)

[Peters, F. T. \(2007\). "Stability of analytes in biosamples - an important issue in clinical](#)

and forensic toxicology?" Anal Bioanal Chem 388(7): 1505-1519.

Saini, G. S., T. A. Wani, et al. (2006). "Validation of the LC-MS/MS method for the quantification of mevalonic acid in human plasma and determination of the matrix effect." J Lipid Res 47(10): 2340-2345.

Tang, L., H.-W. Chou, et al. "LC-MS/MS Determination of Emtricitabine and Tenofovir in Human Plasma."

Zhang, W., F. Han, et al. (2010). "Simultaneous determination of tolbutamide, omeprazole, midazolam and dextromethorphan in human plasma by LC-MS/MS--a high throughput approach to evaluate drug-drug interactions." J Chromatogr B Analyt Technol Biomed Life Sci 878(15-16): 1169-1177.

Zhao, Y., H. W. Cho, et al. "LC-MS/MS Method for Simultaneous Determination of L-Arginine (ARG), L-Citrulline (CIT), and Asymmetric Dimethylarginine (ADMA) in Human Plasma."

[BACK TO TOP](#)

Analyte-specific

AG, I. (2010). "Alpco MLPO kit insert."

Aguilar-Mahecha, A., C. Cantin, et al. (2009). "Development of reverse phase protein microarrays for the validation of clusterin, a mid-abundant blood biomarker." Proteome Sci 7(15).

Balion, C. and B. M. Kapur (2011). "Folate Clinical Utility of Serum and Red Blood Cell Analysis

Bernert, J. T., Jr., W. E. Turner, et al. (1997). "Development and validation of sensitive method for determination of serum cotinine in smokers and nonsmokers by liquid chromatography/atmospheric pressure ionization tandem mass spectrometry." Clin Chem 43(12): 2281-2291.

Berrigan, D., N. Potischman, et al. (2007). "Serum levels of insulin-like growth factor-I and insulin-like growth factor-I binding protein-3: quality control for studies of stored serum." Cancer Epidemiol Biomarkers Prev 16(5): 1017-1022.

Bohm-Weigert, M., T. Wissel, et al. (2010). "Long- and short-term in vitro D-dimer stability measured with INNOVANCE D-Dimer." Thromb Haemost 103(2): 461-465.

Brey, R. L., S. A. Cote, et al. (1994). "Effects of repeated freeze-thaw cycles on anticardiolipin antibody immunoreactivity." Am J Clin Pathol 102(5): 586-588.

Carling, R. S., S. L. Hogg, et al. (2008). "Simultaneous determination of guanidinoacetate, creatine and creatinine in urine and plasma by un-derivatized liquid

chromatography-tandem mass spectrometry." Ann Clin Biochem 45(Pt 6): 575- 584.

Clive, D. R., D. Sudhaker, et al. (2002). "Analytical and clinical validation of a radioimmunoassay for the measurement of 1,25 dihydroxy vitamin D." Clin Biochem 35(7): 517-521.

Cray, C. and A. Andreopoulos (2003). "Comparison of Two Methods to Determine Plasma Bile Acid Concentrations in Healthy Birds." Journal of Avian Medicine and Surgery 17(1): 11-15.

de Jager, W., K. Bourcier, et al. (2009). "Prerequisites for cytokine measurements in clinical trials with multiplex immunoassays." BMC Immunol 10: 52.

Erhardt, J. G., J. E. Estes, et al. (2004). "Combined measurement of ferritin, soluble transferrin receptor, retinol binding protein, and C-reactive protein by an inexpensive, sensitive, and simple sandwich enzyme-linked immunosorbent assay technique." J Nutr 134(11): 3127-3132.

Gao, Y.-C., Y.-D. Yang, et al. "Serum Thyroglobulin Stability for Immunoassay." Labmedicine

38(10): 618 -620. Garcia, D. "Stability of Abnormal D-dimer Levels in Platelet-Poor Plasma Stored at - 20 $^{\circ}$ C and -70 $^{\circ}$ C."

Hartweg, J., M. Gunter, et al. (2007). "Stability of soluble adhesion molecules, selectins, and C-reactive protein at various temperatures: implications for epidemiological and large-scale clinical studies." Clin Chem 53(10): 1858-1860.

Hayward, R. M., M. J. Kirk, et al. (2008). "Post-collection, pre-measurement variables affecting VEGF levels in urine biospecimens." J Cell Mol Med 12(1): 343-350.

Inc, U. L. S. "ELISA Kit for Rat Transthyretin/prealbumin(TTR/PA/PLB)."

Ismail, O. A., T. Zhang, et al. (2011). "Determination of octreotide and assessment of matrix effects in human plasma using ultra high performance liquid chromatography-tandem mass spectrometry." J Chromatogr B Analyt Technol Biomed Life Sci 879(22): 2081-2088.

Jakubowski, J., V. Aebischer, et al. (1998). "Stability of CK- and Ldh-isoenzyme values in minipig serum under different storage conditions." Lab Anim 25: 205-209.

Kemna, E. H., H. Tjalsma, et al. (2007). "Mass spectrometry-based hepcidin measurements in serum and urine: analytical aspects and clinical implications." Clin Chem 53(4): 620-628.

Killingsworth, L. and T. Allerding (2001). "Anti-Gliadin Antibodies Test for Gluten-

Sensitive Enteropathies." Pathology Associates Medical Laboratories.

Kisand, K., I. Kerna, et al. (2011). "Impact of cryopreservation on serum concentration of matrix metalloproteinases (MMP)-7, TIMP-1, vascular growth factors (VEGF) and VEGF-R2 in Biobank samples." Clin Chem Lab Med 49(2): 229-235.

Livesey, J. H., S. C. Hodgkinson, et al. (1980). "Effect of time, temperature and freezing on the stability of immunoreactive LH, FSH, TSH, growth hormone, prolactin and insulin in plasma." Clin Biochem 13(4): 151-155.

Lukasz, A., J. Hellpap, et al. (2008). "Circulating angiopoietin-1 and angiopoietin-2 in critically ill patients: development and clinical application of two new immunoassays." Crit Care 12(4): R94.

Marquet, P., F. L. Sauvage, et al. (2010). "Stability of ribavirin concentrations depending on the type of blood collection tube and preanalytical conditions." Ther Drug Monit 32(2): 237-241.

McDade, T. W., S. Williams, et al. (2007). "What a drop can do: dried blood spots as a minimally invasive method for integrating biomarkers into population-based research." Demography 44(4): 899-925.

Morgenthaler, N. G., J. Struck, et al. (2004). "Immunoluminometric assay for the midregion of pro-atrial natriuretic peptide in human plasma." Clin Chem 50(1): 234- 236.
Paltiel, L., K. S. Ronningen, et al. (2008). "Evaluation of Freeze Thaw Cycles on stored plasma in the Biobank of the Norwegian Mother and Child Cohort Study." Cell Preserv Technol 6(3): 223-230.

Panesar, N. S. and L. C. Lit (2010). "Stability of serum thyroid hormones following 8- 11 years of cold storage." Clin Chem Lab Med 48(3): 409-412.

Ramachandran, R., M. Patterson, et al. (2008). "Preanalytical factors affecting RIA measurement of plasma kisspeptin." Clin Chem 54(3): 615-617.

Rhea, J. M. and R. J. Molinaro (2011). "Cancer biomarkers: surviving the journey from bench to bedside." MLO Med Lab Obs 43(3): 10-12, 16, 18; quiz 20, 22.

Rogers, A. and R. Eastell (2005). "Circulating osteoprotegerin and receptor activator for nuclear factor kappaB ligand: clinical utility in metabolic bone disease assessment." J Clin Endocrinol Metab 90(11): 6323-6331.

Rundle, A. G., P. Vineis, et al. (2005). "Design options for molecular epidemiology research within cohort studies." Cancer Epidemiol Biomarkers Prev 14(8): 1899- 1907.

Schiele, F., M. Vincent-Viry, et al. (2000). "Effect of short- and long-term storage on human serum and recombinant apolipoprotein E concentration." Clin Chem Lab Med

38(6): 525-528.

Schrohl, A. S., S. Wurtz, et al. (2008). "Banking of biological fluids for studies of disease-associated protein biomarkers." Mol Cell Proteomics 7(10): 2061-2066.

Shain, S. A., R. W. Boesel, et al. (1983). "Creatine kinase and lactate dehydrogenase: stability of isoenzymes and their activity in stored human plasma and prostatic tissue extracts and effect of sample dilution." Clin Chem 29(5): 832- 835.

Steffes, M. (2007-2008). "Laboratory Procedure Manual Human Insulin Immunoassay."

Stoddard, L., W. Dennis, et al. (1984). "Freeze/thaw stability of transferrin, and reference values obtained with kinetic nephelometry." Clin Chem 30(1): 114-115.

Sun, R., C. Smith, et al. "Method Development and Validation of Cystine in White Blood Cell Lysate Using LC/MS/MS."

van Eijsden, M., M. F. van der Wal, et al. (2005). "Can whole-blood samples be stored over 24 hours without compromising stability of C-reactive protein, retinol, ferritin, folic acid, and fatty acids in epidemiologic research?" Clin Chem 51(1): 230- 232.

vanderstichele, H., G. De Meyer, et al. (2008). "ALZHEIMERÂ€'S DISEASE BIOMARKERS: FROM CONCEPT TO CLINICAL UTILITY." 81-122. Varo, N., R. Nuzzo, et al. (2006). "Influence of pre-analytical and analytical factors on soluble CD40L measurements." Clin Sci (Lond) 111(5): 341-347.

Wielders, J. P. and F. A. Wijnberg (2009). "Preanalytical stability of 25(OH)-vitamin D3 in human blood or serum at room temperature: solid as a rock." Clin Chem 55(8): 1584- 1585.

Wojcik, O. P., K. L. Koenig, et al. (2010). "Temporal reproducibility of taurine measurements in frozen serum of healthy postmenopausal women." Br J Nutr 104(5): 629-632.

Yan, W., G. D. Byrd, et al. (2007). "Quantitation of isoprostane isomers in human urine from smokers and nonsmokers by LC-MS/MS." J Lipid Res 48(7): 1607-1617.

Yu, H., J. Mistry, et al. (1999). "Insulin-like growth factors (IGF-I, free IGF-I and IGF-II) and insulin-like growth factor binding proteins (IGFBP-2, IGFBP-3, IGFBP-6, and ALS) in blood circulation." J Clin Lab Anal 13(4): 166-172.

Zhou, X., M. S. Fragala, et al. (2010). "Conceptual and methodological issues relevant to cytokine and inflammatory marker measurements in clinical research." Curr Opin Clin Nutr Metab Care 13(5): 541-547.

CLSI, C31-A2: Ionized calcium determinations, pre-collection variables, specimen

choice, collection and handling

CLSI, C38-A: Control of preanalytical variation in trace elements Banks RE.
Measurement of cytokines in clinical samples using immunoassays:

Problems and pitfalls. Crit Rev Clin Lab Sci 2000; 37: 131-82.

Boink ABTJ, Buckley BM, Christiansen TF, Covington AK, Maas AHJ, MÃ¼ller-Plathe O, et al. IFCC Recommendations on sampling, transport and storage for the determination of concentration of ionized calcium in whole blood, plasma and serum. Eur J Clin Chem Clin Biochem 1991; 29: 767-72.

Burnett RW, Covington AK, Fogh-Andersen N, KÃ¶lpmann WR, Maas AHJ, MÃ¼ller-Plathe O, et al. Approved IFCC recommendations on whole blood sampling, transport, and storage for simultaneous determination of pH, blood gases, and electrolytes. Eur J Clin Chem Clin Biochem 1995; 33: 247-53.

Evans K, Mitcheson J, Laker MF. Effect of storage at 4Â°C and -20Â°C on lipid, lipoprotein, and apolipoprotein concentrations. Clin Chem 1995; 41: 392-6.

Spencer K. The influence of different sample collection types on the levels of markers used for DownÂ’s syndrome screening as measured by the Kryptor Immunosassay system. Ann. Clin. Biochem. 2003 ; 40(Pt) : 166-8.

Flower L, et al. Effects of sample handling on the stability of interleukin 6, tumour necrosis factor-alpha and leptin. Cytokine. 2002 ; 12 : 1712-1716.

Lawrence JM, Umekubo MA, Chiu V, Petitti DB. Split sample analysis of serum folate levels after 18 days in frozen storage. Clin Lab 2000; 46: 483-486.

Harris TG, Strickler HD, Yu H et al. Specimen processing time and measurement of total insulin-like growth factor-I (IGF-I), free IGF-I, and IGF binding protein-3 (IGFBP- 3). Growth Horm IGF Res 2006; 16: 86-92.

Woodrum D, French C, Shamel LB. Stability of free prostate-specific antigen in serum samples under a variety of sample collection and sample storage conditions. Urology 1996; 48: 33-39.

Jung K, Lein M, Brux B, Sinha P, Schnorr D, Loening SA. Different stability of free and complexed prostate-specific antigen in serum in relation to specimen handling and storage conditions. Clin Chem Lab Med 2000; 38: 1271-1275.

Ito Y, Nakachi K, Imai K et al. Stability of frozen serum levels of insulin-like growth factor-I, insulin-like growth factor-II, insulin-like growth factor binding protein-3, transforming growth factor beta, soluble Fas, and superoxide dismutase activity for the JACC study. J Epidemiol 2005; 15 Suppl 1: S67-73.

McLeay WR, Horsfall DJ, Seshadri R, Morrison DA, Saccone GT. Epidermal growth factor receptor in breast cancer: storage conditions affecting measurement, and relationship to steroid receptors. Breast Cancer Res Treat 1992; 22: 141-151.

Du L, Musson DG, Wang AQ. Stability studies of vorinostat and its two metabolites in human plasma, serum and urine. J Pharm Biomed Anal 2006; 42: 556-564.

Ovist P, Munk M, Hoyle N, Christiansen C. Serum and plasma fragments of C-telopeptides of type I collagen (CTX) are stable during storage at low temperatures for 3 years. Clin Chim Acta 2004; 350: 167-173.

Koliakos G, Gaitatzis M, Grammaticos P. Stability of serum TSH concentration after non refrigerated storage. Panminerva Med 1999; 41: 99-101.

Wong SJ, Seligman SJ. Long-term stability of West Nile virus IgM and IgG antibodies in diluted sera stored at 4 degrees C. Ann N Y Acad Sci 2001; 951: 369-372.

Ruangturakit S, Rojanasuphot S, Srijuggravavong A, Duangchanda S, Nuangplee S, Igarashi A. Storage stability of dengue IgM and IgG antibodies in whole blood and serum dried on filter paper strips detected by ELISA. Southeast Asian J Trop Med Public Health 1994; 25: 560-564.

Exley AR, Cohen J. Optimal collection of blood samples for the measurement of tumor necrosis factor alpha. Cytokine 1990; 2: 353-356.

Boomsma F, Alberts G, van Eijk L, Man in't Veld AJ, Schalekamp MA. Optimal collection and storage conditions for catecholamine measurements in human plasma and urine. Clin Chem 1993; 39: 2503-2508.

Nielsen EW, Johansen HT, Straume B, Mollnes TE. Effect of time, temperature and additives on a functional assay of C1 inhibitor. J Immunol Methods 1994; 173: 245- 251.

Shield JP, Hunt LP, Morgan JE, Pennock CA. Are frozen urine acceptable for estimating albumin excretion in research? Diabet Med 1995; 12: 713-716.

Shah SN, Johnson RC, Minn K, Schoenfeld F. Arylsulfatase A and beta- galactosidase activities in leukocytes and lymphocytes from normal and psychiatric subjects. Effects of blood-processing delay and interleukin-2 stimulation. Mol Chem Neuropathol 1995; 24: 43-52.

De Jongh R, Vranken J, Vundelinckx G, Bosmans E, Maes M, Heylen R. The effects of anticoagulation and processing on assays of IL-6, sIL-6R, sIL-2R and soluble transferrin receptor. Cytokine 1997; 9: 696-701.

Holten-Andersen MN, Schrohl AS, Brünner N, Nielsen HJ, Hogdall CK, Hogdall EV.

Evaluation of sample handling in relation to levels of tissue inhibitor of metalloproteinases-1 measured in blood by immunoassay. Int J Biol Markers 2003; 18: 170-176.

Rouy D, Ernens I, Jeanty C, Wagner DR. Plasma storage at -80°C does not protect matrix metalloproteinase-9 from degradation. Anal Biochem 2005; 338: 294-298.

Jonkman JHG et al. Stability of theophylline in serum, plasma and saliva stored at different temperatures. Clin Chem 1981; 27: 2071-2072.

Chaigneau C, Cabioch T, Beaumont K, Betsou F. Serum biobank certification and the establishment of quality controls for biological fluids: examples of serum biomarker stability after temperature variation. Clin. Chem. Lab. Med. 2007; 45: 1390-1395.

Lengelle J, Panopoulos E, Betsou F. Soluble CD40-Ligand as a biomarker for storage-related preanalytic variations of human serum. Cytokine 2008, in press.

Duarte NL, Wang XL, Wilcken DEL. Effects of anticoagulant and time of plasma separation on Measurement of Homocysteine. Clin Chem 2002;48: 665-668

Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kario K, Ito Y, Kajii E. Comparison of C-reactive protein levels between serum and plasma samples on long-term frozen storage after 13.8 year interval: the JMS cohort study. J Epidemiol 2007;4:120-124.

Mannello F, Luchetti F, Canonico B, Papa S. Effect of anticoagulants and cell separation media as preanalytical determinants on zymographic analysis of plasma matrix metalloproteinases. Letter to the editor. Clin Chem 2003

Ventura M, Pichini S, Ventura R, Zuccaro P, Pacifici R, de la Torre R. Stability studies of principal illicit drugs in oral fluid: preparation of reference materials for external quality assessment schemes. Therp Drug Monit 2007;29: 662-665.

Berrigan D, Potischman N, Dodd KW, Nicar M, McQuillan G, Lavigne JA, Barrett JC, Ballard-Barbash R. Serum levels of insulin-like growth factor-i and insulin-like growth factor-i binding protein-3: quality control for studies of stored serum. Cancer Epidemiol Biomarkers Prev 2007;16:1017-1022.

Bowen RAR, Vu C , Remaley AT, Hortin GL, Csako G. Differential effect of blood collection tubes on total free fatty acids (FFA) and total triiodothyronine (TT3) concentration: a model for studying interference from tube constituents. Clinica Chimica Acta 2007;378: 181-193.

Gao YC, Yuan ZB, Yang YD., LU HK. Effect of freeze-thaw cycles on serum measurements of AFP, CEA, CA125 and CA19-9. Scand J Clin Lab Investi 2007;1- 7.

Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kario K, Ito Y, Kajii E. Comparison of C-

reactive protein levels between serum and plasma samples on long-term frozen storage after 13.8 year interval: the JMS cohort study. J Epidemiol 2007;4:120-124.

Jenab M, Bingham S, Ferrari P, Friesen MD ,Al-Delaimy WK, Luben R, Wareham N, Khaw KT, Riboli E. Long-term Cryoconservation and stability of vitamin C in serum samples of the European prospective investigation into cancer and nutrition. Cancer Epidemiol Biomarkers Prev 2005;14(7): 1837-1840.

Karlsen A, Blomhoff R, Gundersen TE. Short communication: Stability of whole blood and plasma ascorbic acid. J Clin Nutrition 2007; 61, 1233–1236.

Reed AB, Ankerst DP, Leach RJ, Vipraio G, Thompson IM, Parekh DJ. Total prostate specific antigen stability confirmed after long-term storage of serum at -80C. J Urolo 2008;180:534-538.

Kristal A, King I, Albanes D, Pollak M, Stanzyk, Santella R, Hoque A. Centralized blood processing for the selenium and vitamin E cancer prevention trial: effects of delayed processing on carotenoids, tocopherols, insulin-like growth factor-I, insulin- like growth factor binding protein 3, steroid hormones, and lymphocyte viability. Cancer Epidemiology Biomarkers and Prevention 2005;14(3):727-730.

Ocke MC, Schrijver J, Obermann-de Boer GL, Bloemberg BP, Haenen GR, Kromhout D. Stability of blood (pro)vitamins during four years of storage at -20 degrees C: consequences for epidemiologic research. J Clin Epidemiol 1995 August;48(8):1077-85.

Aziz N, Fahey J, Detels R, Butch A. Analytical performance of a highly sensitive C-reactive protein-based immunoassay and the effects of laboratory variables on levels of protein in blood. Clinical and Diagnostic Laboratory Immunology 2003; 652-657.

Block G, Dietrich M, Norkus E et al. Intraindividual variability of plasma antioxidants, markers of oxidative stress, C-reactive protein, cotinine, and other biomarkers. Epidemiology. 2006;17:404-412.

Boyanton BL, Jr., Blick KE. Stability studies of twenty-four analytes in human plasma and serum. Clin Chem. 2002;48:2242-2247.

Chung WY, Chung JK, Szeto YT, Tomlinson B, Benzie IF. Plasma ascorbic acid: measurement, stability and clinical utility revisited. Clin Biochem. 2001;34:623-627.

Clark S, Youngman LD, Palmer A, Parish S, Peto R, Collins R. Stability of plasma analytes after delayed separation of whole blood: implications for epidemiological studies. Int J Epidemiol. 2003;32:125-130.

Comstock GW, Burke A, Norkus E, Gordon G et al. Effects of repeated freeze-thaw cycles on concentrations of cholesterol, micronutrients, and hormones in human plasma and serum. Clin Chem. 2001;47:139-142.

Craft NE, Brown ED, Smith JC, Jr. Effects of storage and handling conditions on concentrations of individual carotenoids, retinol, and tocopherol in plasma. Clin Chem. 1988;34:44-48.

Donnelly J, Soldin S, Nealon D, Hicks J. Stability of twenty-five analytes in human serum at 22 degrees C, 4 degrees C, and -20 degrees C. Pediatr Pathol Lab Med 1995 Nov-Dec;15(6):869-74.

Heins M, Heil W, Withold W. Storage of serum or whole blood samples? Effects of time and temperature on 22 serum analytes. Eur J Chem Clin Biochem 1995;33:231- 238.

Lakomaa EL, Mussalo-Rauhamaa H, Salmela S. Avoidance of contamination in element analysis of serum samples. J Trace Elem Electrolytes Health Dis 1988 March;2(1):37-41.

Le GC, Gaudet ML, Lamanetre S, Breteau M. Stability of rifampin in plasma: consequences for therapeutic monitoring and pharmacokinetic studies. Ther Drug Monit 1997 December;19(6):669-74.

Margolis SA, Davis TP. Stabilization of ascorbic acid in human plasma, and its liquid-chromatographic measurement. Clin Chem 1988 November;34(11):2217-23.

Margolis SA, Ziegler RG, Helzlsouer KJ. Ascorbic and dehydroascorbic acid measurement in human serum and plasma. Am J Clin Nutr 1991 December;54(6 Suppl):1315S-8S.

Noy V, Baracaldo CM, Forero Y, Poveda E, Sanchez MR, Castro de NL. [Stability and effect of ingestion on the levels of folate in plasma]. Biomedica 2002 March;22(1):46-50.

Peng YM, Xu MJ, Alberts DS. Analysis and stability of retinol in plasma. J Natl Cancer Inst 1987 January;78(1):95-9.

Shih WJ, Bachorik PS, Haga JA, Myers GL, Stein EA. Estimating the long-term effects of storage at -70 degrees C on cholesterol, triglyceride, and HDL-cholesterol measurements in stored sera. Clin Chem 2000 March;46(3):351-64.

Peng YS, Peng YM, McGee DL, Alberts DS. Carotenoids, tocopherols, and retinoids in human buccal mucosal cells: intra- and interindividual variability and storage stability. Am J Clin Nutr 1994 March;59(3):636-43.

Feldmann J, Lai VW, Cullen WR, Ma M, Lu X, Le XC. Sample preparation and storage can change arsenic speciation in human urine. Clin Chem. 1999;45:1988- 1997.

Gillespie T, Fewster J, Masterton RG. The effect of specimen processing delay on borate urine preservation. J Clin Pathol. 1999;52:95-98.

Hoppin JA, Ulmer R, Calafat AM et al. Impact of urine preservation methods and duration of storage on measured levels of environmental contaminants. J Expo Sci Environ Epidemiol 2006 January;16(1):39-48.

Lee ZS, Critchley JA. Simultaneous measurement of catecholamines and kallikrein in urine using boric acid preservative. Clin Chim Acta 1998 August 10;276(1):89-102.

Nicar MJ, Hsu MC, Johnson T, Pak CY. The preservation of urine samples for determination of renal stone risk factors. Lab Med 1987 June;18(6):382-4.

Nillen JL, Smith SM. The use of chlorhexidine/n-propyl gallate as a urine preservative. Clin Lab Sci 2004;17(3):149-54.

Tencer J, Thysell H, Andersson K, Grubb A. Stability of albumin, protein HC, immunoglobulin G, kappa- and lambda-chain immunoreactivity, orosomucoid and alpha 1-antitrypsin in urine stored at various conditions. Scand J Clin Lab Invest 1994 May;54(3):199-206.

Arun P, Padmakumaran Nair KG, Manojkumar V, Deepadevi KV, Lakshmi LR, Kurup PA. Decreased hemolysis and lipid peroxidation in blood during storage in the presence of nicotinic acid. Vox Sang. 1999;76:220-225.

Hansen CM, Shultz TD. Stability of vitamin B-6-dependent aminotransferase activity in frozen packed erythrocytes is dependent on storage temperature. J Nutr. 2001;131:1581-1583.

Jezequel-Cuer M, Le MG, Covi G et al. [Stability of alpha-tocopherol: pre-analytical conditions in its determination in blood samples]. Ann Biol Clin (Paris) 1994;52(4):271-6.

Key T, Oakes S, Davey G et al. Stability of vitamins A, C, and E, carotenoids, lipids, and testosterone in whole blood stored at 4 degrees C for 6 and 24 hours before separation of serum and plasma. Cancer Epidemiol Biomarkers Prev 1996 October;5(10):811-4.

O'Briain SD, Kelleher BP, Davoren A, Gunter EW. Field-study screening of blood folate concentrations: specimen stability and finger-stick sampling. Am J Clin Nutr 1997 December;66(6):1398-405.

Rodushkin I, Odman F. Assessment of the contamination from devices used for sampling and storage of whole blood and serum for element analysis. J Trace Elem Med Biol 2001;15(1):40-5.

Speek AJ, Schrijver J, Schreurs WH. Fluorometric determination of total vitamin C in whole blood by high-performance liquid chromatography with pre-column derivatization. J Chromatogr 1984 January 13;305(1):53-60.

Statland BE, Winkel P. Effects of preanalytical factors on the intraindividual variation of analytes in the blood of healthy subjects: consideration of preparation of the subject and time of venipuncture. CRC Crit Rev Clin Lab Sci 1977 October;8(2):105- 44.

Stevens VL, Patel A, Feigelson HS, Rodriguez C, Thun M, Calle E. Cryopreservation of whole blood samples collected in the field for a large epidemiologic study. Cancer Epidemiol Biomarkers Prev 2007;16(10):2160-2163.

Craig AM, Blythe LL, Rowe KE, Lassen ED, Barrington R, Walker KC. Variability of alpha-tocopherol values associated with procurement, storage, and freezing of equine serum and plasma samples. Am J Vet Res. 1992;53:2228-2234.

Hooser SB, McCarthy JM, Wilson CR, Harms JL, Stevenson G, Everson RJ. Effects of storage conditions and hemolysis on vitamin E concentrations in porcine serum and liver. J Vet Diagn Invest 2000 July;12(4):365-8.

Carlotti ME, Rossatto V, Gallarate M. Vitamin A and vitamin A palmitate stability over time and under UVA and UVB radiation. Int J Pharm. 2002;240:85-94.

Hu PC, Chen BH. Effects of riboflavin and fatty acid methyl esters on cholesterol oxidation during illumination. J Agric Food Chem 2002 June 5;50(12):3572-8.

Kargas MR, Tosteson TD, Blum J et al. Measurement of low levels of arsenic exposure: a comparison of water and toenail concentrations. Am J Epidemiol 2000 July 1;152(1):84-90.

Jung K, Klotzek S, Stephan C, Mannelo F & Lein M. Impact of blood sampling on the circulating matrix metalloproteinases 1, 2, 3, 7, 8 and 9. Clinical Chemistry 2008; 54(4): 772-774.

Nanba T, Watanabe M, Akamizu T & Iwatani Y. Preanalytical factors affecting RIA measurement of plasma Kisspeptin. Clinical Chemistry 2008; 54(3): 615-623.

Majid A, Heamey DC & Padmanabhan N. The order of draw of blood specimens into additive containing tubes does not affect potassium and calcium measurements. J Clin Pathol 1996; 49: 1019-1020.

Taberner PV. A source of error in blood alcohol analysis. Letter to the editor. Alcohol & Alcoholism 1989; 24(5): 489-490.

Seamark D, Backhouse S, Barber P, Hichens J, Salzmann M, Powell R. Transport and temperature effects on measurement of serum and plasma potassium. J R Soc Med. 1999; 92(7): 339-41.

Meng QH & Krahn J. Lithium heparinised blood-collection tubes give falsely low albumin results with an automated bromcresol green method in haemodialysis patients.

Clin Chem Lab Med 2008; 46(3): 396-400.

Ford L & Berg J. Delay in separating blood samples affects creatinine measurement using the Roche kinetic Jaffe method. Annals of Clinical Biochemistry 2008; 45: 83- 87.

BissÃ© E, Epting T, KÃ¶gel G, Obeid R, Gempel K, Huzly D, Fuhrmann K, Rolinski B, Herrmann W & Wieland H. Clinical validation of a new blood collection tube for the accuracy of total homocysteine measurement by different methods. Clinical Biochemistry 2007; 40: 739-743.

Hubner U, Schorr H, Geisel J & Herrmann W. Stability of plasma homocysteine, S-Adenosylmethionine, and S-Adenosylhomocysteine in EDTA, Acidic Citrate, and PrimavetteTM Collection Tubes. Letter to the editor. Clinical Chemistry 2007; 53(12): 2217-2218.

Jones AW. Are changes in blood-ethanol concentration during storage analytically significant? Importance of method imprecision. Clin Chem Lab Med 2007; 45(10): 1299-1304.

Daves M & Cemin R. Type B natriuretic peptide stability in frozen plasma. Letter to the editor. Clin Chem Lab Med 2007; 45(9): 1257-1258.

Belenky A, Smith A, Zhang B, Lin S, Despres N, Wu AH, et al. The effect of class-specific protease inhibitors on the stabilisation of B-type natriuretic peptide in human plasma. Clin Chim Acta 2004; 340: 163-172.

Dasgupta A & White D. Stability of oleander extract and oleandrin in sera stored in plastic serum separator tubes. Ann Clin Biochem 2007; 44: 485-487.

Locsei Z, Racz K, Patocs A, Kovacs GL, Toldy E. Influence of sampling and storage conditions on plasma renin activity and plasma renin concentration. Clin Chem Acta 2009, PMID 19361473.

Jung K. Matrix metalloproteinases do not properly work as peripheral blood biomarkers without taking into account the preanalytical impact of blood sampling. Eur J Cardiothorac Surg 2007;32:48-51.

Parent X, Alenabi F, Etienne E, Brignon P, Chantrel F, Meynaud-Kraemer L. Preanalytical variability of parathyroid hormone measurement in dialysis patients ; application to Elecsys 2010 (Roche) automate. Ann Biol Clin 2008;66:53-58.

Hetland ML, Christensen IJ, Lottenburger T, Johansen JS, Svendsen MN, Horslev-Petersen K, Nielsen L, Nielsen HJ. Circulating VEGF as a biological marker in patients with rheumatoid arthritis? Preanalytical and biological variability in healthy persons and in patients. Dis Markers 2008;24:1-10.

Zinelli A, Sotgia S, Deiana L, Carru C. Pre-analytical factors affecting ascorbic and uric acid quantification in human plasma. J Biochem Biophys Methods 2006;67:95- 105.

Tate JR. Troponin revisited 2008: assay performance. Clin Chem Lab Med 2008;46:1489-1500.

Thavasu PW, Longhurst S, Joel SP, Slevin ML, and Balkwill FR. Measuring cytokine levels in blood. Importance of anticoagulants, processing, and storage conditions. J Immunol Meth 1992; 153:115-124.

De Reijke TM, De Boer EC, Kurth KH, Schammhart DHJ. Urinary cytokines during intravesical Bacillus calmette-guerin therapy for superficial bladder cancer: processing, stability and prognostic value. J Urology 1996;155:477-482.

Cush JJ, Rothlein R, Lindsley HB, Mainolfi EA, and Lipsky PE. Increased levels of circulating intercellular adhesion molecule 1 in the sera of patients with rheumatoid arthritis. Arthritis and Rheumatism 1993;36:1098-1102.

Kojima S, Inui T, Muramatsu H, Kimura T, Sakakibara S, and Muramatsu T. Midkine is a heat and acid stable polypeptide capable of enhancing plasminogen activator activity and neurite outgrowth extension. Biochem Biophys Res Comm 1995; 216:574-581.

Aziz N, Nishamian P, Taylor JMG, Mitsuyasu RT, Jacobson JM, Dezube BJ, Lederman MM, Detels R, and Fahey JL. Stability of Plasma Levels of Cytokines and Soluble Activation Markers in Patients with Human Immunodeficiency Virus Infection. The Journal of Infectious Diseases 1999;179:843-8.

Lindstedt G, and Lundberg PA. Are current methods of measurement of erythropoietin (EPO) in human plasma or serum adequate for the diagnosis of polycythaemia vera and the assessment of EPO deficiency? Scandinavian Journal of Clinical and Laboratory Investigation 58:441-458.

Spong CY, Ghibini A, Ossandon M, Walker CN and Pezzullo JC. Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? American Journal of Obstetrics and Gynecology 1998;178:783-6.

Gislefoss RE, Grimsrud TK, Mørkrid L. Stability of selected serum proteins after long-term storage in the Janus serum bank. Clin Chem Lab Med 2009;47:596-603.

O'Keane MP, Cunningham SK. Evaluation of three different specimen types (serum, plasma lithium heparin and serum gel separator) for analysis of certain analytes: clinical significance of differences in results and efficiency in use. Clin Chem Lab Med 2006;44:662-668.

Spencer K. The influence of different sample collection types on the levels of markers for Down's syndrome screening as measured by the Kryptor Immunoassay system.

Ann Clin Biochem 2003; 40: 166-168.

Adeyemi EO, Hodgson HJ. Augmented release of human leucocyte lactoferrin (and elastase) during coagulation. J Clin Lab Immunol 1988;27:1-4.

Levin GE, Nisbet JA. Stability of parathyroid hormone-related protein and parathyroid hormone at room temperature. Ann Clin Biochem 1994;31:497-500.

Grafmeyer D, Bondon M, Manchon M, Levillain P. The influence of bilirubin, haemolysis and turbidity on 20 analytical tests performed on automatic analysers. Results of an interlaboratory study. Eur J Clin Chem Clin Biochem 1995;33:31-52.

Kroll MH, Elin RJ. Interference with clinical laboratory analyses. Clin Chem 1994;40:1996-2005.

Steen G, Vermeer HJ, Naus AJ, Goovaerts B, Agricola PT, Schoenmakers CH. Multicenter evaluation of the interference of hemoglobin, bilirubin and lipids on Synchron LX-20 assays. Clin Chem Lab Med 2006;44:413-419.

Herget-Rosenthal S, Feldkamp T, Volbracht L, Kribben A. Measurement of urinary cystatin C by particle-enhanced nephelometric immunoassay: precision, interferences, stability and reference range. Annals of Clinical Biochemistry 2004;41:111-118.

Gazzolo D, Lituania M, Michetti F. Effects of temperature on pre-analytical stability of S100B protein concentrations in urine of healthy full-term infants. Clinica Chimica Acta. 2004;350(1-2):231-232.

Meetings

[BACK TO TOP](#)

The above documents have been elaborated by meetings held either by scientific or by normative bodies / working groups. Scientific workgroups include:

Symposium on the impact of the preanalytical phase on the quality of laboratory results in Haemostasis (Montpellier, 1996).

The impact of the preanalytical phase on the quality of laboratory results (Basel, 1997).

Session on "Extra-analytical variability and quality in laboratory medicine" at the National Congress of SIBioC, Rimini October 4th, 2007.

VariabilitÃ© biologique : la phase prÃ©analytique. 24Ã©me CongrÃ¨s annuel de la SociÃ©tÃ© QuÃ©bÃ©coise de Biologie Clinique. 47Ã©me CongrÃ¨s annuel de la SociÃ©tÃ© Canadienne de Biologie Clinique, Saint Sauveur 1-5 juin 2003.

Variations prÃ©analytiques de la CRP ultra sensible. NSFA 2004 "CRP" Biarritz

Importance de l'âge à l'étape pré-analytique en biologie médicale. Paris - mardi 13 juin 2006 Le Kremlin Bicêtre.

Maruvada P, Srivastava S. Joint National Cancer Institute-Food and Drug Administration Workshop on research strategies, study designs, and statistical approaches to biomarker validation for cancer diagnosis and detection. Cancer Epidemiol Biomarkers Prev 2006, 15: 1078-1082.

List of analytes, Preanalytical variables. W.G. Guder et al. Working Group "Präanalytik" of the German Society of Clinical Chemistry, 1996.

Session on Biospecimen Research, ISBER, Bethesda, May 2008.

The main normative working group is the ISO Technical Committee 212 which is devoted to clinical laboratory testing and in vitro diagnostic test systems. To our knowledge, ISO/TC 212 has not yet undertaken a project development on preanalytics standardisation.

Zimmerman, L. J. (2010). "Assessment of Protein Stability in Whole Blood."

Serum, plasma

[BACK TO TOP](#)

Nelsestuen GL, Zhang Y, Martinez MB, Key NS, Jilma B, Verneris M, Sinaiko A, Kasthuri RS. Plasma protein profiling: Unique and stable features of individuals. Proteomics 2005; 5: 4012-4024.

Barelli, S., D. Crettaz, et al. (2007). "Plasma/serum proteomics: pre-analytical issues." Expert Rev Proteomics 4(3): 363-370

West-Nielsen M, Hogdall EV, Marchiori E, Hogdall CK, Schou C, Heegaard NH. Sample handling for mass spectrometric proteomic investigations of human sera. Analytical Chemistry 2005;77:5114-5123.

West-Norager M et al. Unravelling in vitro variables of major importance for the outcome of mass spectrometry-based serum proteomics. J Chromatogr B Analyt Technol Biomed Life Sci 2007, 847(1): 30-37

deVera, I. E., J. E. Katz, et al. (2006). "Clinical proteomics: the promises and challenges of mass spectrometry-based biomarker discovery." Clin Adv Hematol Oncol 4(7): 541-549.

Tammen, H., I. Schulte, et al. (2005). "Prerequisites for peptidomic analysis of blood samples: I. Evaluation of blood specimen qualities and determination of technical performance characteristics." Comb Chem High Throughput Screen 8(8): 725-733.

Hulmes JD, Bethea D, Ho K, Huang S-P, Ricci DL, Optiteck GJ, Hefta SA. An

investigation of plasma collection, stabilisation, and storage procedures for proteomic analysis of clinical samples. Clin Proteomics J 2004; 1: 17-31.

Gao J et al. Biomarker discovery in biological fluids. Methods 2005, 35(3): 291-302

Baumann S et al. Standardized approach to proteome profiling of human serum based on magnetic separation and matrix-assisted laser desorption/ionization time- of-flight mass spectrometry. Clin Chem 2005, 51: 973-980

Luque-Garcia JL and Neubert TA. Sample preparation for serum/plasma profiling and biomarker identification by mass spectrometry. J Chromatogr A 2007, 1153: 259-276

Yi J, Kim C, Gelfand CA. Inhibition of intrinsic proteolytic activities moderates preanalytical variability and instability of human plasma. J Proteome Res 2007, 6(5): 1768-1781

Banks RE, Stanley AJ, Cairns DA, Barrett JH, Clarke P, Thompson D, et al. Influences of blood sample processing on low-molecular weight proteome identified by surface-enhanced laser desorption/ionization mass spectrometry. Clinical Chemistry 2005;51(9):1637-1649.

Rai AJ, Gelfand CA, Haywood BC et al. HUPO Plasma Proteome Project specimen collection and handling: towards the standardization of parameters for plasma proteome samples. Proteomics 2005; 5: 3262-3277.

Marshall j, Kupchak P, Zhu W, Yantha J, Vrees T, Furesz S, Jacks K, Smith C, Kireeva I, Zhang R, Takahashi M, Stanton E. Processing of serum proteins underlies the mass spectral fingerprinting of myocardial infarction. J. Proteome. Res.2003 ; 2(4) : 361-372.

Drake SK, Bowe RA, Remaley AT, Hortin GL. Potential interferences from blood collection tubes in mass spectrometric analyses of serum polypeptides. Clin. Chem. 2004 ; 50(12) : 2398-401.

Diamandis EP. Analysis of Serum Proteomic Patterns for Early Cancer Diagnosis : Drawing Attention to Potential Problems. J. Natl. Cancer Inst. 2004 ; 96(5) : 353-6

Villanueva J, Philip J, Chaparro CA, Li Y, Toledo-Crow R, DeNoyer L, Fleisher M, Robbins RJ, Tempst P. Correcting common errors in identifying cancer-specific serum peptide signatures. J. Proteome Res. 2005 ; 4(4) : 1060-72.

Hsieh SY, et al. Systematical evaluation of the effects of sample collection procedures on low-molecular-weight serum/plasma proteome profiling. Proteomics . 2006 ; 6 : 3189-3198.

Baranda AB, Alonso RM, Jimenez RM, Weinmann W. Instability of calcium channel antagonists during sample preparation for LC-MS-MS analysis of serum samples.

Forensic Sci Int 2006; 156: 23-34.

Barelli S, Crettaz D, Thadikkan L, Rubin O, Tissot J-D. Plasma/serum proteomics: pre-analytical issues. Expert Review Proteomics 2007; 4: 363-70.

Tworoger SS and Hankinson SE. Collection, processing, and storage of biological samples in epidemiologic studies: sex hormones, carotenoids, inflammatory markers, and proteomics as examples. Cancer Epidemiol Biomarkers Prev 2006;15(9):1578-1581.

Vaught JB. Blood collection, shipment, processing, and storage. Can Epidemiol Biomarkers Prev 2006;15:1582-1584.

Ayache S, Panelli M, Marincola FM, Stroncek DF. Effects of storage time and exogenous protease inhibitors on plasma protein levels. Am J Clin Pathol 2006;126:174-184.

Mitchell B, Yasui Y, Li C, Fitzpatrick A, Lampe P. Impact of freeze-thaw cycles and storage time on plasma samples used in mass spectrometry based biomarker discovery. Cancer Informatics 2005;(1):98-104.

De Noo ME, Tollenaar RA, Ozalp A, Kuppen PJ, Bladergroen MR, Eilers PH, Deelder AM. Reliability of human serum protein profiles generated with C8 magnetic beads assisted MALDI-TOF mass spectrometry. Anal Chem. 2005 ; 77: 7232-41.

Bons JA, Wodzig WK, van Diejen-Visser MP. Protein profiling as a diagnostic tool in clinical chemistry: a review. lin Chem Lab Med. 2005; 3: 281-90. Review.

White JG. EDTA-induced changes in platelet structure and function: clot retraction. latelets. 2000; 11: 49-55.

Feuerstein I, Rainer M, Bernardo K, Stecher G, Huck CW, Kofler K, Pelzer A, Horninger W, Klocker H, Bartsch G, Bonn GK. Derivatized cellulose combined with MALDI-TOF MS: a new tool for serum protein profiling. J Proteome Res. 2005;4: 2320-2326.

Trojer L, Stecher G, Feuerstein I, Bonn GK. Cu(II)-loaded iminodiacetic acid-silica particles for protein profiling of human serum samples using surface-enhanced affinity capture: support porosity effects. Rapid Commun Mass Spectrom. 2005;19:3398-3404.

Harrison HH, Miller KL, Dickinson C, Daufeldt JA. Quality assurance and reproducibility of high-resolution two-dimensional electrophoresis and silver staining in polyacrylamide gels. Clin Chem 1992; 97: 97-105.

Timms JF, Arslan-Low E, Gentry-Maharaj A, Luo Z, T'Jampens D, Podust VN, Ford J, Fung ET, Gammerman A, Jacobs I, Menon U. Preanalytic influence of sample handling on SELDI-TOF serum protein profiles. Clinical Chemistry 2007; 53(4): 645- 656.

Albrethsen J, Boerge R, Olsen J, Raskov H, Gammeltoft S. Preanalytical and analytical

variation of surface-enhanced laser desorption-ionization time-of-flight mass spectrometry of human serum. Clin Chem Lab Med 2006;44:1243-1252.

Banks RE, Stanley AJ, Cairns DA, Barrett JH, Clarke P, Thompson D, Selby PJ. Influence of blood sample processing on low-molecular weight proteome identified by surface-enhanced laser desorption/ionization mass spectrometry. Clin Chem 2005; 51: 1637-1649.

Ferguson RE, Hochstrasser DF. Impact of preanalytical variables on the analysis of biological fluids in proteomic studies. Proteomics-Clin Appl 2007;1:739-746.

Engwegen JY, Alberts M, Knol JC, Jimenez CR, Depla AC, Tuynman H et al. Influence of variations in sample handling on SELDI-TOF MS serum protein profiles for colorectal cancer. Proteomics-Clin Appl 2008;2:936-945.

Gast M-CW, Van Gils CH, Wessels LF, Harris N, Bonfrer JM, Rutgers EJ, et al. Influence of sample storage duration on serum protein profiles assessed by surface-enhanced laser desorption/ionisation time-of-flight mass spectrometry (SELDI-TOF MS). Clinical Chemistry and Laboratory Medicine 2009;47(6):694-705.

Scaramuzzino D, Schulte K, Mack B, Soriano T, Fritzsche H. Five-year stability study of free and total prostate-specific antigen concentrations in serum specimens collected and stored at -70C or less. The international journal of biological markers 2007;22(3):206-213.

Ostroff R, Foreman T, Keeney TR, Stratford S, Walker JJ, Zichi D. The stability of the circulating human proteome to variations in sample collection and handling procedures measured with an aptamer-based proteomics array. Journal of Proteomics 2010;73(3):649-666.

Rai AJ, Gelfand CA, Haywood BC, Warunek Dj, Yi J, Schuchard MD, et al. HUPO plasma proteome project specimen collection and handling: towards the standardization of parameters for plasma proteome samples. Proteomics 2005;5:3262-3277.

Urine

[BACK TO TOP](#)

Traum AZ, Wells MP, Aivado M, Libermann TA, Ramoni MF, Schachter AD. SELDI-TOF MS of quadruplicate urine and serum samples to evaluate changes related to storage conditions. Proteomics 2006; 6: 1676-1680.

Schaub S, Wilkins J, Weiler T, Sangster K, Rush D, Nickerson P. Urine protein profiling with surface-enhanced laser-desorption/ionization time-of-flight mass spectrometry. Kidney International 2004; 65(1): 323-332.

Bao, Y. and L. Zuo (2009). "Effect of repeated freeze-thaw cycles on urinary albumin- to-creatinine ratio." Scand J Clin Lab Invest 69(8): 886-888.

De Bock, M., D. de Seny, et al. (2010). "Challenges for biomarker discovery in body fluids using SELDI-TOF-MS." J Biomed Biotechnol 2010: 906082.

McDonald, T. J., B. A. Knight, et al. (2009). "Stability and reproducibility of a single-sample urinary C-peptide/creatinine ratio and its correlation with 24-h urinary C-peptide." Clin Chem 55(11): 2035-2039

Pisitkun, T., R. Johnstone, et al. (2006). "Discovery of urinary biomarkers." Mol Cell Proteomics 5(10): 1760-1771.

Schultz CJ, Dalton RN, Turner C, Neil H, Dunger D. Freezing method affects the concentration and variability of urine proteins and the interpretation of data on microalbuminuria. Diabetic Medicine 2000; 17: 7-14.

Papale M, Pedicillo MC, DiPaolo S, Thatcher BJ, Lo Muzio L, Bufo P, Rocchetti MT, Centra M, Ranieri E, Gesualdo L. Urine profiling by SELDI-TOF/MS: monitoring of the critical steps in sample collection, handling and analysis. J Chromatogr B Analyt Technol Biomed Life Sci 2007;856(1-2):205-213.

Petri AL, Hogdall CK, Christiensen IJ, Simonsen AH, T'ampens D, Hellmann ML et al. Sample handling for mass spectrometric proteomic investigations of human urine. Proteomics-Clin Appl 2009;2:1184-1193.

Fiedler GM, Baumann S, Leichtle A, Oltmann A, Kase J, Thiery J et al. Standardized peptidome profiling of human urine by magnetic bead separation and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Clin Chem 2007;53:421- 428.

Zhou H, Yuen PST, Pisitkun T, Gonzales PA, Yasuda H, Dear JW, et al. Collection, storage, preservation, and normalization of human urinary exosomes for biomarker discovery. Kidney Int. 2006;69(8):1471-1476.

Saliva

[BACK TO TOP](#)

Schipper R, Loof A, de Groot J, Harthoorn L, Dransfield E, van Heerde W. SELDI- TOF- MS of saliva: Methodology and pre-treatment effects. J Chromatography B. 2007; 847(1): 45-53.

Chevalier F, Hirtz C, Chay S, Cuisinier F, Sommerer N, Rossignol M, de Pâcire D. Proteomic studies of saliva: a proposal for a standardized handling of clinical samples. Clin Proteom 2007;3:13-21.

Ng, V., D. Koh, et al. (2003). "Effects of storage time on stability of salivary immunoglobulin A and lysozyme." Clin Chim Acta 338(1-2): 131-134.

Salimetrics "Saliva Collection Handbook."

Papale M, Pedicillo MC, DiPaolo S, Thatcher BJ, Lo Muzio L, Bufo P, Rocchetti MT,

Centra M, Ranieri E, Gesualdo L. Saliva analysis by surface-enhanced laser desorption/ionization time-of-flight mass spectrometry (SELDI-TOF/MS): from sample collection to data analysis. Clin Chem Lab Med 2008;46:89-99.

Jiang J, Park NJ, Hu S, Wong DT. A universal pre-analytic solution for concurrent stabilization of salivary proteins, RNA and DNA at ambient temperature. Arch Oral Biol. 2009;54(3):268-273.

Gaudette D, Griffin K, North L, Klimkow N, Hindahl M, Thieme T. Stability of clinically significant antibodies in saliva and oral fluid. Journal of Clinical Immunoassay 1994;17(3):171-175.

Emekli-Alturfan E, Kasikci E, Alturfan AA, Pisiriciler R, Yarat A. Effect of sample storage on stability of salivary glutathione, lipid peroxidation levels, and tissue factor activity. Journal of Clinical Laboratory Analysis 2009;23(2):93-98.

Cerebrospinal Fluid (CSF)

[BACK TO TOP](#)

Carrette O, Burkhard PR, Hughes S, Hochstrasser DF, Sanchez JC. Truncated cystatin C in cerebrospinal fluid: technical artefact or biological process? Proteomics 2005; 5: 3060-3065.

Schoonenboom NSM, Mulder C, Vanderstichele H, van Elk E-J, Kok A, van Kamp GJ, et al. Effects of processing and storage conditions on amyloid beta (I-42) and tau concentrations in cerebrospinal fluid: implications for use in clinical practice. Clin Chem 2005; 51(1):189-195.

Lewczuk P, Beck G, Esselmann H, Bruckmoser R, Zimmermann R, Fiszer M et al. Effect of sample collection tubes on cerebrospinal fluid concentrations of tau proteins and amyloid beta peptides. Clin Chem 2006;52:332-334.

Rosenling, T., C. L. Slim, et al. (2009). "The effect of preanalytical factors on stability of the proteome and selected metabolites in cerebrospinal fluid (CSF)." J Proteome Res 8(12): 5511-5522.

Tissue, cells

[BACK TO TOP](#)

Pasic R, Djulbegovic B, Wittliff JL. Influence of OCT embedding compound on determinations of estrogen and progestin receptors in breast cancer. Clin Chem 1989; 35/12: 2317-2319.

Becker KF, Schott C, Hipp S et al. Quantitative protein analysis from formalin-fixed tissues: implications for translational clinical research and nanoscale molecular diagnosis. J Pathol 2007; 211: 370-378.

Jackson D, Rowlinson RA, Eaton CK, Nickson JA, Wilson ID et al. Prostatic tissue protein alterations due to delayed time to freezing. Proteomics 2006; 6: 3901-3908.

Fetch PA et al. Proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry. Am J Clin Pathol 2002, 118: 870-876

Kroll J, Becker KF, Kuphal S et al. Isolation of high quality protein samples from punches of formalin fixed and paraffin embedded tissue blocks. Histol Histopathol 2008; 23: 391-395.

Ahram M, Flaig MJ, Gillespie JW, Duray PH, Linehan WM, Ornstein DK, Niu S, Zhao Y, Petricoin EF 3rd, Emmert-Buck MR. Evaluation of ethanol-fixed , paraffin- embedded tissues for proteomic applications. Proteomics 2003;3:413-421.

Diaz JI, Cazares LH, Semmes OJ. Tissue sample collection for proteomics analysis. Methods Mol Biol 2008 ;428 :43-53.

Balgley BM, Gut T, Zhao K, Fang X, Tavassoli T, Lee CS. Evaluation of archival time on shotgun proteomics of formalin-fixed and paraffin-embedded tissues. J Proteome Res 2009;8:917-925.

Sprung RW, Brock JWC, Tanksley JP, Li M, Washington MK, Slebos RJ, Liebler DC. Equivalence of protein inventories obtained from formalin-fixed paraffin embedded and frozen tissue in multidimensional liquid chromatography tandem mass spectrometry shotgun proteomic analysis. Molecular Cell Proteomics 2009;8(8):1988- 1998.

Ahram M, Best CJM, Flaig MJ, Gillespie JW, Leiva IM, Zhou G, Shu H, Duray PH, Linehan WM, Raffeld M, Ornstein DK, Zhao Y, Petricoin III EF, Emmert-Buck MR. Proteomic analysis of human prostate cancer. Mol Carcinog 2001; 33: 9-15.

Ahram M, Flaig MJ, Gillespie JW, Duray PH , Linehan WM, Ornstein DK, Niu S, Zhao Y, Petricoin III EF, Emmert-Buck MR. Evaluation of ethanol fixed, paraffin embedded tissues for proteomic applications. Proteomics 2003; 3: 413-421.

Fowler CB, Cunningham RE, Waybright TJ, Blonder J, Veenstra TD, O'Leary TJ, Mason JT. Elevated hydrostatic pressure promotes protein recovery from formalin- fixed, paraffin-embedded tissue surrogates. Lab Invest. 2008; 88(2):185-95.

Espina V, Edmiston KH, Heiby M, Pierobon M, Sciro M, Merritt B, Banks S, Deng J, VanMeter AJ, Geho DH, Pastore L, Sennesh J, Petricoin EF 3rd, Liotta LA. A portrait of tissue phosphoprotein stability in the clinical tissue procurement process. Mol Cell Proteomics. 2008; 7(10):1998-2018.

Chaurand P, Latham JC, Lane KB, Mobley JA, Polosukhin VV, Wirth PS, Nanney LB, Caprioli RM. Imaging mass spectrometry of intact proteins from alcohol-preserved tissue specimens: bypassing formalin fixation. J Proteome Res. 2008; 7(8):3543-55.

[O'Leary TJ, Fowler CB, Evers DL, Mason JT. Protein fixation and antigen retrieval: chemical studies. Biotech Histochem. 2009;84\(5\):217-21.](#)

[MangÃ© A, Chaurand P, Perrochia H, Roger P, Caprioli RM, Solassol J. Liquid chromatography-tandem and MALDI imaging mass spectrometry analyses of RCL2/CS100-fixed, paraffin-embedded tissues: proteomics evaluation of an alternate fixative for biomarker discovery. Proteome Res. 2009;8\(12\):5619-28.](#)

[Espina V, Mueller C, Edmiston K, Sciro M, Petricoin EF, Liotta LA. Tissue is alive: New technologies are needed to address the problems of protein biomarker pre-analytical variability. Proteomics Clin Appl. 2009; 3\(8\): 874-882.](#)

[Jackson DH, Banks RE. Banking of clinical samples for proteomic biomarker studies: A consideration of logistical issues with a focus on pre-analytical variation. Proteomics Clin Appl. 2010; 4, 250-270.](#)

Lipodomics

[BACK TO TOP](#)

[Hammad SM, Pierce JS, Soodavar F, Smith KJ, Al Gadban MM, Rembiesa B, Klein RL, Hannun YA, Bielawski J, Bielawska A. Blood sphingolipidomics in healthy humans: impact of sample collection methodology. J Lipid Res. 2010;51\(10\):3074- 3087.](#)

[Unterwurzacher, I., T. Koal, et al. \(2008\). "Rapid sample preparation and simultaneous quantitation of prostaglandins and lipoxygenase derived fatty acid metabolites by liquid chromatography-mass spectrometry from small sample volumes." Clin Chem Lab Med 46\(11\): 1589-1597.](#)

[Stokol, T. and D. V. Nydam \(2005\). "Effect of anticoagulant and storage conditions on bovine nonesterified fatty acid and beta-hydroxybutyrate concentrations in blood." J Dairy Sci 88\(9\): 3139-3144.](#)

[Sgoutas, D. S. and T. Tuten \(1992\). "Effect of freezing and thawing of serum on the immunoassay of lipoprotein\(a\)." Clin Chem 38\(9\): 1873-1877.](#)

[Matthan, N. R., B. Ip, et al. \(2010\). "Long-term fatty acid stability in human serum cholesteryl ester, triglyceride, and phospholipid fractions." J Lipid Res 51\(9\): 2826- 2832.](#)

Genomics: DNA

[BACK TO TOP](#)

[Kohane IS, Kho AT, Butte AJ. Microarrays for an integrative genomics, MIT Press, Cambridge, MA 2003, pp 122-125](#)

[Steinberg, K. K., K. C. Sanderlin, et al. \(1997\). "DNA banking in epidemiologic studies." Epidemiol Rev 19\(1\): 156-162.](#)

[Muller CY, Schorge JO, Tomlinson GE, Ashfaq R. BRCAPAP: Feasibility of clinical](#)

BRCA testing on liquid-based cervical cytology: implications for biomarker development. Cancer Epidemiol Biomarkers Prev 2004; 13: 1534-1537.

Talaulikar D, Gray JX, Shadbolt B, McNiven M, Dahlstrom JE. A comparative study of the quality of DNA obtained from fresh frozen and formalin-fixed decalcified paraffin-embedded bone marrow trephine biopsy specimens using two different methods. J Clin Pathol 2008; 61: 119-123.

Boulet GAV, Horvath CAJ, Berghmans S et al. Cervical cytology biobanking: quality of DNA from archival cervical Pap-smears. J Clin Pathol 2008

Anchordoquy TJ and Molina MC. Frontiers in clinical research. Preservation of DNA. Cell Preserv tech 2007;5:180-188.

Ng DPK, Koh D, Choo SGL, Ng V, Fu Q. Effect of storage conditions on the extraction of PCR-quality genomic DNA from saliva. Clinica Chimica Acta 2004;343:191-194.

Wen Shao, Montserrat Garcia-Closas, Juan Alguacil, Nat Rothman, Arthur Schatzkin, Jim Vaught, Alice Sigurdson, Mark Cosentino. Modifications to a Standard Buccal Collection Protocol: Effects on Human DNA Yield. Cell Preservation Technology. December 2007, 5(4): 216-224.

Antony Halsall , Paul Ravetto , Yancy Reyes , Nicola Thelwell , Alice Davidson , Rupert Gaut , and Stephen Little. The quality of DNA extracted from liquid or dried blood is not adversely affected by storage at 4°C for up to 24 h. Int. J. Epidemiol. 37: i7-i10 (2008).

Hansen TV, Simonsen MK, Nielsen FC, Hundrup YA. Collection of blood, saliva, and buccal cell samples in a pilot study on the Danish nurse cohort: comparison of the response rate and quality of genomic DNA. Cancer Epidemiol Biomarkers Prev. 2007;16:2072-2076.

Steinberg K, Beck J, Nickerson D et al. DNA banking for epidemiologic studies: a review of current practices. Epidemiology 2002 May;13(3):246-54.

Steinberg KK, Sanderlin KC, Ou CY, Hannon WH, McQuillan GM, Sampson EJ. DNA banking in epidemiologic studies. Epidemiol Rev 1997;19(1):156-62.

Rylander-Rudqvist T, Hakansson N, Tybring G, Wolk A. Quality and Quantity of Saliva DNA Obtained from the Self-administrated Oragene Method--A Pilot Study on the Cohort of Swedish Men. Cancer Epidemiol Biomarkers Prev 2006 September;15(9):1742-5.

Vu NT, Chaturvedi AK, Canfield DV. Genotyping for DQA1 and PM loci in urine using PCR-based amplification: effects of sample volume, storage temperature, preservatives,

and aging on DNA extraction and typing. Forensic Sci Int 1999 May 31;102(1):23-34.

Peakman T, Elliott P. The UK Biobank sample handling and storage validation studies. International Journal of Epidemiology 2008 37(Supplement 1):i2-i6

Hollegaard MV, Grove J, Thorsen P, Norgaard-Pedersen B, Hougaard DM. High-throughput genotyping on archived dried blood spot samples. Genet Test Mol Biomarkers 2009;13:173-179.

Nedel F, AndrÃ© A, de Oliveira IO, Tarquinio SB, Demarco FF. Buccal cells submitted to three different storage conditions before DNA extraction. J Appl Oral Sci 2009;17:113-115.

Ehli E, Lengyel-Nelson T, Hudziak JJ, Davies GE. Using a commercially available DNA extraction kit to obtain high quality human genomic DNA suitable for PCR and genotyping from 11-year-old saliva saturated cotton spit wads. BMC Research Notes 2008;1:133-136.

Garcia-Lerma JG, McNulty A, Jennibgs C, Huang D, Heneine W, Bremer JW. Rapid decline in the efficiency of HIV drug resistance genotyping from dried blood spots (DBS) stored at 37oC and high humidity. J Antimicrob Chemother 2009;doi:10.1093/jac/dkp150.

Srinivasan M, Sedmak D, Jewell S. Effect of fixatives and tissue processing on the content and integrity of nucleic acids. Am J Pathol 2002; 161: 161-171.

Wang G, Maher E, Brennan C, Chin L, Leo C, Kaur M, Zhu P, Rook M, Wolfe JL, Makrigiorgos GM. DNA amplification method tolerant to sample degradation. Genome Res. 2004; 14(11):2357-66.

Wang F, Wang L, Briggs C, Sicinska E, Gaston SM, Mamon H, Kulke MH, Zamponi R, Loda M, Maher E, Ogino S, Fuchs CS, Li J, Hader C, Makrigiorgos GM. DNA degradation test predicts success in whole-genome amplification from diverse clinical samples. J Mol Diagn. 2007; 9(4):441-51.

Evers DL, Fowler CB, Cunningham RE, Mason JT, O'Leary TJ. A novel HPLC method reveals that precipitation of 2'-deoxyadenosine 5'-monophosphate with lithium perchlorate/acetone leads to base depurination. Anal Biochem. 2007; 370(2):255-7.

Mamon H, Hader C, Li J, Wang L, Kulke M, Amicarelli G, Shehi E, Adlerstein D, Roper K, Killion L, Hooshmand S, Makrigiorgos GM. Preferential amplification of apoptotic DNA from plasma: potential for enhancing detection of minor DNA alterations in circulating DNA. Clin Chem. 2008; 54(9):1582-4.

Srinivasan M, Sedmak D, Jewell S. Effect of fixatives and tissue processing on the content and integrity of nucleic acids. Am J Pathol 2002;161(6):1961-71.

[Aplenc R, Orudjev E, Swoyer J, Manke B, Rebbeck T. Differential bone marrow aspirate DNA yields from commercial extraction kits. Leukemia 2002;16\(9\):1865-6.](#)

[Wang Y, Carlton VE, Karlin-Neumann G, Sapolisky R, Zhang L, Moorhead M, Wang ZC, Richardson AL, Warren R, Walther A, Bondy M, Sahin A, Krahe R, Tuna M, Thompson PA, Spellman PT, Gray JW, Mills GB, Faham M. High quality copy number and genotype data from FFPE samples using Molecular Inversion Probe \(MIP\) microarrays. BMC Med Genomics 2009;2:8.](#)

[Hughes-Stamm, KJ Ashton, van Daal A. Assessment of DNA degradation and the genotyping success of highly degraded samples. Int J Legal Med 2010, in press.](#)

RNA from tissue

[BACK TO TOP](#)

[Inc, Ambion. "Effect of Freeze-Thawing of Tissue on RNA Integrity".](#)

[Dash A, Maine IP, Varambally S, Shen R, Chinnaiyan AM, Rubin MA. Changes in differential gene expression because of warm ischemia time of radical prostatectomy specimens. Am J Pathol 2002; 161: 1743-1748.](#)

[Foss RD, et al. Effects of fixative and fixation time on the extraction and polymerase chain reaction amplification of RNA from paraffin-embedded tissue : comparison of two housekeeping gene mRNA controls. Diagn. Mol. Pathol. 1994 ; \(3\) : 148-155.](#)

[Gillespie JW. et al. Evaluation of non-formalin tissue fixation for molecular profiling studies. Am. J. Pathol. 2002 ; 160 : 449-457.](#)

[Krafft AE, et al. Optimization of the isolation and amplification of RNA from formalin-fixed, paraffin-embedded tissue : The Armed Forces Intitude of Pathology experience and literature review. Mol. Diagn. 1997 ; 2 : 217-230.](#)

[Schlomm T, NÃ¶kel E, LÃ¼bke A et al. Marked gene transcript level alterations occur early during radical prostatectomy. Eur Urol 2008; 53: 333-346.](#)

[Lin DW, Coleman IM, Hawley S, Huang CY, et al. Influence of surgical manipulation on prostate gene expression: implications for molecular correlates of treatment effects and disease prognosis. J Clin Oncol 2006; 24: 3763-3770.](#)

[Von Smolinski D, Blessenohl M, Neubauer C, Kalies K, Gebert A. Validation of a novel ultra-short immunolabelling method for high-quality mRNA preservation in laser microdissection and real-time reverse transcriptase-polymerase chain reaction. J Mol Diagn 2006; 8: 246-253.](#)

[Florell SR, Coffin CM, Holden JA, et al. Preservation of RNA for functional genomic](#)

studies: a multidisciplinary tumor bank protocol. Mod Pathol 2001; 14: 116-128.

Micke P, Ohshima M Tahmasebpoor S, Ren ZP, Ostman A, Ponten F, Botling J. Biobanking of fresh frozen tissue: RNA is stable in nonfixed surgical specimens. Lab Invest 2006; 86: 202-211.

Vincek V, Nassiri M, Nadji M et al. Preservation of tissue RNA in normal saline. Lab Invest 2003; 83: 137-138.

Ohashi Y, Creek KE, Pirisi L et al. RNA degradation in human breast tissue after surgical removal : a time-course study. Exp Mol pathol 2004; 77: 98-103.

Almeida A, Paul Thiery J, Magdelenat H et al. Gene expression analysis by real-time reverse transcription polymerase chain reaction: influence of tissue handling. Anal Biochem 2004; 328: 101-108.

Jewell SD, Srinivasan M, Mc Cart LM et al. Analysis of the molecular quality of human tissue: an experience from the Cooperative Human Tissue Network. Am J Clin Pathol 2002; 118: 733-741.

Gramza AW, Lucas JM, Mountain RE, Schuller DE, Lang JC. Efficient method for preparing normal and tumour tissue for RNA extraction. Biotechniques 1995; 18: 228-231.

Stanta G, Mucelli SP, Petrera F, Bonin S, Bussolati G. A novel fixative improves opportunities of nucleic acids and proteomic analyses in human archiveÂ™s tissues. Diagn Mol Pathol 2006; 15: 115-123.

Lykidis D, Van Noorden S, Armstrong A, Spencer-Dene B, Li J, Zhuang Z, Stamp GW. Novel zinc-based fixative for high quality DNA, RNA and protein analysis. Nucleic Acids Res 2007; 35(12):e85.

Vincek V, Nassiri M, Nadji M, Morales AR. A tissue fixative that protects macromolecules (DNA, RNA and protein) and histomorphology in clinical samples. Lab Invest 2003; 83: 1427-1435.

Castiglione F, Degl'Innocenti DR, Taddei A et al. Real-time PCR analysis of RNA extracted from formalin-fixed and paraffin-embeded tissues: effects of the fixation on outcome reliability. Appl Immunohistochem Mol Morphol 2007; 15: 338-342.

Schmitt M, Mengele K, Schueren E, et al. European Organisation for Research and Treatment of cancer (EORTC) pathobiology group standard operating procedure for the preparation of human tumour tissue extracts suited for the quantitative analysis of tissue-associated biomarkers. Eur J Cancer 2007; 43: 835-844.

Thompson KL, Pine PS, Rosenzweig BA, Turpaz Y, retief J. Characterization of the

effect of sample quality on high density oligonucleotide microarray data using progressively degraded rat liver RNA. BMC Biotechnology 2007; 7: 57

Centeno BA, Enkemann SA, Coppola D; Huntsman S, Bloom G, Yeatman TJ. Classification of human tumors using gene expression profiles obtained after microarray analysis of fine-needle aspiration biopsy samples. Cancer Cytopathol 2005; 105: 101-109.

Yang IV, Chen E, Hasseman JP, Liang W, Frank BC, Wang S, Sharov V, Saeed AI, White J, Li J, Lee NH, Yeatman TJ, Quackenbush J. Within the fold: assessing differential expression measures and reproducibility in microarray assays. Genome Biol. 2002;3(11):research0062. Epub 2002 Oct 24.

Dobbin KK, Beer DG, Meyerson M, Yeatman TJ, Gerald WL, Jacobson JW, Conley B, Buetow KH, Heiskanen M, Simon RM, Minna JD, Girard L, Misek DE, Taylor JM, Hanash S, Naoki K, Hayes DN, Ladd-Acosta C, Enkemann SA, Viale A, Giordano TJ. Interlaboratory comparability study of cancer gene expression analysis using oligonucleotide microarrays. Clin Cancer Res. 2005; 11(2 Pt 1): 565-72.

Kwong KY, Bloom GC, Yang I, Boulware D, Coppola D, Haseman J, Chen E, McGrath A, Makusky AJ, Taylor J, Steiner S, Zhou J, Yeatman TJ, Quackenbush J. Synchronous global assessment of gene and protein expression in colorectal cancer progression. Genomics. 2005; 86: 142-58.

Huang J, Qi R, Quackenbush J, Dauway E, Lazaridis E, Yeatman T. Effects of ischemia on gene expression. J Surg Res 2001; 99: 222-227.

Ohashi Y, Creek KE, Pirisi L et al. RNA degradation in human breast tissue after surgical removal : a time-course study. Exp Mol Pathol 2004; 77: 98-103.

Mutter GL, Zahrieh D, Liu C et al. Comparison of frozen and RNALater solid tissue storage methods for use in RNA expression microarrays. BMC Genomics 2004; 5: 88.

Von Smolinski D, Levekoehne I, von Samson-Himmelstjerna G, Gruber AD. Impact of formalin-fixation and paraffin-embedding on the ratio between mRNA copy numbers of differently expressed genes. Histochem Cell Biol 2005; 124: 177-188.

Kingsbury AE, Foster OJ, Nisbet AP, Cairns N, Bray L, Eve DJ, Lees AJ, Marsden CD. Tissue pH as an indicator of mRNA preservation in human post-mortem brain. Brain Res Mol Brain Res 1995; 28: 311-318.

Srinivasan M, Sedmak D, Jewell S. Effect of fixatives and tissue processing on the content and integrity of nucleic acids. Am J Pathol 2002; 161: 1961-1971.

Sakamoto A, Imai J, Nishikawa A, Honma R, Ito E, Yanagisawa Y, Kawamura M, Ogawa R, Watanabe S. Influence of inhalation anesthesia assessed by comprehensive gene expression profiling. Gene 2005;356:39-48.

Spruessel A, Steimann G, Jung M, Lee SA, Carr T, Fentz AK, Spangenberg J, Zornig C, Juhl HH, David KA. Tissue ischemia time affects gene and protein expression patterns within minutes following surgical tupour excision. Biotechniques 2004;36:1030-37.

Nelson PT, Wang WX, Wilfred BR, Tang G. Technical variables in high-throughput miRNA expression profiling: much work remains to be done. Biochim Biophys Acta 2008;1779:758-765.

Perlmutter MA, Best CJ, Gillespie JW, Gathright Y, Gonzalez S, Velasco A, Linehan WM, Emmert-Buck MR, Chuaqui RF. Comparison of snap freezing versus ethanol fixation for gene expression profiling of tissue specimens. J Mol Diagn 2004;6:371- 377.

Pertmutter MA, Best CJM, Gillespie JW, Gathright Y, Gonzalez S, Velasco A, Linehan WM, Emmert-Buck MR, Chuaqui RF. Comparison of snap freezing versus etanol fixation for gene expression profiling of tissue specimens. J Mol Diagn 2004; 6: 371-377.

Scherer A, Krause A, Walker JR, Sutton SE, Seron D, Raulf F, Cooke MP. Optimized protocol for linear RNA amplification and application to gene expression profiling of human renal biopsies. Biotechniques 2003; 34: 546-550, 552-554, 556.

Kim JO, Hwang MH, Shin HI, Kim SY, Park RW, Park EY, Kim IS, van Wijnen AJ, Stein JL, Lian JB, Stein GS, Choi JY. Differential expression analysis using paraffin embedded tissues after laser microdissection. J Cell Biochem 2003; 90: 998-1006.

Micke P, Ohshima M, Tahmasebpoor S, Ren ZP, Ostman A, Ponten F, Botling J. Biobanking of fresh frozen tissue: RNA is stable in nonfixed surgical specimens. Lab Invest 2006; 86: 202-211.

Xi Y, Nakajima G, Gavin E, Morris CG, Kudo K, Hayashi K, Ju J. Systematic analysis of microRNA expression of RNA extracted from fresh frozen and formalin-fixed paraffin-embedded samples. RNA. 2007; 13(10):1668-74.

Xi Y, Riker A, Shevde-Samant L, Samant R, Morris C, Gavin E, Fodstad O, Ju J. Global comparative gene expression analysis of melanoma patient samples, derived cell lines and corresponding tumor xenografts. Cancer Genomics Proteomics. 2008; 5(1):1-35.

Sedmak DD. Analysis of the molecular quality of human tissues: an experience from the Cooperative Human Tissue Network. Am J Clin Pathol 2002;118(5):733-741.

Chung JY, Braunschweig T, Williams R, Guerrero N, Hoffmann KM, Kwon M, Song YK, Libutti SK, Hewitt SM. Factors in tissue handling and processing that impact RNA obtained from formalin-fixed, paraffin-embedded tissue. J Histochem Cytochem 2008;56(11):1033-42.

Giricz O, Lauer-Fields JL, Fields GB. The normalization of gene expression data in melanoma: investigating the use of glyceraldehyde 3-phosphate dehydrogenase and 18S ribosomal RNA as internal reference genes for quantitative real-time PCR. Anal Biochem. 2008;380(1):137-9.

Ciotti P, Garuti A, Ballestrero A, Cirmena G, Chiaramondia M, Baccini P, Bellone E, Mandich P. Reliability and reproducibility of a RNA preamplification method for low-density array analysis from formalin-fixed paraffin-embedded breast cancer samples. Diagn Mol Pathol 2009 ; 18(2):112-118.

Roberts L, Bowers J, Sensinger K, Lisowski A, Getts R, Anderson MG. Identification of methods for use of formalin-fixed, paraffin-embedded tissue samples in RNA expression profiling. Genomics 2009;94(5):341-348.

Fleige S, Pfaffl MW : RNA integrity and the effect on the real-time qRT-PCR performance. Mol Aspects Med 2006; 27: 126-139.

Ibberson D, Benes V, Muckenthaler MU, Castoldi, M: RNA degradation compromises the reliability of micro RNA expression profiling. BMC Biotechnol 2009; 9:102.

Canales RD, Luo Y, Willey JC, Austermiller B, Barbacioru CC, Boysen C, Hunkapiller K, Jensen RV, Knight CR, Lee KY, et al: Evaluation of DNA microarray results with quantitative gene expression platforms. Nat Biotechnol 2006, 24: 1115-1122.

Heber S, Sick B: Quality assessment of Affymetrix GeneChip data. OMICS 2006, 10:358-368.

Imbeaud S, Graudens E, Boulanger V, Barlet X, Zaborski P, Eveno E, Mueller O, Schroeder A, Auffray C: Towards standardization of RNA quality assessment using user-independent classifiers of microcapillary electrophoresis traces. Nucleic Acids Res 2005, 33:e56.

Antonov J, Goldstein DR, Oberli A, Pirotta M, Fleischmann A, Altermatt HJ, Jaggi R: Reliable gene expression measurements from degraded RNA by quantitative real- time PCR depend on short amplicons and a proper normalization. Lab Invest 2005, 85:1040-1050.

Cincinnati VR, Shen Q, Sotiropoulos GC, Radtke A, Gerken G, Beckebaum S: Validation of putative reference genes for gene expression studies in human hepatocellular carcinoma using real-time quantitative RT-PCR. BMC Cancer 2008, 8:350.

Auer H, Lyianarachchi S, Newsom D, Klisovic MI, Marcucci G, Kornacker K: Chipping away at the chip bias: RNA degradation in microarray analysis. Nat Genet 2003, 35: 292-293.

Fleige S, Walf V, Huch S, Prgomet C, Sehm J, Pfaffl MW: Comparison of relative

mRNA quantification models and the impact of RNA integrity in quantitative real-time RT-PCR. Biotechnol Lett 2006, 28:1601-1613.

Tissue

[BACK TO TOP](#)

Chu WS, Liang Q, Tang Y et al. Ultrasound accelerated tissue fixation/processing achieves superior morphology and macromolecule integrity with storage stability. J Histochem Cytochem 2005; 54: 503-513.

Oâ€™Leary TJ. Standardization in immunohistochemistry. Appl. Immunohistochem . Mol- Morphol. 2001 ; 9 : 3-8.

Werner M, et al. Effect of formalin tissue fixation and processing on immunohistochemistry. Am. J. Surg. Pathol. 2000 ; 24 : 1016-1019.

Murray GI, Ewen SW. A novel method for optimum biopsy specimen preservation for histochemical and immunohistochemical analysis. Am J Clin Pathol 1991; 95: 131- 136.

Nadji M, Nassiri M, Vincek V, Kanhoush R, Morales AR. Immunohistochemistry of tissue prepared by a molecular-friendly fixation and processing system. Appl Immunohistochem Mol Morphol 2005;13:277-282.

Nassiri M, Ramos S, Zohourian H, Vincek V, Morales AR, Nadji M. Preservation of biomolecules in breast cancer tissue by a formalin-free histology system. BMC Clin Pathol 2008;8:1.

Arnold MM, Srivastava S, Fredenburgh J, Stockard CR, Myers RB, Grizzle WE. Effects of fixation and tissue processing on immunohistochemical demonstration of specific antigens. Biotech Histochem 1996;71(5):224-30.

Boenisch T. Effect of heat-induced antigen retrieval following inconsistent formalin fixation. Appl Immunohistochem Mol Morphol 2005;13(3):283-6.

Boenisch T. Pretreatment for immunohistochemical staining simplified. Appl Immunohistochem Mol Morphol. 2007;15(2):208-12.

Otali D, Stockard C, Oelschlager D, Wan W, Manne U, Watts S, Grizzle W. Combined effects of formalin fixation and tissue processing on immunorecognition. Biotech Histochem 2009 ; 1-25.

Cells

[BACK TO TOP](#)

Tollerud DJ, et al. Cryopreservation and long term liquid nitrogen storage of peripheral blood mononuclear cells for flow cytometry analysis : Effects on cell subset proportions and fluorescence intensity. J. Clin. Lab. Anal. 1991 ; 5 : 225-261.

Lelkens CC, Noorman F, Koning JG et al. Stability after thawing of RBCs frozen with the

high and low glycerol method. Transfusion 2003; 43: 157-164.

Hayes RB, Smith CO, Huang WY, Read Y, Kopp WC. Whole blood cryopreservation in epidemiological studies. Cancer Epidemiol Biomarkers Prev 2002; 11: 1496-1498.

Higgins J, Metcalf JA, Stevens RA, Baseler M, Nason MC, Lane HC, Sereti I. Effects of lymphocyte isolation and timing of processing on detection of CD127 expression on T cells in human immunodeficiency virus-infected patients. Clin Diagn Lab Immunol 2005; 12: 228-230.

Kouri T, Vuotari L, Pohjavaara S, Laippala P. Preservation of urine for flow cytometric and visual microscopic testing. Clin Chem 2002 June; 48(6 Pt 1): 900-905.

Gulati GL, Hyland LJ, Kocher W, Schwarting R. Changes in automated complete blood cell count and differential leukocyte count results induced by storage of blood at room temperature. Arch Pathol Lab Med. 2002; 126: 336-342.

Kouri T, Malminniemi O, Penders J, Pelkonen V, Vuotari L & Delanghe J. Limits of preservation of samples for urine strips tests and particle counting. Clin Chem Lab Med 2008; 46(5): 703-713.

Kim HK, Song KS, Lee ES, Lee YJ, Park YS, Lee KR, Lee SN. Optimized flow cytometric assay for the measurement of platelet microparticles in plasma: pre- analytical and analytical considerations. Blood Coagul Fibrinolysis 2002; 13(5): 393-7.

McKenna KC, Beatty KM, Miguel RV, Bilonick RA. Delayed processing of blood increases the frequency of activated CD11b+ CD15+ granulocytes which inhibit T cell function. J Immunol Methods 2009; 341: 68-75.

Bull M, Lee D, Stucky J, Chiu YL, Rubin R, Horton H, McElrath MJ. Defining blood processing parameters for optimal detection of cryopreserved antigen-specific responses for HIV vaccine trials. J Immunol Meth 2007; 322: 57-69.

Dyer WB, Pett SL, Sullivan JS, Emery S, Cooper DA, Kelleher AD, Lloyd A, Lewin SR. Substantial improvements in performance indicators achieved in a peripheral blood mononuclear cell cryopreservation quality assurance program using single donor samples. Clin Vac Immunol 2007; 14: 52-59

Fiscus SA, Chakraborty H, Shepard R, Goodman M. Comparison of blood collected in acid-citrate-dextrose and EDTA for use in human immunodeficiency virus peripheral blood mononuclear cell cultures. J Clin Microbiol 2000; 38: 858-860.

Kleeberger CA, Lyles RH, Margolick JB, Rinaldo CR, Phair JP, Giorgi JV. Viability and recovery of peripheral blood mononuclear cells cryopreserved for up to 12 years in a multicenter study. Clin Diagn Lab Immunol 1999; 6: 14-19.

Owen RE, Sinclair E, Emu B, Heitman JW, Hirschkorn DF, Epling L, Tan QX, Custer B,

Harris JM, Jacobson MA, McCune JM, Martin JN, Hecht FM, Deeks SG, Norris PJ. Loss of T cell responses following long-term cryopreservation. J Immunol Methods 2007;326:93–115.

Reimann KA, Chernoff M, Wilkening CL, Nickerson CE, Landay AL, The ACTG Immunology Advanced Technology Laboratories. Preservation of lymphocyte immunophenotype and proliferative responses in cryopreserved peripheral blood mononuclear cells from human immunodeficiency virus type 1-infected donors: implications for multicenter clinical trials. Clin Diagn Lab Immunol 2000; 7: 352–359.

Son BK, Roberts RL, Ank BJ, Stiehm ER. Effects of anticoagulant, serum, and temperature on the natural killer activity of human peripheral blood mononuclear cells stored overnight. Clin Diagn Lab Immunol 1996, 3: 260–264.

Weinberg A, Betensky RA, Zhang L, Ray G. Effect of shipment, storage, anticoagulant, and cell separation on lymphocyte proliferation assays for human immunodeficiency virus-infected patients. Clin Diagn Lab Immunol 1998;5:804-807.

Riaux CG and Williams DA. The effect of ex vivo refrigerated storage and cell preservation solution (Cyto-Chex IITM) on CD11b expression and oxidative burst activity of dog neutrophils. Veterinary Immunology and Immunopathology 2000; 74: 59-69.

L.M. Cosentino, W. Corwin, J.M. Baust, N. Diaz-Mayoral, H. Cooley, W. Shao, R. van Buskirk, J.G. Baust. Preliminary Report: Evaluation of Storage Conditions and Cryococktails during Peripheral Blood Mononuclear Cell Cryopreservation. Cell Preservation Technology. December 2007, 5(4): 189-204.

F Salway, PJR Day, WER Ollier, and TC Peakman. Levels of 5' RNA tags in plasma and buffy coat from EDTA blood increase with time. Int. J. Epidemiol. 37: i11-i15 (2008).

MM Amoli, D Carthy, H Platt, and WER Ollier. EBV Immortalization of human B lymphocytes separated from small volumes of cryo-preserved whole blood. Int. J. Epidemiol. 37: i41-i45 (2008).

Abda R, Chevaleyre C, Salmon H. Effect of cryopreservation on chemotaxis of lymphocytes. Cryobiology. 1998;36:184-193.

Fowke KR, Behnke J, Hanson C, Shea K, Cosentino LM. Apoptosis: a method for evaluating the cryopreservation of whole blood and peripheral blood mononuclear cells. J Immunol Methods. 2000;244:139-144.

Umiel T, Prilutskaya M, Nguyen NH et al. Breast tumor contamination of peripheral blood stem cell harvests: increased sensitivity of detection using immunomagnetic enrichment. J Hematother Stem Cell Res 2000 December;9(6):895-904.

Wang SY, Hsu ML, Tzeng CH, Hsu HC, Ho CK. The influence of cryopreservation on cytokine production by human T lymphocytes. Cryobiology 1998 August;37(1):22-9.

Cheng L, Wang LE, Spitz MR, Wei Q. Cryopreserving whole blood for functional assays using viable lymphocytes in molecular epidemiology studies. Cancer Lett. 2001;166:155-163.

Muller-Steinhardt M, Kirchner H, Kluter H. Impact of storage at 22°C and citrate anticoagulation on the cytokine secretion of mononuclear leukocytes. Vox Sang 1998; 75: 12-17.

Pegg D. 1989. Viability assays for preserved cells, tissues and organs. Cryobiology 26:212-231.

Khan, D.R., Ahmad, N., Anzar, M & Channa, A.A. 2009. Apoptosis in fresh and cryopreserved buffalo sperm. Theriogenology 71: 872-876.

Best A, Hidalgo G, Mitchell K, Yannelli JR. Issues concerning the large scale cryopreservation of peripheral blood mononuclear cells (PBMC) for immunotherapy trials. Cryobiology 2007; 54(3):294-7.

Ahmann GJ, Chng WJ, Henderson KJ, Price-Troska TL, Gegoey RW, Timm MM, Dispenzieri A, Greipp PR, Sable-Hunt A, Bergsagel L, Fonseca R. Effect of tissue shipping on plasma cell isolation, viability, and RNA integrity in the context of a centralized good laboratory practice-certified tissue banking facility. Cancer Epidemiology, Biomarkers and Prevention 2008;17(3):666-673.

Liquids

[BACK TO TOP](#)

Warwick B Dunn, David Broadhurst , David I Ellis , Marie Brown , Anthony Halsall , Steven O'â€TMHagan , Irena Spasic , Andrew Tseng , and Douglas B Kell. A GC-TOF-MS study of the stability of serum and urine metabolomes during the UK Biobank sample collection and preparation protocols. Int. J. Epidemiol. 37: i23-i30 (2008).

Krawisz, B. R. and R. E. Scott (1982). "Coupling of proadipocyte growth arrest and differentiation. I. Induction by heparinized medium containing human plasma." J Cell Biol 94(2): 394-399.

Kampa, M., A. Nistikaki, et al. (2002). "A new automated method for the determination of the Total Antioxidant Capacity (TAC) of human plasma, based on the crocin bleaching assay." BMC Clin Pathol 2(1): 3.

Richard H Barton, Jeremy K Nicholson, Paul Elliott, and Elaine Holmes. High-throughput ¹H NMR-based metabolic analysis of human serum and urine for large- scale epidemiological studies: validation study. Int. J. Epidemiol. 37: i31-i40 (2008).

Cryobiology

[BACK TO TOP](#)

EL-SAKHS S, SHIMI S, BENSON EE, NEWMAN L & CUSCHIERI A (1998). Physical observations on rapid freezing of tumour cells to -40oC using differential scanning calorimetry. CryoLetters 19, 159-170. Armitage, W. J., Dale, W. and Alexander, E. A. (2005) Protocols for thawing and cryoprotectant dilution of heart valves. Cryobiology 50, 17-20.

Donelly, E. T., Steele, E. K., McClure, N. and Lewis, S. E. M. (2001) Assessment of DNA integrity and morphology of ejaculated spermatozoa from fertile and infertile men before and after cryopreservation. Human Reproduction 16, 1191- 1199.

Dyer WB, Pett SL, Sullivan JS, Emery S, Cooper DA, Kelleher AD, Lloyd A, Lewin SR. 2007. Substantial Improvements in Performance Indicators Achieved in a Peripheral Blood Mononuclear Cell Cryopreservation Quality Assurance Program using Single Donor Samples. Clinical Vaccine Immunology 14:52-59.

Human Fertilisation and Embryology Authority-HFEA, 1998. Consultation on the safe cryopreservation of gametes and embryos. HFEA London, UK.

Human Fertilisation and Embryology Authority-HFEA, 2007. HFEA Code of Practice, 7th Edition. HFEA, London, UK.

Hunt, C. J., Pegg, D. E. and Armitage, S. E. (2006) Optimising cryopreservation protocols for haematopoietic progenitor cells: A methodological approach for umbilical blood cord. CryoLetters 27, 73-85.

Maertens, A., Bourlet, T., Plotton, N., Pozzetto, B. and Levy, R. 2004. Validation of safety procedures for the cryopreservation of semen contaminated with hepatitis C virus in assisted reproductive technology. Human Reproduction 19:1554-1557.

Routledge C. and Armitage W. J (2003) Cryopreservation of cornea: a low cooling rate improves functional survival of endothelium after freezing and thawing. Cryobiology 46, 277-283.

Spurr, E. E., Wiggins, N. E., Marsden, K. A., Lowenthal, R. M. and Ragg, S. J (2002) Cryopreserved human haematopoietic stem cells regain engraftment potential after extended (5-14) years of cryostorage. Cryobiology 44, 210-217.

Terry, C., Dhawan, A., Mitry, R. R. and Hughes, R. D. (2006) Cryopreservation of isolated human hepatocytes for transplantation: State of the Art. Cryobiology 53, 149-159.

Marco-Jiménez, F., Lavara, R., Vicente, J. S., Viudes-de-Castro, M. P. (2006)

Cryopreservation of rabbit spermatozoa with freezing media supplemented with reduced and oxidized glutathione. CryoLetters 27, 261-268.

Orief, Y. and Schultze-Mosgau, A. 2005. Vitrification: will it replace the conventional gametes cryopreservation techniques? Middle East Fertility Soc. J. 10: 171-184.

Environmental Bioresources & Biotechnology

[BACK TO TOP](#)

BENSON EE, HARDING K & DAY JG (2007) Algae at extreme low temperatures: The Cryobank. In: Algae & Cyanobacteria in Extreme Environments, Vol. 11, Series: Cellular Origin, Life in Extreme Habitats & Astrobiology, J Seckbach (Ed) Springer pp. 367-383.

DAY JG, BENSON EE & FLECK RA (1999) In vitro culture of microalgae: Applications for aquaculture, biotechnology and environmental research. In Vitro Plant Cell and Dev. Biology 35 127-136.

HARDING K & HARRIS PS (1997) Risk assessment of the release of genetically modified plants: a review. Agro-food-Industry, Hi-tech 8, 8-13.

HARDING K (1993) Response to the Advisory Committee on Novel Foods and Processes. Consultation Paper: The use of antibiotic resistance markers in genetically modified food organisms. Documentation Libra

HARDING K (1994) Potential for the exchange and dispersal of genes between plants and microorganisms. Department of the Environment (internal document).

HARDING K (1995) Biosafety of selectable marker genes. AgBiotech News & Information 7, 47N-52N.

HARDING K (1996) Potential for horizontal gene transfer in GMO released within the environment. Agro-food-Industry, Hi-tech 7, 31-35.

HARDING K (1996) Use of selectable marker genes in genetically modified organisms. Research Report No.9. Genetically Modified Organisms Research Report. Department of the Environment. ISBN 185112 2117.

JOHNSTONE C, BLOCK W, BENSON EE, DAY JG, STAINES H & ILLIAN JB (2002) Assessing methods for collecting and transferring viable algae from Signy Island, maritime Antarctic, to the UK. Polar Biology 25, 553-556.

JOHNSTONE C, DAY JG, STAINES H & BENSON, EE, (2006) An in vitro oxidative stress test for determining pollutant tolerance in alga. Ecological Indicators 6, 770-779.

JOHNSTONE C, DAY JG, STAINES H & BENSON, EE, (2006) The development of a 2,2Å'â€™-azinobis-(3-ethyle-benzothizoline-6-sulfonic acid) radical cation decolourisation assay for evaluating total antioxidant status in an alga used to monitor environmental impacts in urban aquatic habitats. Ecological Indicators 6, 280-289.

WILKINSON M, HARDING K, O'BRIEN E, DUBBELS S, CHAPTERS Y & LAWSON H (1993) Herbicides and transgenic rape. Nature 365:114.

HÃ©doin, H., Pearson, J., Day, J.G., Philip, D., Young, A.J. and Hall, T.J. 2006. Porphyridium cruentum A-408 and Planktothrix A-404 retain their capacity to produce biotechnologically exploitable metabolites after cryopreservation. J. Appl. Phycol. 18: 1-7.

Park, Y-S. 2002. Implementation of conifer somatic embryogenesis in clonal forestry: technical requirements and deployment considerations. Ann. Forest. Sci. 59: 651-656.

Park, Y-S., Barrett, J.D. and Bonga, J.M. 1998. Application of somatic embryogenesis in high-value clonal forestry: Deployment, genetic control and stability of cryopreserved clones. In Vitro Cell. Dev. Biol. Plant 34: 231-239.

Biophysical Analysis of Cryopreservation & Cryodestruction

BENSON EE, JOHNSTON J, MUTHUSAMY J & HARDING, K (2005) Physical and Engineering Perspectives of In Vitro Plant Cryopreservation. In: Plant Tissue Culture Engineering. (Eds.) S Dutta Gupta, Y Ibaraki. Springer, Netherlands. pp 441-473

BENSON EE, REED BM, BRENNAN R, CLACHER KA & ROSS, DA (1996) Use of thermal analysis in the evaluation of cryopreservation protocols for Ribes nigrum L. germplasm. CryoLetters 17, 347-362.

DUMET DJ & BENSON EE (2000) Biochemical and physical studies of cryopreserved plant germplasm. In: Cryopreservation of Tropical Plant Germplasm: Current Progress and Applications (Eds.) F Engelmann & H Takagi. Japanese International Research Centre for Agricultural Sciences and IPGRI, IPGRI, Rome. pp 43-56.

DUMET DJ, BLOCK W, WORLAND MR, REED BM & BENSON, EE (2000) Profiling cryopreservation protocols for Ribes ciliatum using differential scanning calorimetry. CryoLetters 21, 367-378.

FLECK RA, DAY JG, RANA KJ & BENSON, EE (1997) Use of cryomicroscopy to visualize freeze-events on cryopreservation of the coenocytic alga Vaucheria sessilis. CryoLetters 18, 343-354.

NADARAJAN J, MANSOR M, KRISHNAPILLAY B, STAINES HJ, ERICA E BENSON, HARDING K (2008) Applications of differential scanning calorimetry developing cryopreservation strategies for Parkia speciosa a tropical tree producing

recalcitrant seeds. CryoLetters 29, 95-110

SHERLOCK G, BLOCK W & BENSON EE (2005) Thermal analysis of the plant encapsulation/dehydration protocol using silica gel as the desiccant. CryoLetters 26, 45-54.

Block, W. 2003. Water status and thermal analysis of alginate beads used in cryopreservation of plant germplasm. Cryobiol. 47: 59-72

BjÃ¶dner, C., Skroppa, T., Johnsen, Ã˜. & Polle, A. 2005. Freezing tolerance in two Norway spruce (*Picea abies* L. Karst.) progenies is physiologically correlated with drought resistance. Journal of Plant Physiology 162: 549-558.

Kaczmarczyk A, Rutten T, Melzer M, Keller ERJ. 2008. Ultrastructural changes associated with cryopreservation of potato (*Solanum tuberosum* L.) CryoLetters 29:145-166.

Åšesták J, Zámečník J. 2007. Can clustering of liquid water and thermal analysis be of assistance for better understanding of biological germplasm exposed to ultra-low temperatures. Journal of Thermal Analysis and Calorimetry, 88:411-416.

Free Radical & Oxidative Stress Markers

[BACK TO TOP](#)

ADAMS LK, BENSON EE, STAINES HJ, BREMNER DH, MILLAM S & DEIGHTON N (1999) Effects of the lipid peroxidation products 4-hydroxy-2-nonenal and malondialdehyde on the proliferation and morphogenetic development of in vitro plant cells. Journal of Plant Physiology 155, 376-386.

BENSON EE & BREMNER DH (2004) Oxidative Stress in the Frozen Plant: A Free Radical Point of View. In: Life in the Frozen State (Eds.) B Fuller, N Lane & EE Benson, CRC Press, Florida. pp 205-242.

BENSON EE & NORONHA-DUTRA AA (1988) Chemiluminescence in cryopreserved plant tissue cultures: The possible role of singlet oxygen in cryoinjury. CryoLetters 9, 120-131.

BENSON EE & WITHERS LA (1987) Gas Chromatographic analysis of volatile hydrocarbon production by cryopreserved plant cultures: A non-destructive method for assessing stability. CryoLetters 8, 35-36.

BENSON EE (1990) "Free Radical Damage in Stored Plant Germplasm" International Board For Plant Genetic Resources, Rome, ISBN 92 9043 196 2

BENSON EE (2000) In vitro plant recalcitrance: An Introduction. In Vitro Plant Cell and Developmental Biology 36, 141-149.

BENSON EE (2000) Do free radicals have a role in plant tissue culture recalcitrance? In Vitro Plant Cell and Developmental Biology 36, 163-170.

BENSON EE, LYNCH PT & JONES J (1992). The detection of lipid peroxidation products in cryoprotected and frozen rice cells: consequences for post-thaw survival. Plant Science 85, 107-114.

BENSON EE, MAGILL WJ & BREMNER DH (1997) Free Radical Processes in Plant Tissue Cultures: Implications for Plant Biotechnology Programmes. Phyton 37, 31-38.

DAY JG, FLECK RA & BENSON EE (2000) Cryopreservation recalcitrance in microalgae: novel approaches to identify and avoid cryoinjury. Journal of Applied Phycology 12, 369-377.

DEIGHTON N, MAGILL WJ, BREMNER DH & BENSON, EE (1997) Malondialdehyde and 4-hydroxy-2-nonenal in plant tissue cultures: LC-MS determination of 2,4-dinitrophenylhydrazone derivatives. Free Radical Research 27, 255-265.

FLECK RA, BENSON EE, BREMNER DH & DAY JG (2000) Studies of free radical-mediated cryoinjury in the unicellular alga *Euglena gracilis* using a non- destructive hydroxyl radical assay: A novel approach for developing protistan cryopreservation strategies. Free Radical Research 32, 157-170.

FLECK RA, BENSON EE, BREMNER DH & DAY JG (2003) A comparative study of antioxidant protection in the cryopreserved unicellular algae *Euglena gracilis* and *Haematococcus pluvialis*. CryoLetters 24, 213-228.

FLECK RA, DAY JG, CLARKE KJ & BENSON, EE (1999) Elucidation of the metabolic and structural basis for the cryopreservation recalcitrance of *Vaucheria sessilis*, Xanthophyceae. CryoLetters 20, 271-282.

FLECK RA, PICKUP RW, DAY JG & BENSON, EE (2006) Characterization of cryoinjury in *Euglena gracilis* using flow-cytometry and cryomicroscopy. Cryobiology 52, 261-268.

JOHNSTON JW, DUSSERT S, GALE S, NADARAJAN J, HARDING K & BENSON EE (2006) Optimization of the azinobis-3-ethyl-benzothiazoline-6-sulphonic acid radical scavenging assay for physiological studies of total antioxidant activity in woody plant germplasm. Plant Physiology and Biochemistry 44, 193- 201.

JOHNSTON JW, HARDING K & BENSON EE (2007) Antioxidant status and genotypic tolerance of *Ribes* in vitro cultures to cryopreservation. Plant Science 172, 524-534.

JOHNSTON JW, HORNE, S HARDING, K & BENSON EE (2007) Evaluation of the 1-methyl-2-phenylindole colorimetric assay for aldehydic lipid peroxidation products in plants: malondialdehyde and 4-hydroxynonenal. Plant Physiology and Biochemistry 45, 108-112.

MAGILL WJ, BREMNER DH, DEIGHTON N & BENSON, EE (1997) An evaluation of analytical methods for the detection of secondary oxidation products in dedifferentiated plant cultures. Phyton 37, 39-44.

OBERT B, BENSON EE, MILLAM S, PRETOVA A & BREMNER, DH (2005) Moderation of morphogenetic responses and oxidative stress responses in flax in vitro cultures by hydroxynonenal and desferrioxamine. Journal of Plant Physiology 162, 537-547.

Molecular Stability & Cryobionomics

[BACK TO TOP](#)

BENSON EE & HAMILL JD (1991) Cryopreservation and post-freeze molecular and biosynthetic stability in transformed roots of Beta vulgaris and Nicotiana rustica. Plant, Cell Tissue and Organ Culture, 24 163-172.

BENSON EE, WILKINSON M, TODD A, EKUERE U & LYON, J (1996) Developmental competence and ploidy stability in plants regenerated from cryopreserved potato shoot-tips. Cryo-Letters 17, 119-128.

HARDING K & BENSON EE (1995) Methods for the biochemical and molecular analysis of cryopreserved plant tissue cultures. In: Genetic Preservation of Plant Cells In Vitro. (Ed) B.W.W. Grout Springer Verlag Press. pp 113-169.

HARDING K & BENSON EE (2000) Analysis of chloroplast DNA in Solanum tuberosum plantlets derived from cryopreservation. CryoLetters 21, 279-288.

HARDING K & BENSON EE (2001) The use of microsatellite analysis in Solanum tuberosum L. in vitro plantlets derived from cryopreserved germplasm. CryoLetters 22, 199-208.

HARDING K & ROUBELAKIS-ANGELAKIS KA (1994) The isolation and purification of DNA from Vitis vinifera L. plants and in vitro cultures. Vitis 33, 247-248.

HARDING K & STAINES H (2001) Biometric analysis of phenotypic characters of potato shoot-tips recovered from tissue culture, dimethyl sulphoxide treatment & cryopreservation. CryoLetters 22, 255-262.

HARDING K (1991) Molecular stability of the ribosomal RNA genes in Solanum

tuberosum plants recovered from slow growth and cryopreservation. Euphytica 55, 141-146.

HARDING K (1991) Restriction enzyme mapping of the ribosomal RNA genes in Solanum tuberosum: Potato rDNA restriction enzyme map. Euphytica 54, 245- 250.

HARDING K (1992) Detection of ribosomal RNA genes by chemiluminescence in Solanum tuberosum L.: a rapid and non-radioactive procedure for the characterisation of potato germplasm. Potato Research 35, 199-204.

HARDING K (1996) Approaches to assess the genetic stability of plants recovered from in vitro culture. In: Proceedings of the International Workshop: In Vitro Conservation of Plant Genetic Resources. MN Normah, MK Narimah & MM Clyde (Eds) Plant Biotechnology Laboratory, University Kebangsaan Malaysia, Kuala Lumpur, Malaysia pp.137-170.

HARDING K (1999) In Vitro Conservation of Plant Germplasm and Genetic Stability. In: Proceeding of the 2nd Symposium on Genetic Resources for Latin America and the Caribbean SIRGEALC. Genetic Resources: Food Security for the Third Millenium. CD-version. Brasilia, DF, Brazil.

HARDING K (1999) Stability assessments of conserved plant germplasm. In: Plant Conservation & Biotechnology, EE Benson (Ed) Taylor & Francis Ltd. London pp. 97-107.

HARDING K (2004) Genetic integrity of cryopreserved plant cells: a review. CryoLetters 25, 3-22.

HARDING K., JOHNSTON J. BENSON E.E (2005) Plant and algal cell cryopreservation: issues in genetic integrity, concepts in "Cryobionomics" and current European applications. In: Contributing to a Sustainable Future (Eds) IJ Bennett, E Bunn, H Clarke & JA McComb), Proceedings of the Australian Branch of the International Association for Plant Tissue Culture &

Biotechnology, Perth, Western Australia. pp112-119

HARDING K, JOHNSTON JW BENSON EE (2008) Concepts in cryobionomics: A case study of Ribes genotype responses to cryopreservation in relation to thermal analysis oxidative stress nucleic acid methylation and transcriptional activity. Agrifood Research Working Papers 153, 10-11. In Cryopreservation of Crop Species in Europe Cryo-Planet COST Action 871. MTT Agrifood Research Finland. Editors J Laamanen M. Uosukainen H Häggman A Nukari S Rantala.

HARDING K, JOHNSTON JW & BENSON EE (2009) Exploring the physiological basis of cryopreservation success and failure in clonally propagated in vitro crop plant germplasm. Agriculture and Food Science 18, 3-16.

HARDING K, MARZALINA M, KRISHNAPILLAY B, NASHATUL Z, NORMAH MN, & BENSON EE (2000) Molecular stability assessments of trees regenerated from cryopreserved Mahogany seed germplasm using non-radioactive techniques to examine chromatin structure and DNA methylation status of the ribosomal genes. Journal of Tropical Forest Science 12, (1) 149-163.

HARDING, K & BENSON EE (1994) A study of growth, flowering and tuberisation in plants derived from cryopreserved potato shoot-tips. CryoLetters 15, 59-66.

MATTHEWS D, MCNICOLL J, HARDING K & MILLAM S (1997) The detection of alien DNA sequences in somatic hybrids. Plant Molecular Biology Reporter 15, 62-70.

MATTHEWS D, MCNICOLL J, HARDING K & MILLAM S (1999) 5'-anchored simple sequence repeat primers are useful for analyzing potato somatic hybrids. Plant Cell Reports 19, 210-212.

MÃœELLER J, DAY JG, HARDING K, HEPPERLE D, LORENZ M & FRIEDL T (2007) Assessing genetic stability of a range of terrestrial microalgae after cryopreservation using amplified fragment length polymorphism (AFLP). American Journal of Botany 94(5): 799-808.

WARD ACW, BENSON EE, BLACKHALL NW, COOPER-BLAND S, POWELL W, POWER JB & DAVEY MR (1993) Flow cytometric assessments of ploidy stability in cryopreserved dihaploid Solanum tuberosum and wild Solanum species. CryoLetters 14, 145-152.

WILKINSON M, BENNET S, CLULOW S, ALLAINGUILLAUME J, HARDING K & BENNET M (1994) Evidence for somatic translocation during potato dihaploid induction. Heredity 74, 146-151.

Ahuja S, Mandall BB, Dixit D, Srivastava PS. 2002. Molecular, phenotypic and biosynthetic stability of Dioscorea floribunda from cryopreserved shoot tips. Plant Science 163:971-977.

Angel F, Barney VE, Tohme J, Roca WM. 1996. Stability of cassava plants at the DNA level after retrieval from 10 years of in vitro storage. Euphytica 90:307- 313.

Baust JM, Vogel MJ, Snyder KK, Van Buskirk RG, Baust JG. 2007. Activation of mitochondrial-associated apoptosis contributes to cryopreservation failure. Cell Preservation Technology 5:155-163.

Baust, J.M. 2002. Molecular mechanisms of cellular demise associated with cryopreservation failure. Cell Preservation Technology 1: 17-31.

Baust, J.M. and Baust, J.G. 2007. A paradigm shift in cryopreservation: molecular- based

- advances to improve outcome. In: Cryogenic Engineering. Part 4, pp. 340-366.
- Timmerhaus, K. D. and Reed, R.P. Eds., International Cryogenics Monograph Series, Springer, New York, USA.
- Bischof, J.C., Coad, J.E., Hoffman, N.E. & Roberts, K.R. 2002. Is apoptosis an important mechanism of cryoinjury in vivo? CryoLetters 23: 277-278.
- Brand, J.J. and Diller, K.R. 2004. Application and theory of algal cryopreservation. Nova Hedwigia 79: 175-189.
- Carpentier, S.C., Witters, E., Laukens, K., Swennen, R. and Panis, B. 2006. Proteome research in banana meristems to study cryoprotection. Cryobiol. 53:422.
- CÃ©te FX, Goue O, Domergue R, Panis B, Jenny C. 2000. In-field behaviour of banana plants (*Musa AA* sp.) obtained after regeneration of cryopreserved embryogenic cell suspensions. CryoLetters 21:19-24.
- Day, J.G. 1998. Cryo-conservation of microalgae and cyanobacteria. CryoLett. Supplement 1: 7-Â
- Day, J.G. and Fenwick, C. 1993. Cryopreservation of members of the genus *Tetraselmis* used in aquaculture. Aquaculture 118: 151-160.
- Dixit-Sharma S, Mandal BB, Ahuja S, Srivastava PS. 2003. Genetic stability assessment of plants regenerated from cryopreserved embryogenic tissues of *Dioscorea bulbifera* L. using RAPD, biochemical and morphological analysis. CryoLetters 24:77-84.
- Fang, J-Y., Wetten, A. and Johnston, J. 2008. Headspace volatile markers for sensitivity of cocoa (*Theobroma cacao* L.) somatic embryos to cryopreservation. Plant Cell Rep. 27: 453-461.
- Gachon, C.M.M., Day, J.G., Campbell, C.N., PrÃ¶schold, T., Saxon, R.J. and KÃ¶pper, F.C. 2007. The culture collection of algae and protozoa (CCAP): A biological resource for protistan genomics. Gene 406: 51-57.
- Hoffman, N.E. & Bischoff, J.C. 2004. Mechanisms of injury caused by in vivo freezing. In: Fuller, B. Lane, N. & Benson, E.E. (eds.). Life in the frozen state. CRC Press. Florida. p. 455-482.
- Homma, T., Iwahashi, H. and Komatsu, Y. 2003. Yeast gene expression during growth at low temperature. Cryobiol. 46: 230-237.
- Keller ERJ, Kaczmarczyk A, Senula A. 2008. Cryopreservation for plant genebanks: a matter between high expectations and cautious reservation. CryoLetters 29:53-62.

Mix-Wagner G, Schumacher HM, Cross RJ. 2003. Recovery of potato apices after several years of storage in liquid nitrogen. CryoLetters 24:33-41.

MÃ¼ller, J., Friedl, T., Hepperle, D., Lorenz, M. and Day, J.G. 2005. Distinction between multiple isolates of Chlorella vulgaris (Chlorophyta, Trebouxiophyceae) and testing for conspecificity using amplified fragment length polymorphism and ITS RDNA sequences. J. Phycol. 41: 1236-1247.

Odani, M., Komatsu, Y., Oka, S. and Iwahashi, H. 2003. Screening of genes that respond to cryopreservation stress using yeast DNA microarray. Cryobiol. 47: 155-164.

Rubinsky, B. and Pegg, D. E. (1988) A mathematical model for the freezing process in biological tissues. Proc. R. Soc. Lond. 234, 343-358.

Ryan, M. J., Smith, D., Bridge, P. D., and Jeffries, P. (2003) The relationship between fungal preservation method and secondary metabolite production in Metarhizium anisopliae and Fusarium oxysporum. W. J. Microbiol. Biotechnol. 19, 839-844.

Scowcroft WR. 1984. Genetic variability in tissue culture: impact on germplasm conservation and utilisation, International Board for Plant Genetic Resources. Report (AGPG:IBPGR/84/152), Rome, Italy.

Epigenetic Stability & DNA Methylation

HARDING K (1994) The methylation status of DNA derived from potato plants recovered from slow growth. Plant Cell, Tissue & Organ Culture 37, 31-38.

HARDING K, BENSON EE & ROUBELAKIS-ANGELAKIS KA (1996) Methylated DNA changes associated with the initiation and maintenance of Vitis vinifera in vitro shoot and callus cultures: A possible mechanism for age-related changes. Vitis 2, 79-85.

JOHNSTON JW, HARDING K, BREMNER DH, SOUCH G, GREEN J, LYNCH PT, GROUT B, & BENSON EE (2005) HPLC analysis of plant DNA methylation: a study of critical methodological factors. Plant Physiology and Biochemistry 43, 844-853.

JOHNSTON J, BENSON EE & HARDING K (2009) Cryopreservation of in vitro Ribes shoots induces temporal changes in DNA methylation. Plant Physiology & Biochemistry 47, 123-131.

HARDING K (1997) DNA methylation patterns: The Hidden Fingerprint. Bulletin of the Genetics Society of Malaysia (ISSN 1394-5750) 3(1), 1-3.

HARDING K (2009) Plant and algal cryopreservation: issues in genetic integrity, concepts in "cryobionomics" and current applications in cryobiology. Proceedings of the Asia Pacific Conference on Plant Tissues Cultures & Agrobiotechnology (APaCPa) 2007,

Kuala Lumpur, Malaysia. In Press

HÄxsler, J., WÄEST, J., Gaspar, T. and CRÄVECOUR, M. 2003. Long-term in vitro cultured plant cells show typical neoplastic features at the cytological level. Biology Cell 95: 357-364.

Critical Point Factors

[BACK TO TOP](#)

SOUCH GR, LYNCH PT & HARDING K (2001) Cryopreservation of garlic (*Allium sativum* L.) using an encapsulation/dehydration approach. CryoLetters 22, 86.

WITHERS LA, BENSON EE & MARTIN M (1988) Cooling rate/media interactions in the survival and structural stability of cryopreserved shoot-tips of *Brassica napus*. CryoLetters 7, 114-119.

BENSON EE, HARDING K & SMITH, H (1989) The effects of pre-and post-freeze light on the recovery of cryopreserved shoot-tips of *Solanum tuberosum*. CryoLetters 10, 323-344.

HARDING K, BENSON EE & SMITH H (1991) The effects of pre-freeze in vitro tissue culture period on the recovery of cryopreserved shoot-tips of *Solanum tuberosum*. CryoLetters 12, 17-22.

LYNCH PT, BENSON EE, JONES J, COCKING EC & DAVEY, MR (1994) Rice cell cryopreservation: the influence of culture methods and the embryogenic potential of cell suspensions on post-thaw recovery. Plant Science 98, 185- 192.

LYNCH PT, BENSON EE, JONES J COCKING EC, POWER JB & DAVEY, MR (1995) The Embryogenic potential of rice cell suspensions affects their recovery following cryogenic storage. Euphytica 85, 347-349.

BENSON EE, LYNCH PT & JONES J (1995) The effects of the chelating agent desferrioxamine on the post-thaw recovery of rice cells: A novel approach to cryopreservation. Plant Science 110, 249-258.

MAGILL W, DEIGHTON N, PRITCHARD HW, BENSON EE & GOODMAN, BA (1994) Physiological and biochemical parameters of seed storage in *Carica papaya*. Royal Soc. of Edin. Proc. 102B, 439-442.

REED BM, KOVALCHUK I, KUSHNARENKO S, MEIER-DINKEL A, SCHOENWEISS K, PLUTA S, STRACZYN SKA K & BENSON, EE (2004) Evaluation of critical points in technology transfer of cryopreservation protocols to international plant conservation laboratories. CryoLetters 25, 341-352.

REED BM, SCHUMACHER L, DUMET D & BENSON, EE (2005) Evaluation of a

modified encapsulation-dehydration cryopreservation procedure incorporating high sucrose pretreatments for the conservation of Ribes germplasm. In Vitro Dev Biol Plant 41, 431-436.

NADARAJAN J, STAINES HJ, BENSON EE, MANSOR M, KRISHNAPILLAY B & HARDING K (2007) Optimization of cryopreservation for Sterculia cordata zygotic embryos. Journal of Tropical Forest Science 19, 79-85.

Goveia, M., Kioko, J.I. and Berjak P. 2004. Developmental status is a critical factor in the selection of excised recalcitrant axes as explants for cryopreservation: a study on Trichilia dregeana Sond. Seed Sci. Res. 14: 241-248.

Kim, H-H., Yoon, J-W., Park, Y-E., Cho, E-G., Sohn, J-K., Kim, T-S. and Engelmann, F. 2006. Cryopreservation of potato cultivated varieties and wild species: critical factors in droplet vitrification. CryoLett. 27: 223-234.

Leunufna, S. and Keller, E.R.J. 2005. Cryopreservation of yams using vitrification modified by including droplet method: effects of cold acclimation and sucrose. CryoLett. 26: 93-102.

Luo, J. and Reed, B.M. 1997. Abscisic acid-responsive protein, bovine serum albumin and proline pretreatments improve recovery of in vitro currant shoot-tip meristems and callus cryopreserved by vitrification. Cryobiol. 34: 240-250.

Mandal, B.B. and Dixit-Sharma, S. 2007. Cryopreservation of in vitro shoot-tips of Dioscorea deltoidea Wall., an endangered and medicinal plant: effect of cryogenic procedures and storage duration. CryoLett. 28: 461-470.

Morris, G. J. (1976) The cryopreservation of Chlorella 2. Effect of growth temperature on freezing tolerance. Arch. Microbiol. 107, 309-312.

Ramon M, Geuns JMC, Swennen R, Panis B. 2002. Polyamines and fatty acids in sucrose precultured banana meristems and correlation with survival rate after cryopreservation. CryoLetters 23:345-352.

Reed, B.M. 1989. The effect of cold hardening and cooling rate on the survival of apical meristems of Vaccinium species frozen in liquid nitrogen. CryoLett. 10: 315-322.

RyynÄ¤nen, L. 1998. Effect of abscisic acid, cold hardening, and photoperiods on recovery of cryopreserved in vitro shoot tips of silver birch. Cryobiol. 36: 32-39.

Towill LE, Bonnart R. 2003. Cracking in a vitrification solution during cooling and warming does not affect growth of cryopreserved mint shoot tips. CryoLetters 24:341-346.

Turner S, Senaratna T, Touchell D, Bunn E, Dixon K, Tan B. 2001. Stereochemical arrangement of hydroxyl groups in sugar and polyalcohol molecules as an important factor

in effective cryopreservation. Plant Science 160:489-497.

Volk, G.M. and Walters, C. 2006. Plant vitrification solution 2 lowers water content and alters freezing behaviour in shoot tips during cryoprotection. Cryobiol. 52: 48-61.

Walters C. 2004. Temperature dependency of molecular mobility in preserved seeds. Biophysical Journal 86:1253-1258.

Methods, Validation and Technology Transfer

[BACK TO TOP](#)

BENSON, EE (1999) Plant Conservation Biotechnology. Taylor & Francis London. DAY JG & HARDING K (2008) Cryopreservation protocols for algae in working laboratories. In: Plant Cryopreservation: A Practical Guide, Humana Press, 2nd

Edition. (Ed) B Reed Springer, Netherlands pp. 95-116. DAY, JG LORENZ M, WILDING TA, FRIEDL T, HARDING K, PRÄ-SCHOLD T,

BRENNAN, D, MÃœLLER J, SANTOS LMA, SANTOS MF, OSÃ“RIO HC, AMARAL R, LUKEÃŠÅ OVÃ“ A, HROUZEK P, LUKEÃŠÅ M, ELSTER J, LUKAVSKÃ“ JR, PROBERT I, RYAN MJ & BENSON EE (2007) The use of physical and virtual infrastructures for the validation of algal cryopreservation methods in international culture collections. CryoLetters 28, 359-376

ELSTER, J LUKAVSKÃ“ J, HARDING K, BENSON EE & DAY JG (2008) Deployment of the encapsulation/dehydration protocol to cryopreserve polar microalgae held at the Czech Republic Academy Of Sciences Institute Of Botany. CryoLetters, 29, 27-28.

GALE, S., JOHN, A. AND BENSON E.E (2007) Cryopreservation of *Picea sitchensis* (Sitka Spruce) embryogenic suspensor masses. CryoLett. 28: 225-239. GALE, S., JOHN, A., HARDING, K., BENSON, E.E. 2008. Cryopreservation of *Picea*

sitchensis (Sitka Spruce) somatic embryos using vitrification. CryoLett. 29: 135-144.

HARDING, K T FRIEDL, H TIMMERMANN, M LORENZ, J MÃœLLER, JG. DAY & EE BENSON (2008) Deployment Of The Encapsulation/Dehydration Protocol To Cryopreserve Microalgae Held At Sammlung Von Algenkulturen, UniversitÃ¤t GÃ¶ttingen, Germany. CryoLetters 29, 15-20.

JOHN, A., GALE, S., BENSON, E.E. 2007. Tissue culture and cryopreservation of Sitka Spruce. British Forestry & Timber July 2007 53-58.

LUKEÂŠÂ OVÃ‰ A, HROUZEK P, HARDING K, BENSON EE & DAY JG (2008) Deployment of encapsulation & dehydration cryo-conservation protocols to terrestrial microalgae held at the Czech Republic Academy Of Sciences, Institute of Soil Biology, Czech Republic CryoLetters, 29, 21-26.

LYNCH PT, SOUCH G, TRIGWELL S KELLER J & HARDING K (2008) Plant Cryopreservation: from Laboratory to Genebank. Proceedings of the Asia Pacific Conference on Plant Tissues Cultures & Agrobiotechnology (APaCPa) 2007, Kuala Lumpur, Malaysia. In Press

NUNES, E.D.C., BENSON, E.E., OLTRAMARI, A.C., ARAUJO, P.S., MOSER, J.R. AND VIANA, A.M. 2003. In vitro conservation of *Cedrela fissilis* (Meliaceae), a native tree of the Brazilian Atlantic Forest. Biodiver. Conserv. 12: 837-848.

REED BM, DUMET DJ, DeNOMA JM & BENSON, EE, (2001) Validation of cryopreservation protocols for plant germplasm conservation: A Pilot study using *Ribes L.* Biodiversity & Conservation 10, 939-949.

WILKINSON M, HARDING K & RAMSEY G (1993) Conservation and utilization of germplasm collections of potato and faba bean. Scottish Crop Research Institute, Annual Report of 1992 pp.13-17.

Agrawal A, Swennen R, Panis B. 2004. A comparison of four methods for cryopreservation of meristems in banana (*Musa spp.*). CryoLetters 25:101-110.

Ashmore, S.E. 1997. Status report on the development and application of in vitro techniques for the conservation and use of plant genetic resources. ISBN 92- 9043-339-6. International Plant Genetic Resources Institute, Rome, IT.

Bank HL, Schmehl MK. 1989. Parameters for evaluation of viability assays: accuracy, precision, specificity, sensitivity and standardization. Cryobiology 26:203-211.

Ben-Amotz, B. and Gilboa, A. 1980. Cryopreservation of marine unicellular algae: I. A. survey of algae with regards to size, culture, age, photosynthetic activity and chlorophyll-to-cell ratio. Marine Ecol. Progress Series 2: 157-161.

Beruto M, Beruto D, Debergh P. 1999. Influence of agar on in vitro cultures: I physicochemical properties of agar and gelled media. In Vitro Cellular Developmental Biology Plant 35:86-93.

Bodas, K., Brennig, C., Diller, K.R. and Brand, J.J. 1995. Cryopreservation of blue-green and eukaryotic algae in the culture collection at the University of Texas Austin. CryoLett. 16: 267-274.

Calkins JB, Swanson BT. 1990. The distinction between living and dead plant tissue

viability tests cold hardiness research. Cryobiology 27:194-211.

Day, J.G., Watanabe, M.M., Morris, G.J., Fleck, R.A. and McLellan, M.R. 1997. Long-term viability of preserved eukaryotic algae. J. Appl. Phycol. 9: 121-127.

Dixit-Sharma S, Ahuja-Ghosh A, Mandal BB, Srivastava PM. 2005. Metabolic stability of plants regenerated from the cryopreserved shoot tips of *Dioscorea deltoidea* - an endangered medicinal plant. Scientia Horticulturae 105:513-517.

Dussert S, Engelmann F, Noirot M. 2003. Development of probabilistic tools to assist in the establishment and management of cryopreserved plant germplasm collections. CryoLetters 24:149-160.

Ellis, D., Skogerboe, D., Andre, C., Hellier, B. and Volk, G. 2006. Implementation of garlic cryopreservation techniques in the national plant germplasm system. CryoLett. 27: 99-106.

Engelmann F, Takagi H, editors. 2000. Cryopreservation of Tropical Plant Germplasm. Current Research Progress and Application. Japan International Research Centre for Agricultural Sciences, Tsukuba, Japan / International Plant Genetic Resources Institute, Rome, Italy.

Engelmann, F., Gonzalez Arnao, M-T., Wu, Y. and Escobar, R. 2008. Development of encapsulation dehydration. In: Plant Cryopreservation: A Practical Guide. pp. 59-76. Chapt. 4. Humana Press, 2nd Edition. Reed, B. M. Ed., Springer, New York, USA.

Engelmann, F., Lartaud, M., Chabriange, N., Carron, M.P. and Etienne, H. 1997. Cryopreservation of embryogenic calluses of two commercial clones of *Hevea brasiliensis*. CryoLett. 18: 107-116.

Fahy, G. M., Wowk, B., Wu, J. and Paynter, S. (2004) Improved vitrification solutions based on the predictability of vitrification solution toxicity. Cryobiology 48, 22-35.

Fang, J-Y., Wetten, A. and Hadley, P. 2004. Cryopreservation of cocoa (*Theobroma cacao* L.) somatic embryos for long-term germplasm storage. Plant Sci. 166: 669-675.

Fenwick, C. and Day, J.G. 1992. Cryopreservation of *Tetraselmis suecica* cultured under different nutrient regimes. J. Appl. Phycol. 4: 105-109.

Gonzalez-Arnau MT, Panta A, Roca WM, Escobar RH, Engelmann F. 2008. Development of large scale application of cryopreservation techniques for shoot and somatic embryo cultures of tropical crops. Plant Cell Tissue and Organ Culture 92:1-13.

Gonzalez-Arnau, M.T. and Engelmann, F. 2006. Cryopreservation of plant germplasm using the encapsulation-dehydration technique: review and case study on sugarcane. Cryolett. 27: 155-168.

Hirai D, Sakai A. 2003. Simplified cryopreservation of sweetpotato [*Ipomoea batatas* (L.) Lam.] by optimizing conditions for osmoprotection. Plant Cell Reports 21:961-966.

Jokipii, S., RyynÄ¤nen, L., Kallio, P.T., Aronen, T. and HÄ¤ggman, H. 2004. A cryopreservation method maintaining the genetic fidelity of a model forest tree, *Populus tremula* L. x *Populus tremuloides* Michx. Plant Sci. 166: 799-806.

Keller, E.R.J. 2005. Improvement of cryopreservation results in garlic using low temperature preculture and high quality in vitro plants. CryoLett. 26: 357-366.

Keller, E.R.J. Dreiling, M. 2003. Potato cryopreservation in Germany - using droplet methods for the establishment of a new large collection. Acta Hort. (ISHS) 623: 193-200.

Keller, E.R.J., Senula, A. and Dreiling, M. 2005. Genebanking of vegetatively propagated medicinal plants - two cases: Allium and Mentha. Acta Hort. (ISHS) 676: 103-109.

Kim, H-H., Kim, J-B., Baek, H-J., Cho, E-G., Chae, Y-A. and Engelmann, F. 2004. Evolution of DMSO concentration in garlic shoot-tips during a vitrification procedure. CryoLett. 25: 91-100.

Konan, E.K., Durand-Gasselin, T., Kouadio, Y.J., NiamkÃ©, A.C., Dumet, D., Duval, Y., Rival, A. and Engelmann, F. 2007. Field development of oil palms (*ElaÃ®is quineensis* Jacq.) originating from cryopreserved stabilized polyembryonic cultures. CryoLett. 28: 377-386.

Kryszczuk, A., Keller, J., GrÃ¼be, M. & Zimnoch-Guzowska, E. 2006. Cryopreservation of potato (*Solanum tuberosum* L.) shoot tips using vitrification and droplet method. Journal of Food, Agriculture and Environment. 4: 196-200.

Leunufna, S. and Keller, E.R.J. 2003. Investigating a new cryopreservation protocol for yams (*Dioscorea* spp.). Plant Cell Rep. 21: 1159-1166.

MartÃ±ez, D.M., Revilla, A., Espina, A., Jaimez, E. and GarcÃ¡a, J.R 1998. Survival cryopreservation of hop shoot tips monitored by differential scanning calorimetry. Thermochimica Acta 317: 91-94.

Matsumoto T, Sakai A, Takahashi C, Yamada K. 1995. Cryopreservation of in vitro apical meristems of wasabi (*Wasabia japonica*) by encapsulation-vitrification method. CryoLetters 16:189-196.

Nikishina, T.V., Popova, E.V., Vakhrameeva, M.G., Varlygina, T.I., Kolomeitseva, G.L., Burov, A.V., Popovich, E.A., Shirokov, A.I., Shumilov, V-YU. and Popov, A.S. 2007. Cryopreservation of seeds and protocorms of rare temperate orchids. Russian J. Plant Physiol. 54: 121-127.

Nishizawa, S., Sakai, A., Amano, Y. and Matsuzawa, T. 1993. Cryopreservation of asparagus (*Asparagus officinalis L.*) embryogenic suspension cells and subsequent plant regeneration by vitrification. Plant Sci. 91: 67-73.

Panis, B. and Thinh, N.T. 2001. Cryopreservation of Musa germplasm, INIBAP Technical Guideline 5. Escalant, J.V. and Sharrock, S. Eds., International Network for the Improvement of Banana and Plantain, Montpellier, France.

IPGRI, Rome, IT. Panis, B., Piette, B. and Swennen, R. 2005. Droplet vitrification of apical meristems: a cryopreservation protocol applicable to all Musaceae. Plant Sci. 168: 45-55.

Pennycooke JC, Towill LE. 2001. Medium alterations improve regrowth of sweet potato [*Ipomoea batatas* (L.) Lam.] shoot-tips cryopreserved by vitrification and encapsulation-dehydration. CryoLetters 22:381-389.

Reed, B.M. 1988. Cold acclimation as method to improve survival of cryopreserved Rubus meristems. CryoLett. 9: 166-171.

Reed, B.M. 2001. Implementing cryogenic storage of clonally propagated plants. CryoLett. 22: 97-104.

Ribeiro, R.C.S., Jekkel, Z., Mulligan, B.J., Cocking, E.C., Power, J.B., Davey, M.R. and Lynch, P.T. 1996. Regeneration of fertile plants from cryopreserved cell suspensions of *Arabidopsis thaliana* (L.) Heynh. Plant Sci. 115: 115-121. Ryynänen, L., Sillanpää, M., Kontunen-Soppeala, S., Tiimonen, H., Kangasjärvi, J., Vapaavuori, E. and Häggman, H., 2002. Preservation of transgenic silver birch (*Betula pendula* Roth) lines by means of cryopreservation. Mol. Breeding 10: 143-152.

Sakai, A. & Engelmann, F. 2007. Vitrification, encapsulation-vitrification and droplet-vitrification: a review. CryoLetters 28: 151-172.

Sant, R., Panis, B., Taylor, M. and Tyagi, A. 2008. Cryopreservation of shoot-tips by droplet vitrification applicable to all taro (*Colocasia esculenta* var. *esculenta*) accessions. Plant Cell Tiss. Org. Cult. 92: 107-111.

Schäfer-Menuhr, A., Schumacher, H.M. and Mix-Wagner, G. 1997. Long-term storage of old potato varieties by cryopreservation of shoot-tips in liquid nitrogen. Plant Genetic Resources Newslett. 111: 19-24.

Schulte, J. and Reski, R. 2004. High throughput cryopreservation of 140,000 *Physcomitrella patens* mutants. Plant Biol. 6: 119-127.

Smith D, Ryan MJ. 2008. The impact of OECD best practices on the validation of cryopreservation techniques for microorganisms. CryoLetters 29:63-72.

Spomer LA, Smith MAL. 1996. Direct measurement of water availability in gelled plant tissue culture media. In Vitro Cellular Developmental Biology Plant 32:210-215.

Taylor MJ, Song YC, Brockbank KGM. 2004. Vitrification in tissue preservation. new developments. In: Fuller B, Lane N, Benson EE, editors. Life in the Frozen State. CRC Press, London, UK. pp. 603-641.

Tessereau, H., Florin, B., Meschine, M.C., Thierry, C. and PÃ©tiard, V. 1994. Cryopreservation of somatic embryos: a tool for germplasm storage and commercial delivery of selected plants. Ann. Bot. 74: 547-555.

Tsai, C-J. and Hubscher, S.L. 2004. Cryopreservation in Populus functional genomics. New Phytol. 164: 73-81.

Van den houwe I, De Smet K, Tezenas du Montcel H, Swennen R. 1995. Variability on storage potential of banana shoot cultures under medium term storage conditions. Plant Cell Tissue and Organ Culture. 42:269-274.

Verleyen H, Samyn G, Van Bockstaele E, Debergh P. 2004. Evaluation of analytical techniques to predict viability after cryopreservation. Plant Cell Tissue and Organ Culture 77:11-21.

Volk, G.M. and Caspersen, A.M. 2007. Plasmolysis and recovery of different cell types in cryoprotected shoot tips of *Mentha x piperita*. Protoplasma 231: 215- 226.

Walters, C., Wheeler, L. and Stanwood, P.C. 2004. Longevity of cryogenically stored seeds. Cryobiol. 48: 229-244.

Statistical Methods

[BACK TO TOP](#)

MUTHUSAMY J, STAINES HJ, BENSON EE, MANSOR, M & KRISHNAPILLAY B (2005) Investigating the use of fractional replication and Taguchi techniques in cryopreservation: a case study using orthodox seeds of a tropical rainforest tree species. Biodiversity and Conservation 14, 3169-3185.

NADARAJAN J, STAINES HJ, BENSON EE, MANSOR M, KRISHNAPILLAY B & HARDING K (2006) Optimization of a cryopreservation protocol for *Sterculia cordata* zygotic embryos using Taguchi experiments. Journal of Tropical Forest Science 18, 222-230.

STAINES HH, MARZALINA M, KRISHNAPILLAY B, NASHATUL Z, NORMAH MN & BENSON EE (1999) Applications of Taguchi analysis for the conservation of tropical rain forest tree seeds. Proc. International Union of Forestry Research Organizations, (IUFRO), Symposium on Recalcitrant Seed Research. Forest Research Institute of Malaysia, Publishers, IUFRO/FRIM. In: IUFRO Seed Symposium 1998 Recalcitrant

Seeds (Eds) M Marzalina, KC Khoo, N Jayanthi, FS Tsan & B Krishnapillay. Forest Research Institute of Malaysia, K Lumpur, Malaysia. pp 270-279.

Comprehensive Literature Reviews

[BACK TO TOP](#)

FULLER, B., LANE, N AND BENSON EE (2004) Life in the Frozen State. CRC Press.
BENSON, EE (2008) Cryopreservation of phytodiversity: A Critical Appraisal of Theory & Practice. Critical Review in Plant Sciences 27, 141-219.

Engelmann, F. 2004. Plant cryopreservation: Progress and prospects. In Vitro Cell. Dev. Biol. Plant. 40: 427-433.

Engels, J.M.M. and Visser, L. 2003. A guide to effective management of germplasm collections. IPGRI Handbooks for Genebanks. No 6. IPGRI, Rome, IT.

Fuller BJ. 2004. Cryoprotectants: the essential antifreezes to protect life in the frozen state. CryoLetters 25:375-388.

Genebank Standards. 1994. Food and Agricultural Organization of the United Nations. International Plant Genetic Resources Institute, Rome, IT.

Holt, W.V. 2008. Cryobiology, wildlife conservation and reality. CryoLett. 29: 43-52.
Hubálek, Z. 2003. Protectants used in the cryopreservation of microorganisms. Cryobiol. 46: 205-229.

Razdan, M.K. and Cocking, E.C. 1997. Conservation of Plant Genetic Resources In Vitro. Vol. 1. General Aspects. Science Publishers Inc. Enfield, New Hampshire, USA.

Reed, B. M. 2008a. Plant Cryopreservation: A Practical Guide. Humana Press, 2nd Edition. Springer, New York, USA.

Reed, B.M. Engelmann, F., Dulloo, M.E. and Engels, J.M.M. 2004a. Technical Guidelines for the management of field and in vitro germplasm collections. IPGRI Handbooks for Genebanks. No 7. Rome, IT.

Society for Low Temperature Biology-SLTB, 1999. Ensuring the safe cryopreservation of tissues and cells. Symposium of the SLTB September 1998. CryoLett. 20: 133-162.

Society for Low Temperature Biology-SLTB, 2008a. Validation, Safety and Ethical Issues Impacting Low Temperature Storage of Biological Resources. Symposium of the SLTB, September 2007. CryoLett. 29: 43-72.

Taylor, R. and Fletcher, R.L. 1998. Cryopreservation of eukaryotic algae - a review of

methodologies. J. Appl. Phycol. 10: 481-501.

Wusteman, M. and Hunt, C. J. (2004) The scientific basis for tissue banking, in Life in the Frozen State, (Fuller, B., Benson E. E. and Lane N. eds.), CRC Press LLC, Boca Raton, USA, pp. 541-562.