The Effects of Cochlear Implant Processing on Vocal Reproduction of Music

Daniel Krass, B.A.

December 11th, 2014

American Cochlear Implant Alliance

14th Symposium on Cochlear Implants in Children

Nashville, TN

Acknowledgements

- Dr. René Gifford
- Dr. Devin McCaslin
- Dr. Erin Picou
- The Vanderbilt Bill Wilkerson
 Cochlear Implant Research Lab
- Jane Burton, Kelly Jahn and Sarah Kahan



Team!













Music... Cochlear Implants...


- Perception (Kang et al., 2009; Zhu et al., 2011; Zend et al., 2014)
- Appreciation/Enjoyment (Wright and Uchanski, 2012)

What about singing?



15-channel vocoder (Litvak et al., 2007)

Questions



How "in tune" do we sing?

 Do musicians have an advantage over non-musicians?

Does musical "context" have an effect?

Methods

- Musical Context
 - Single Notes
 - Unfamiliar Melodies
 - Familiar Melodies
 - With and without lyrics
 - Popular Songs

Litvak's vocoder:















- Subjects (n=20)
 - 14 women / 6 men
 - 10 musicians / 10 not
 - Normal Hearing
- Acclimatize
- CI Processed recordings
- Normal recordings
- Sound Forge Pro
- CantOvision Sing & See
- Microsoft Excel

Music 101: Semitones

- A4 = 440 Hz
- G#4 = 415 Hz
 - 1 semitone = 25 Hz



- A3 = 220 Hz
- G#3 = 208 Hz
 - 1 semitone = 12 Hz




Single Tones







Subject 6 (musician)




Subject 4 (non-musician)






Group difference across both conditions (p = 0.025)


Pattern 1 Targets




Normal Pattern 1





CI Pattern 1






Normal Pattern 3







Conclusions

- Musicians match pitch more accurately than non-musicians, on average.
 - High variability in the non-musician population


 CI processing makes it significantly more difficult to match pitch accurately for all subjects.

What about songs?





Nursery Rhymes (with lyrics)



Popular Songs

- 15 were selected for listening only
 - Acclimatization


- Of those 15, 3 were selected for singing
 - Data collection


Back in Black	AC/DC
Basket Case	Green Day
Brown Eyed Girl	Van Morrison
Bye Bye Bye	NSYNC
Crazy Little Thing Called Love	Queen
Don't Stop Believin'	Journey
Doo Wah Ditty	Manfred Mann
For What It's Worth	Buffalo Springfield
Friends In Low Places	Garth Brooks
Great Balls of Fire	Jerry Lee Lewis
Happy Together	The Turtles
Help!	The Beatles
Here Comes the Sun	The Beatles
Hey Jude	The Beatles
Hound Dog	Elvis Presley
House of the Rising Sun	The Animals
I Get Around	The Beach Boys
I Want You Back	Jackson 5
I'm Gonna Be (500 Miles)	The Proclaimers
Jessie's Girl	Rick Springfield
Johnny B. Goode	Chuck Berry
Let It Be	The Beatles
No Rain	Blind Melon
Old Time Rock and Roll	Bob Seger
Only The Good Die Young	Billy Joel
Pretty Woman	Roy Orbison
Respect	Aretha Franklin
Roxanne	The Police
San Francisco (Be Sure to Wear Flowers in Your Hair)	
Semi-Charmed Life	Third Eye Blind

Scott McKenzie

Ben E. King Stand By Me Summer of '69 Bryan Adams Superstition Stevie Wonder Surfin' Safari The Beach Boys Sweet Caroline Neil Diamond The Way You Make Me Feel Michael Jackson Tiny Dancer Elton John Twist and Shout The Beatles We Built This City Jefferson Starship


Wonderwall Oasis






Group difference across both conditions (p = 0.033)

All Subjects



Musicians vs. Non-Musicians Across Stimuli



Summary

 On average, musicians match pitch more accurately than non-musicians.

- Increased musical context can improve pitch accuracy when listening through CI processing
 - esp. with auditory/vocal memory at play

Future Studies

- What about real CI patients?
 - Various musical backgrounds/experience

Postlingually vs. prelingually implanted?

Thank you for listening!

References:

- Gfeller, K., Turner, C., Oleson, J., Zhang, X., Gantz, B., Froman, R., & Olszewski, C. (2007).
 Accuracy of cochlear implant recipients on pitch perception, melody recognition, and speech reception in noise. Ear and hearing, 28(3), 412-423.
- Hsiao, F., & Gfeller, K. (2012). Music Perception of Cochlear Implant Recipients With Implications for Music Instruction A Review of the Literature. Update: Applications of Research in Music Education, 30(2), 5-10.
- Kang, R., Nimmons, G. L., Drennan, W., Longnion, J., Ruffin, C., Nie, K., ... & Rubinstein, J. (2009).
 Development and validation of the University of Washington Clinical Assessment of Music Perception test. Ear and hearing, 30(4), 411.
- Kasturi, K., & Loizou, P. (2005). Effect of filter spacing and correct tonotopic representation on melody recognition: Implications for cochlear implants. Proceedings of ARO, New Orleans, LA.
- Litvak, L. M., Spahr, A. J., Saoji, A. A., & Fridman, G. Y. (2007). Relationship between perception of spectral ripple and speech recognition in cochlear implant and vocoder listeners. The Journal of the Acoustical Society of America, 122(2), 982-991.
- Looi, V., Gfeller, K., & Driscoll, V. (2012, November). Music appreciation and training for cochlear implant recipients: a review. In Seminars in hearing (Vol. 33, No. 4, p. 307). NIH Public Access.
- Maarefvand, M., Marozeau, J., & Blamey, P. J. (2013). A cochlear implant user with exceptional musical hearing ability. International journal of audiology, 52(6), 424-432.
- Nimmons, G. L., Kang, R. S., Drennan, W. R., Longnion, J., Ruffin, C., Worman, T., ... & Rubinstein, J. T. (2008). Clinical assessment of music perception in cochlear implant listeners. Otology & neurotology: official publication of the American Otological Society, American Neurotology Society [and] European Academy of Otology and Neurotology, 29(2), 149.
- Wilson, P. H., Lee, K., Callaghan, J., & Thorpe, C. W. (2008). Learning to sing in tune: Does realtime visual feedback help?. Journal of interdisciplinary music studies, 2.
- Wright, R., & Uchanski, R. M. (2012). Music perception and appraisal: cochlear implant users and simulated CI listening. Journal of the American Academy of Audiology, 23(5), 350.
- Yuba, T., Itoh, T., & Kaga, K. (2009). Unique technological voice method (the YUBA method) shows clear improvement in patients with cochlear implants in singing. Journal of Voice, 23(1), 119-124.
- Zeng, F. G., Tang, Q., & Lu, T. (2014). Abnormal Pitch Perception Produced by Cochlear Implant Stimulation. PloS one, 9(2), e88662.
- Zhu, M., Chen, B., Galvin, J. J., & Fu, Q. J. (2011). Influence of pitch, timbre and timing cues on melodic contour identification with a competing masker (L). The Journal of the Acoustical Society of America, 130(6), 3562-3565.



CI Simulation

Thanks
Sterling!

• 15-channel vocoder (≈ Litvak, 2007)

- Test Materials
 - Single Tones
 - 5-Tone Patterns
 - Nursery Rhyme Melodies
 - (with and without lyrics)
 - Selected Popular Songs



Testing Procedure

1. Acclimatization Period

 Get used to the processed signal


2. Cl condition

- Popular Songs
- Single Tones
- 5-Tone Patterns
- Nursery RhymeMelodies without lyrics
- Nursery RhymeMelodies with lyrics

3. Normal condition

- Single Tones
- 5-Tone Patterns
- Nursery Rhyme
 Melodies without lyrics
- Nursery RhymeMelodies with lyrics
- Popular Songs
- Always sing "na"

Normal Pattern 2



CI Pattern 2

