

Study: MRI Pelvis without and with contrast

Clinical Information/History: [free text]

Comparison: [free text]

Technique: Prior to and following the uneventful intravenous administration of contrast, T1 and T2 weighted images in multiple planes were obtained through the pelvis. Prior to contrast administration, diffusion-weighted images were obtained through the pelvis.

Findings:

UTERUS: Measures [] x [] x [] cm [Describe other uterine findings, excluding the tumor.]

TUMOR SITE: [Endocervical tumor/exophytic; arises from the anterior or the posterior lip or circumferential; involves the entire cervix.]

TUMOR SIZE: [Give 3 dimensions (eg: 2 cm x 2 cm x 5 cm)]

UTERINE INVASION: [absent/present] [Describe location, lower uterus, body, fundus]

PARAMETRIAL INVASION: [absent/present -- OR -- describe how certain you are: suspicious for/possible/less likely/unlikely] [Describe location]

VAGINAL INVASION: [none/upper 2/3 of the vagina/lower 1/3 of the vagina]

TUMOR EXTENSION: [none/right or left pelvic side wall/bladder/rectum]; [presence/absence of ureteral dilatation].

ADDITIONAL COMMENTS: [Add any specific comments related to the tumor here if appropriate]

OVARIES: The ovaries are [not visualized/visualized] and are [normal/abnormal] in appearance. [Right Ovary measures # x # x #cm and left ovary measures # x # x #cm.] [If abnormal describe.]

LYMPH NODES:

There are [no/few/many] lymph nodes; [The largest pelvic lymph node is located (give location) and measures (give size).] [The largest para-aortic lymph node measures (give size)]. These lymph nodes are [likely/possibly/less likely to be/unlikely to be] metastatic in nature.

ADDITIONAL FINDINGS: [None; presence/absence pelvic fluid; presence/absence pelvic peritoneal implants; other findings]

BONES: [No aggressive bone lesions]

Impression:

1. Cervical cancer [summarize the cervical tumor, including extent of invasion and provide your impression of whether there are suspicious lymph nodes].