



AMERICAN COCHLEAR IMPLANT ALLIANCE

Bibliography on Auditory Osseointegrated Devices

Audiological Outcomes

Boleas-Aguirre MS, Bulnes Plano MD, de Erenchun Lasa IR, Ibáñez Beroiz B. Audiological and subjective benefit results in bone-anchored hearing device users. *Otol Neurotol*. 2012 Jun;33(4):494-503.

Lekue A, Lassaletta L, Sánchez-Camón I, Pérez-Mora R, Gavilán J. Quality of life in patients implanted with the BAHA device depending on the aetiology. *Acta Otorrinolaringol Esp*. 2012 Aug 9.

Flynn MC, Hillbratt M. Improving the Accuracy of Baha® Fittings through Measures of Direct Bone Conduction. *Clinical and Experimental Otorhinolaryngology* Vol. 5, Suppl 1: S43-S47.

Okonkwo OC, Beech TJ, Jindal M. Re: The importance of an extended preoperative trial of BAHA in unilateral sensorineural hearing loss: a prospective cohort. *Clin Otolaryngol*. 2012 Feb;37(1):78-9; author reply 79-80. doi: 10.1111/j.1749-4486.2012.02432.x

Snapp H, Angeli S, Telischi FF, Fabry D. Postoperative validation of bone-anchored implants in the single-sided deafness population. *Otol Neurotol*. 2012 Apr;33(3):291-6.

Heywood RL, Patel PM, Jonathan DA. Comparison of hearing thresholds obtained with Baha preoperative assessment tools and those obtained with the osseointegrated implant. *Ear Nose Throat J*. 2011 May;90(5):E21-7.

Rahne T, Böhme L, Götze G. Influence of implantable hearing AIDS and neuroprosthesis on music perception. *ScientificWorldJournal*. 2012;2012:404590. Epub 2012 May 3.

Szyfter W, Borucki L, Dobosz P, Domka W, Drela M, Gawęcki W, Gibasiewicz R, Grajewski G, Horbacz-Jary G, Iciek WM, Jankowski A, Jurkiewicz D, Kibiłda B, Kida M, Komar D, Kuśmierczyk J, Maron K, Matuszczyk T, Mierzwa T, Mierzwiński J, Olszewska E, Przytuła-Kandzia K, Pyd M, Stankiewicz C, Stieler M, Ślaska-Kaspera A, Wróbel M, Zadrozniak M. Epidemiological and demographic analysis of indications for Baha(®) surgery in Poland - multicenter study. *Otolaryngol Pol*. 2012 Jul;66(4):285-290. Epub 2012 May 11.

Agterberg MJ, Snik AF, Hol MK, Van Wanrooij MM, Van Opstal AJ. Contribution of monaural and binaural cues to sound localization in listeners with acquired unilateral conductive hearing loss – improved directional

hearing with a bone conduction device. *Hear Res.* 2012 Apr;286(1-2):9-18.

Pfiffner F, Caversaccio MD, Kompis M. Audiological results with Baha in conductive and mixed hearing loss. *Adv Otorhinolaryngol.* 2011;71:73-83. Epub 2011 Mar 8.

van Wieringen A, De Voecht K, Bosman AJ, Wouters J. Functional benefit of the bone-anchored hearing aid with different auditory profiles: objective and subjective measures. 2011 Apr;36(2):114-20. doi: 10.1111/j.1749-4486.2011.02302.x.

Saroul N, Gilain L, Montalban A, Giraudet F, Avan P, Mom T. Patient satisfaction and functional results with the bone-anchored hearing aid (BAHA). *Eur Ann Otorhinolaryngol Head Neck Dis.* 2011 Jun;128(3):107-13. Epub 2011 May 20.

Pfiffner F, Kompis M, Stieger C. Bone-Anchored Hearing Aids: Correlation Between Pure-Tone Thresholds and Outcome in Three User Groups. *Otol Neurotol.* 2009 Sep 2. [Epub ahead of print]

Mylanus EA, Snik AF, Cremers CW. Patients' opinions of bone-anchored vs conventional hearing aids *Archives of Otolaryngology Head Neck Surgery*, 1995 Apr;121(4):421-5

Liepert DR, Di Toppa JC The Nobelpharma auditory system bone-anchored hearing aid: the Edmonton experience *The Journal of Otolaryngology*, 1994 Dec;23(6):411-8

Hedegaard J, Salomon G, Bonding P The bone-anchored hearing aid - measurements of the clinical function. *Journal of Audiological Medicine*, 2, 175-187, 1993.

Abramson M, Fay TH, Kelly JP, Wazen JJ, Liden G, Tjellström A. Clinical results with a percutaneous bone-anchored hearing aid. *Laryngoscope.* 1989 Jul;99(7 Pt 1):707-10.

Hultcrantz M(1), Lanis A. A Five-Year Follow-up on the Osseointegration of Bone-Anchored Hearing Device Implantation without Tissue Reduction *Otol Neurotol.* 2014 Apr 24. [Epub ahead of print]

General Articles

Flynn MC Challenges and recent developments in sound processing for Baha®. Flynn MC. *Adv Otorhinolaryngo* 2011;71:112-23. Epub 2011 Mar 8.

Dun CA, Faber HT, de Wolf MJ, Cremers CW, Hol MK An overview of different systems: the bone-anchored hearing aid. Dun CA, Faber HT, de Wolf MJ, Cremers CW, Hol MK. *Adv Otorhinolaryngol*. 2011;71:22-31. Epub 2011 Mar 8.

Bovo R, Prosser S, Ortore RP, Martini A. Speech recognition with BAHA simulator in subjects with acquired unilateral sensorineural hearing loss.. *Acta Otolaryngol*. 2011 Jun;131(6):633-9. Epub 2011 Jan 31.

Ghossani SN, Spitzer JB, Borik J. Use of the bone-anchored hearing cochlear stimulator (Baha) and satisfaction among long-term users. *Seminars in hearing* 2010 31(1):3-14.

Hodgetts WE, Hagler P, Hakansson BE, Soli SD. Technology-Limited and Patient-Derived Versus Audibility-Derived Fittings in Bone-Anchored Hearing Aid Users: A Validation Study. *Ear Hear*. 2010 Sep 8.

de Wolf MJ, Shival ML, Hol MK, Mylanus EA, Cremers CW, Snik AF. Benefit and quality of life in older bone-anchored hearing aid users. *Otol Neurotol*. 2010 Jul;31(5):766-72.

Dumper J, Hodgetts B, Liu R, Brandner N Indications for bone-anchored hearing AIDS: a functional outcomes study *J Otolaryngol Head Neck Surg*. 2009 Feb;38(1):96-105

Monroy B, Juan F, Jaramillo S, Rafael P, Dunia P, Josoe A, Josoe , Lora F, Josoe G First Two Years of Experience With BAHA: Results in 12 Patients. *Acta Otorrinolaringol Esp*.

Soanchez-Camoon I, Lassaletta L, Castro A, Gaviloan J Quality of life of patients with Baha *Acta Otorrinolaringol Esp* 2007 Aug-Sep, Vol 58, no 7, pp. 316-320.

Forton GEJ, Van De Heyning PH. Bone anchored hearing aids (BAHA) *B-ENT* 2007, 3, Suppl. 6, 45-50.

Goodyear PW, Raine CH, Firth AL, Tucker AG, Hawkins K. The Bradford bone-anchored hearing aid programme: impact of the multidisciplinary team. *J Laryngol Otol*. 2006 Jul;120(7):543-52.

Johnson CE, Danhauer JL, Reith AC, Latiolais LN A systematic review of the nonacoustic benefits of bone-anchored hearing AIDS *Ear Hear*. 2006 Dec;27(6):703-13.

Burkey JM, Berenholz LP, Lippy WH, Lippy Latent demand for the bone-anchored hearing aid: the Lippy Group experience. *Otol Neurotol*, August 1, 2006; 27(5): 648-52.

Thill MP, Lurquin P, Lambert O, Vincent Y. Baha: an efficient aid for treatment of tinnitus patients with a dead ear. *J Laryngol Otol* 2008 Dec 122 (12) 1368-70.

Zelachowska M, Pietruszka D Application and usage of the bone anchored hearing aid. *Otolaryngol Pol*, Vol 58 No. 3, 2004.

Kadhim A, Colreavy MP, O'Donovan C, Blayney A Bone anchored hearing aids: Reality, failure and current status *Ir Med J*. 2004 Nov-Dec;97(10):312-4.

Hol MK, Spath M, Krabbe P, van der Pouw CT, Snik AF, Cremers CW, Mylanus EA The Bone-Anchored Hearing Aid: Quality-of-Life Assessment *Archives of Otolaryngology Head & Neck Surgery*, April 2004;130:394-399.

Habal M, Frans N, Zelski R, Scheuerle J Percutaneous bone anchored hearing aid *J Craniofac Surg*. 2003 Sep;14(5):637-42.

Hill P, Norman G, Davison T, Andrew R, Shanks M, Johnson I, Burrell S, Reid A, Archbold S. Adult bone anchored hearing aid services in the United Kingdom: Building a consensus for development. *Cochlear Implants Int*. 2012 Nov;13(4):228-36.

Finley EJ. Bone anchored hearing devices. *NASN Sch Nurse*. 2011 Nov;26(6):338-9.

Tjellström A. Bone anchored hearing aids from a test project to an established clinical routine. *ENT & Audiology news* Vol 19 No 1 2010.

Spitzer J, Ghossaini S, Wazen JJ. Evolving Applications in the Use of Bone-Anchored Hearing Aids *American Journal of Audiology*, 2002;11(2):96-103.

Burrell SP, Cooper HR, Mcdermott AL, Donaldson I, Dutt SN, Irving RM, Jelbert A, Pahor AL, Proops DW, Reid AP, Tziambazis A It works - the patients say so: the evidence base for aural rehabilitation with bone-anchored hearing aids *Journal of Laryngology & Otology* , 2002;116(6) Supplement 28.

Tjellström A, Håkansson B, Granström G Bone-anchored hearing aids: current status in adults and children *Otolaryngol Clin North Am*. 2001 Apr;34(2):337-64.

Portmann D, Dutkiewicz J, Boudard P. The use of osseointegration of hearing aids. *Otolaryngol Pol*, Vol 49 No. 6, 1995.

Rydzewski B, Pruszevicz A, Szmaja Z, Chmielecka K The application and usage of the bone-anchored hearing aids (BAHA) *Otolaryngol Pol*, Vol 48 No. 6, 1994.

Bilateral Fitting

Janssen RM, Hong P, Chadha NK. Bilateral Bone-Anchored Hearing Aids for Bilateral Permanent Conductive Hearing Loss: A Systematic Review. *Otolaryngol Head Neck Surg*. 2012 Jun 19. [Epub ahead of print].

Colquitt JL, Loveman E, Baguley DM, Mitchell TE, Sheehan PZ, Harris P, Proops DW, Jones J, Clegg AJ, Welch K. Bone-anchored hearing aids for people with bilateral hearing impairment: a systematic review. *Clin Otolaryngol*. 2011 Aug 4. doi: 10.1111/j.1749-4486.2011.02376.x.

Colquitt JL, Jones J, Harris P, Loveman E, Bird A, Clegg AJ, Baguley DM, Proops DW, Mitchell TE, Sheehan PZ, Welch K. Bone-anchored hearing aids (BAHAs) for people who are bilaterally deaf: a systematic review and economic evaluation. *Health Technol Assess*. 2011 Jul;15(26):1-200, iii-iv.

Ho EC, Monksfield P, Egan E, Reid A, Proops D. Bilateral Bone-Anchored Hearing Aid: Impact on Quality of Life Measured With the Glasgow Benefit Inventory. *Otol Neurotol*. 2009 Aug 19. [Epub ahead of print]

Priwin C, Stenfelt S, Granström G, Tjellström A, Håkansson B. Bilateral Bone-Anchored Hearing Aids (BAHAs): An Audiometric Evaluation. *The Laryngoscope* 2004; 114(1):77-84.

Dutt SN, McDermott AL, Burrell SP, Cooper HR, Reid AP, Proops DW. Speech intelligibility with bilateral bone-anchored hearing aids: the Birmingham experience. *J Laryngol Otol Suppl*, June 1, 2002; : 47-51.

Burrell SP, Cooper HR, Reid AP, Proops DW. Patient satisfaction with Bilateral bone-anchored hearing aids: the Birmingham experience. *J Laryngol Otol Suppl*, June 1, 2002; 37-46.

van der Pouw CT, Snik AF, Cremers CW. Audiometric results of bilateral bone-anchored hearing aid application in patients with bilateral congenital aural atresia. *The Laryngoscope*, 1998;108(4 Pt 1):548-53.

Mixed Conductive Hearing Loss

Orús Dotú C, Santa Cruz Ruíz S, De Juan Beltrán J, Batuecas Caletrio A, Venegas Pizarro Mdel P, Muñoz Herrera A. Treatment of severe to profound mixed hearing loss with the BAHA Cordelle II. *Acta Otorrinolaringol Esp*. 2011 May-Jun;62(3):205-12. Epub 2011 Feb 5.

Agterberg MJ, Snik AF, Hol MK, van Esch TE, Cremers CW, Van Wanrooij MM, Van Opstal AJ. Improved Horizontal Directional Hearing in Bone Conduction Device Users with Acquired Unilateral Conductive Hearing Loss. *J Assoc Res Otolaryngol*. 2010 Sep 14. [Epub ahead of print]

Verhaegen VJ, Mulder JJ, Mylanus EA, Cremers CW, Snik AF. Profound mixed hearing loss: bone-anchored hearing aid system or cochlear implant? *Ann Otol Rhinol Laryngol*. 2009 Oct;118(10):693-7.

Flynn MC, Sadeghi A, Halvarsson G Baha solutions for patients with severe mixed hearing loss *Cochlear Implants Int*. 2009 Feb 4. [Epub ahead of print]

Pfiffner F, Caversaccio MD, Kompis M. Audiological results with Baha in conductive and mixed hearing loss. *Adv Otorhinolaryngol*. 2011;71:73-83. Epub 2011 Mar 8.

Watson GJ, Silva S, Lawless T, Harling JL, Sheehan PZ Bone anchored hearing aids: a preliminary assessment of the impact on outpatients and cost when rehabilitating hearing in chronic suppurative otitis media *Clin. Otolaryngol*. 2008, 33, 338–342.

Kunst SJ, Hol MK, Mylanus EA, Leijendeckers JM, Snik AF, Cremers CW Subjective benefit after BAHA system application in patients with congenital unilateral conductive hearing impairment. *Otol Neurotol*, April 1, 2008; 29(3): 353-58.

Kunst SJ, Leijendeckers JM, Mylanus EA, Hol MK, Snik AF, Cremers CW Bone-anchored hearing aid system application for unilateral congenital conductive hearing impairment: audiometric results *Otol Neurotol Vol 29*, 1, 2008 Jan, 2-7

Hol MK, Snik AF, Mylanus EA, Cremers CW Does the Bone anchored hearing aid have a complementary effect on audiological and subjective outcomes in patients with unilateral conductive hearing loss? *Audiol Neurootol* 2005 May-Jun; 10(3):159-68.

Snik AF, Bosman AJ, Mylanus EA, Cremers CW. Candidacy for the Bone-Anchored Hearing Aid. *Audiology & Neuro Otology*, 2004 Jul-Aug;9(4):190-6.

Single-Sided-Deafness

Kuppler K, Lewis M, Evans AK. A review of unilateral hearing loss and academic performance: is it time to reassess traditional dogmata? *Int J Pediatr Otorhinolaryngol*. 2013 May;77(5):617-22.

Nicolas S, Mohamed A, Yoann P, Laurent G, Thierry M. Long-term benefit and sound localization in patients with single-sided deafness rehabilitated with an osseointegrated bone-conduction device. *Otol Neurotol*. 2013 Jan;34(1):111-4. doi: 10.1097/MAO.0b013e31827a2020.

Wesarg T, Aschendorff A, Laszig R, Beck R, Schild C, Hassepass F, Kroeger S, Hocke T, Arndt S. Comparison of speech discrimination in noise and directional hearing with 2 different sound processors of a bone-anchored hearing system in adults with unilateral severe or profound sensorineural hearing loss. *Otol Neurotol*. 2013 Aug;34(6):1064-70.

Faber HT, de Wolf MJ, Cremers CW, Snik AF, Hol MK. Benefit of Baha in the elderly with single-sided deafness. *Eur Arch Otorhinolaryngol*. 2013 Mar;270(4):1285-91. doi: 10.1007/s00405-012-2151-z. Epub 2012 Aug 19.

Doshi J, Banga R, Child A, Lawrence R, Reid A, Proops D, McDermott AL. Quality-of-life outcomes after bone-anchored hearing device surgery in children with single-sided sensorineural deafness. *Otol Neurotol*. 2013 Jan;34(1):100-3. doi: 10.1097/MAO.0b013e318277a3dd.

Faber HT, Kievit H, de Wolf MJ, Cremers CW, Snik AF, Hol MK. Analysis of factors predicting the success of the bone conduction device headband trial in patients with single-sided deafness. *Arch Otolaryngol Head Neck Surg*. 2012 Dec 1;138(12):1129-35. doi: 10.1001/jamaoto.2013.754.

Zeitler DM, Snapp HA, Telischi FF, Angeli SI. Bone-anchored implantation for single-sided deafness in patients with less than profound hearing loss. *Otolaryngol Head Neck Surg*. 2012 Jul;147(1):105-11. Epub 2012 Feb 24.

Pai I, Kelleher C, Nunn T, Pathak N, Jindal M, O'Connor AF, Jiang D. Outcome of bone-anchored hearing aids for single-sided deafness: A prospective study. *Acta Otolaryngol*. 2012 Apr 12. [Epub ahead of print].

Saliba I, Nader ME, Fata FE, Leroux T. Bone anchored hearing aid in single sided deafness: Outcome in right-handed patients. *Auris Nasus Larynx*. 2011 Feb 11. [Epub ahead of print].

Saroul N, Akkari M, Pavier Y, Gilain L, Mom T. Long-term benefit and sound localization in patients with single-sided deafness rehabilitated with an osseointegrated bone-conduction device. *Otol Neurotol*. 2013 Jan;34(1):111-4. Doi: 10.1097/MAO.0b013e31827a2020.

Wazen JJ, Spitzer J, Ghossaini S, Fayad J, Niparko JK, Cox K, Brackmann D, Soli S. Transcranial contralateral cochlear stimulation in unilateral deafness. *Otolaryngology Head & Neck Surgery*, 2003; 129(3):248-54.

Wazen JJ, Van Ess MJ, Alameda J, Ortega C, Modisett M, Pinsky K. The Baha system in patients with single-sided deafness and contralateral hearing loss. *Otolaryngol Head Neck Surg*. 2010 Apr;142(4):554-9.

Pediatric Use of Osseointegrated Devices

Marsella P, Scorpecci A, D'Eredità R, Della Volpe A, Malerba P. Stability of osseointegrated bone conduction systems in children: a pilot study. *Otol Neurotol*. 2012 Jul;33(5):797-803.

Doshi J, Sheehan P, McDermott AL. Bone anchored hearing aids in children-an update. *Int J Pediatr Otorhinolaryngol*. 2012 Mar 3 Epub.

Saliba I, Froehlich P, Bouhabel S. One-stage vs. two-stage BAHA implantation in a pediatric population. *Int J Pediatr Otorhinolaryngol*. 2012 Dec;76(12):1814-8. doi: 10.1016/j.ijporl.2012.09.007. Epub 2012 Sep 23.

Marsella P, Scorpecci A, Pacifico C, Presuttari F, Bottero S. Pediatric BAHA in Italy: the "Bambino Gesù" Children's Hospital's experience. Marsella P, Scorpecci A, Pacifico C, Presuttari F, Bottero S. *Eur Arch Otorhinolaryngol*. 2011 Jul 8.

Roman S, Nicollas R, Triglia JM. Practice guidelines for bone-anchored hearing aids in children. *Eur Ann Otorhinolaryngol Head Neck Dis*. 2011 Nov;128(5):253-8. Epub 2011 Sep 28.

McDermott AL, Sheehan P. Paediatric Baha. *Adv Otorhinolaryngol*. 2011;71:56-62. Epub 2011 Mar 8.

de Wolf MJ, Hol MK, Mylanus EA, Snik AF, Cremers CW. Benefit and quality of life after bone anchored hearing aid fitting in children with unilateral or bilateral hearing impairment. *ARCH OTOLARYNGOL HEAD NECK SURG/VOL 137 (NO. 2), FEB 2011*.

Nicholson N, Christensen L, Dornhoffer J, Martin P, Smith-Olinde L. Verification of Speech Spectrum Audibility for Pediatric Baha Softband Users with Craniofacial Anomalies. *Cleft Palate Craniofac J*. 2010 Feb 22. [Epub ahead of print].

Device Performance

Flynn MC, Hedin A, Halvarsson G, Good T, Sadeghi A. Hearing Performance Benefits of a Programmable Power Baha® Sound Processor with a Directional Microphone for Patients with a Mixed Hearing Loss. *Clinical and Experimental Otorhinolaryngology* Vol. 5, Suppl 1: S76-S81.

Oeding K, Valente M, Kerckhoff J Effectiveness of the directional microphone in the Baha® Divino™. Oeding K, Valente M, Kerckhoff J. *J Am Acad Audiol.* 2010 Sep;21(8):546-57.

Christensen L, Smith-Olinde L, Kimberlain J, Richter GT, Dornhoffer JL. Comparison of traditional bone-conduction hearing aids with the Baha system. *J Am Acad Audiol.* 2010 Apr;21(4):267-73.

Lustig LR, Arts HA, Brackmann D, Francis HF, Molony T, Megerian CA, Moore GF, Moore KM, Morrow T, Potsic W, Rubenstein JT, Srireddy S, Syms CA, Takahashi G, Vernick D, Wackym PA, Niparko JK. Hearing rehabilitation using the BAHA bone-anchored hearing aid: results in 40 patients. *Otol Neurotol* May 1, 2001; 22(3): 328-34.

Lin LM, Bowditch S, Anderson MJ, May B, Cox K, Niparko JK Amplification in the rehabilitation of unilateral deafness: speech in noise and directional hearing effects with bone-anchored hearing and contralateral routing of signal amplification. *Otol Neurotol* 2006 Feb;27(2):172-82.

Snik AF, Mylanus EA, Proops DW, Wolfaardt J, Hodgetts WA, Somers T, Niparko JK, Wazen JJ, Sterkers O, Cremers CW, Tjellström A Consensus statements on the BAHA system: Where do we stand at present? *Annals of Otolology, Rhinology & Laryngology* Dec 2005; 114, 12 p2.

Kompis M, Kurz A, Pfiffner F, Senn P, Arnold A, Caversaccio M. Is complex signal processing for bone conduction hearing aids useful? *Cochlear Implants Int.* 2014 May;15 Suppl 1:S47-50.

Niparko JK, Cox K, Lustig LR. Comparison of the bone anchored hearing aid implantable hearing device with contralateral routing of offside signal amplification in the rehabilitation of unilateral deafness. *Otol Neurotol* 2003;24(1):73-78

Cost Effectiveness

Badran K, Bunstone D, Arya AK, Suryanarayanan R, Mackinnon N. Patient satisfaction with the bone-anchored hearing aid: a 14-year experience. *Otol Neurotol*. 2006;27:659–66. [[PubMed](#)]

Dutt SN, McDermott AL et al. The Glasgow benefit inventory in the evaluation of patient satisfaction with the bone-anchored hearing aid: quality of life issues. [The Journal of Laryngology & Otology](#) / Volume 116 / Supplement S28 / June 2002, 7-14

Colquitt JL, Jones J, Harris P, Loveman E, Bird A, Clegg AJ, Baguley DM, Proops DW, Mitchell TE, Sheehan PZ, Welch K. Bone-anchored hearing aids (BAHAs) for people who are bilaterally deaf: a systematic review and economic evaluation. *Health Technol Assess* 2011 Jul;15(26):1-200, iii-iv. doi: 10.3310/hta15260. Review.

Health Quality Ontario. Bone anchored hearing aid: an evidence-based **analysis**. *Ont Health Technol Assess Ser*. 2002;2(3):1-47. Epub 2002 Sep 1. PMID: 23074440.

McLarnon CM, Davison T, Johnson IJ. Bone-anchored hearing aid: comparison of benefit by patient subgroups. [Laryngoscope](#). 2004 May;114(5):942-4.

UCare. Medical Policy /Clinical & Quality Management. Bone-Anchored (BAHA) and Semi Implantable Hearing Aids. Policy Number : 2013M0023A. 2013.

Watson GJ, Silva S, Lawless T, Harling JL, Sheehan PZ. Bone anchored hearing aids: a preliminary assessment of the impact on outpatients and cost when rehabilitating hearing in chronic suppurative otitis media. *Clin Otolaryngol*. 2008;33:338–42. [[PubMed](#)]