

**AXN**

Project No.	Axle Specs	Friction	Rotor	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction		Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXXXX	AXN - HEAVY DUTY	AXN/TMS R20	NA	KIC	16 1/2 X 7	TSE	5.5"	XXXXX	20.8"
XXXXXXXX	AXN - HEAVY DUTY	AXN/TMS R23	NA	KIC	16 1/2 X 7	TSE	5.5"	XXXXX	20.8"
XXXXXXXX	AXN - HEAVY DUTY	AXN/TMS R23	NA	KIC 54244-01	12 1/4 X 7 1/2	TSE 30/30	6.0"	XXXXX	15.6"
XXXXXXXX	AXN - HEAVY DUTY	JURID 539	AXN	NA	WABCO PAN 22	TSE 20/24	NA	XXXXX	20.8"
XXXXXXXX	AXN - HEAVY DUTY	MA-312	NA	AXN H32-0607	16.5 X 7 (FMSI 4707)	MGM T3030 (PN 34300510)	HALDEX 6.0"	XXXXX	20.8"
XXXXXXXX	AXN - HEAVY DUTY	ABEX 685 FF	NA	AXN H32-9907	12.25 X 7.5	HALDEX T3030 (PN 200A18A3)	HALDEX 6.0"	XXXXX	15.4"

Last Updated: March 2019

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 68864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

DANA

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	REPORT DATES
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	DATES DU RAPPORT
XXXXXXX	Dana D22	CM20FF	E R I E	16.5 x 7	HALDEX	6.0" HALDEX	XXXX	N/A	nov-93
XXXXXXX	Dana D22	P2020-1* MIDLAND	E R I E	16.5 x 7	Midland	6.0" MIDLAND	XXXX	20,75	Jan-95
XXXXXXX	Dana D22	CM18	Hayes Lemmerz	16.5 x 7	HALDEX	6.0" CREWSON	XXXX	21,1	Sep-95
XXXXXXX	Dana D22	ABEX	WEBB 66884	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jun-96
XXXXXXX	Dana D22	ABEX	WEBB 66884	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jun-96
XXXXXXX	Dana D22	FRAS-LE AF/555-1-FF	WEBB	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jul-96
XXXXXXX	Dana D22	CARLISLE MB21	WEBB	12.25 X 7.5	CARLISLE	5.5 & 6.0" HALDEX	XXXX	14,81	Oct-98
XXXXXXX	Dana D22	Bendix SILVER	WEBB	12.25 X 7.5	CARLISLE	5.5 & 6.0" HALDEX	XXXX	14,81	Jul-96
XXXXXXX	Dana D22	Bendix RED/CM18	WEBB	12.25 X 7.5	MGM	5.5 & 6.0" HALDEX	XXXX	14,81	Oct-98
XXXXXXX	Dana D22	ABEX	WEBB	12.25 x 7.5	CARLISLE	5.5 & 6.0" HALDEX	XXXX	14,81	Oct-98
XXXXXXX	Dana D22	ABEX	DANA cast	16.5 x 7	MGM	5.5 & 6.0" HALDEX	XXXX	19,6	Apr-99
XXXXXXX	Dana D22	ABEX	WEBB	16.5 x 7	MGM	5.5 & 6.0" HALDEX	XXXX	19,6	Apr-99
XXXXXXX	Dana D22	Bendix	WEBB	15 x 8 5/8	MGM	5.5 & 6.0" HALDEX	XXXX	16	Sep-99
XXXXXXX	Dana D22	3030-197	WEBB	15 x 8 5/8	MGM	5.5 & 6.0" HALDEX	XXXX	16	Sep-99
XXXXXXX	Dana D22	ESS 420 FF	WEBB	16.5 x 7	MGM	5.5" SPICER	XXXX	20,4	Nov-02
XXXXXXX	DANA Spicer	Bendix	WEBB	16.5 x 7	MGM	5.5" SPICER	XXXX	20,3	Apr-03
XXXXXXX	Dana Spicer	Bendix	WEBB	16.5 x 7	MGM	5.5" SPICER	XXXX	20,3	Jun-03
XXXXXXX	Dana Spicer	Bendix	WEBB	12.25 x 7.5	MGM	6.0" SPICER	XXXX	15,4	Jan-00
XXXXXXX	DANA Spicer	Bendix	DANA DISC	17 x 17.5	MAXIBRAKE	N/A	XXXX	20,5	Jan-00
XXXXXXX	Dana D22	CM-22A1	Hayes Lemmerz	16.5 x 7	HALDEX	6.0" HALDEX	XXXX	20,25	Jan-00
XXXXXXX	Dana D22	Bendix	Hayes Lemmerz	16.5 x 7	HALDEX	6.0" HALDEX	XXXX	20,25	Jan-00
XXXXXXX	Dana D22	CM 29 GG	WEBB	16.5 X 7	MGM	6.0" HALDEX	XXXX	20,25	Jan-00
XXXXXXX	Dana D22	GR 2020-1- FF	Webb - cast	16.5 x 7	MGM	5.5" Gunnite	XXXX	20,25	Jan-00
XXXXXXX	Dana D22	Bendix Red	Webb - cast	16.5 x 7	MGM	6.0" & 5.5" Gunnite	XXXX	20,25	Jan-00
XXXXXXX	DANA Spicer	Bendix Silver	WEBB	16.5 x 7	MGM	5.0" HALDEX	XXXX	20,4	Jan-00
XXXXXXX	DANA Spicer	Bendix OEM	WEBB - cast	16.5 x 7	MGM	5.5" HALDEX	XXXX	20,4	Jan-00
XXXXXXX	DANA Spicer	Bendix OEM Burgundy Ex	WEBB	16.5 x 7	MGM	5.0" HALDEX	XXXX	20,4	Jan-00
XXXXXXX	DANA Spicer	Bendix OEM Burgundy Std	WEBB	16.5 x 7	MGM	5.0" HALDEX	XXXX	20,4	Jan-00
XXXXXXX	Dana D22	CARLISLE MB21	WEBB	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jan-00
XXXXXXX	Dana D22	Bendix SILVER	WEBB	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jan-00
XXXXXXX	Dana D22	CARLISLE MB23	WEBB	16.5 x 7	MGM	6.0" HALDEX	XXXX	20,6	Jan-00
XXXXXXX	DANA-EATON	Bendix	GUNITE	16.5 X 7	MGM	5.5 & 6.0"	XXXX	20,3	Jan-00
XXXXXXX	Dana D22	CF2000	WEBB	16.5 X 7	CARLISLE	5.5" HALDEX	XXXX	20	Jan-00
XXXXXXX	Hendrickson Traax SP	Jurid 539FF	NA	NA	BENDIX	NA	XXXX	445 mm (18.2 in)	Aug-18

**DEXTER**

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	SLR	GAWR	Date
No. de projet	Caractéristiques d'essieux	Matériau de friction	Tambours de frein	Format des	Chambre du Freins	Slacks	RSC	PNBE	Date
XXXXXXX	DEXTER D2012	CM 18 FF	DEXTER 9-40	12.25 X 7.5	3030 MGM	6 INCH CREWSON	14.125 IN (359 MM)	XXXXXX	févr-99
XXXXXXX	DEXTER D2012	NABK-110FF	DEXTER 9-40	12.25 X 7.5	3030 MGM	6 INCH CREWSON	14.125 IN (359 MM)	XXXXXX	mars-99
XXXXXXX	DEXTER D2216	NABK-110FF	DEXTER 9-40	16.5 x 7.0	3030 MGM	6 INCH CREWSON	19.6 IN (498 MM)	XXXXXX	avr-99
XXXXXXX	DEXTER D1512	NABK-110FF	DEXTER 9-28	12.25 x 5	3030 MGM	5 INCH CREWSON	14.125 IN 359 MM	XXXXXX	avr-99
XXXXXXX	DEXTER D1012	NABK-110FF	DEXTER WF2	12.25 x 4	2024 ANCHORLOK	5 INCH CREWSON	14.76 IN (375 MM)	XXXXXX	avr-99

\* Note: Effective Jan , 2004 Dexter no longer supplies CM18FF with their axle assembly. Use Test report RAI-DEX-02 or purchase axle assembly less Friction material and supply your own CM18FF lining to complete the package.

Please NOTE: When ordering Dexter Axle/Brake assemblies,specify desired Axle GAWR first, then Axle Beam strength if it is to be greater that GAWR.

## Eaton-Sudisa

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slack	SLR	Date
No. de projet	Caractéristiques d'essieux	Matériau de friction	Tambours de frein	Format des freins	Chambre a Frein	Slack	RSC	Date
XXXXXXX	DANA/EATON EST225J	EES-420-FF ABEX	WEBB 66824B	16.5 x 8 5/8	MGM 3030	5.5 or 6 IN. HALDEX	21.1 IN (536 MM)	juin-96
XXXXXXX	Sudisa	E145A CARLISLE	KIC 555-01168 Sudisa	16.5 x 7	MGM 3030 Black Max 3030	5.5 CREWSON	20.25 IN(514 MM)	juiI-96

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 1/19/06

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

**EVELEY**

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Date
No. de projet	Caractéristiques d'essieu	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS	Date
XXXXXXX	06083-011-ARD-580	Brake Pro CM18FF	ConMet10019892	16.5 x 7	Haldex30/30	6.0"HALDEX	XXXXXX	20,4	févr-07
XXXXXXX	06083-011-ARD-580	CBI 23C (FMSI 4515)	WEBB66864B	16.5 x 7	Haldex30/30	6.0" & 5 1/2"(Auto)HALDEX	XXXXXX	20,8	févr-08
XXXXXXX	N/A	CBI 23C (FMSI 4692D)	KIC54244-01	12 1/4 X 7 1/2"	Haldex30/30	6.0" (Auto)HALDEX	XXXXXX	15,4	févr-08
XXXXXXX	N/A	BEX 931-162 (FMSI 4692D)	KIC54244-01	12 1/4 X 7 1/2"	Haldex30/30	6.0" (Auto)HALDEX	XXXXXX	15,4	févr-08
XXXXXXX	06083-011-ARD-580	CBI 23C (FMSI 4707)Q-PLUS	WEBB66864F	16.5 x 7	TSE30/30	6.0" (Auto)HALDEX	XXXXXX	20,8	mars-08
XXXXXXX	06083-011-ARD-580	ABEX 931-162 (FMSI 4707)Q-PLUS	WEBB66864F	16.5 x 7	MGM30/30	6.0" (Auto)HALDEX	XXXXXX	20,8	mars-08
XXXXXXX	N/A	Jurid 539FF	WEBB20735 - 3T	17 x 1-3/4"	Haldex20/24	DB22LTAir Disc Brakes	XXXXXX	20.8/528mm	oct-09
XXXXXXX	N/A	Jurid 539FF29(BX275)	WEBB20735 - 3T	17 x 1-3/4"	Bendix18/24	ADB22XAir Disc Brakes	XXXXXX	20.8/528mm	oct-09
XXXXXXX	E775A110009	Duraline Vista HP(FMSI 4707D)	WEBB66864F	16.5" X 7"	Haldex30/30	6.0"HALDEX	XXXXXX	20.2/513mm	févr-12
XXXXXXX	N/A	Duraline Vista HP(FMSI 9642D)	WEBB63680	12.25" X 7.5"	Haldex30/30	6.0"HALDEX	XXXXXX	15.6/396mm	févr-12
XXXXXXX	N/A	Jurid 539FF20	N/A	PAN 17	Haldex2024	WABCOAir Disc Brakes	XXXXXX	15.8/401mm	févr-12
XXXXXXX	D3200	Jurid 442	N/A	Haldex Modul TDBT22LT	Haldex18/24	N/A	XXXXXX	20.5/521mm	juin-16

Last Updated March 23, 2016

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

**FUWA**

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Date
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS	Date
XXXXXXXX	FN,FP,DCN,DCP, Others	FE12 (MB21) FMSI-4515E	WEBB 66864	16.5 x 7	Di Pro 30/30	HALDEX	XXXXXX	20,6	Feb-06
XXXXXXXX	FN,FP,DCN,DCP, Others	Proline 4515 CAM PL133 FF	WEBB 66864	16.5 x 7	Di Pro 30/30	HALDEX	XXXXXX	20,6	Jun-06
XXXXXXXX	FN,FP,DCN,DCP, Others	Proline 4692 CAM PL244 GG	KIC 54244-01	12.25 x 7.5	Bendix 30/30	HALDEX	XXXXXX	15	May-07
XXXXXXXX	FN,FP,DCN,DCP, Others	Proline 4515E CAM PL244 GG	WEBB 66864	16.5 x 7	Bendix 30/30	HALDEX	XXXXXX	20,1	May-07
XXXXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL133 FF	WEBB 66864	16.5 x 7	Bendix 30/30	HALDEX	XXXXXX	20,1	May-07
XXXXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL244 GG	WEBB 66864B	16.5 x 7	Haldex 30/30	HALDEX	XXXXXX	20.8/ 528 mm	Jun-08

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

\* Indicates two separate linings under same report number

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	3030-197 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Superseded by CR-AA-13 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	NAB-718 FERODO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Lining discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	GR2015-2 MIDLAND	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" GUNITE	XXXXXX	20.8 MAX.	Superseded by CR-AA-17 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	GR2020-1 MIDLAND	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" GUNITE	XXXXXX	20.8 MAX.	Superseded by CR-AA-18 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	CM-16 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Lining discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	CM-18 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" CREWSON	XXXXXX	20.3 MAX	Superseded by CR-AA-16 for brakes made after 2/21/00
						6.0" CREWSON	XXXXXX	20.8 MAX.	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	3030-197 ABEX	WEBB 66814	16.5 X 8.63 STANDARD SERVICE (FMSI 4551)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.5 MAX.	Brake discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	931-162 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0"	XXXXXX	17.0 - 20.8	Effective after 8/28/98
						6.0" CREWSON	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRAA 20 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 1/8/01 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98 Copy sent to Scott McFarland August 2005
						6.0" CREWSON	XXXXXX	17.0 - 20.3	
Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	XXXXXX	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRAA 20 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 1/8/01 until superseded by CR-AA-22 for brakes made after 5/1/01
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	931-162 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98
						5.5" OR 6.0"	XXXXXX	17.0 - 20.8	
						6.0" CREWSON	XXXXXX	17.0 - 20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 2/21/00 SUPERCEDES CR-AA-01
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	931-162 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.8	Effective after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	MB-21 CARLISLE	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0-20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	CM-18 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.3	Effective after 2/21/00 SUPERCEDES CR-AA-04
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	GR2015-2 HALDEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 2/21/00 SUPERCEDES CR-AA-03
CR-AA-19	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-21 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.0	Effective after 2/21/00
				16.5 X 8.63		5.5" OR 6.0"	XXXXXX	17.0 - 20.3	

CR-AA-20	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-21 CARLISLE	WEBB 66854	HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" 6.0" CREWSON	XXXXX XXXXX	17.0 - 20.0 20.0 - 20.3	Effective after 2/21/00
CR-AA-21	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	CF2000 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXX	17.0 - 20.3	Effective after 1/8/01 Copy sent to Scott McFarland August 2005
<b>Project No.</b>	<b>Axle Specs</b>	<b>Friction</b>	<b>Brake Drum</b>	<b>Brake Size</b>	<b>Spring Brake</b>	<b>Slacks</b>	<b>XXXXX</b>	<b>SLR-(RCS)</b>	<b>NOTES</b>
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRA 20 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXX	17.0 - 20.8	Effective after 5/1/01 SUPERCEDES CR-AA-11 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	CF2000 CARLISLE	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXX	17.0 - 20.8	Effective after 11/1/01 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-23 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-23 CARLISLE	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	6.0" GUNITE	XXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 61988B	15.0 X 8.63 HXS EXTENDED SERVICE (FMSI 4710)	MGM 24/24 (2.5" STROKE) OR MGM 24/30 (2.5" STROKE)	5.5" OR 6.0" HALDEX 6.0" HALDEX	XXXXX XXXXX	14.9 - 17.3 14.9 - 17.3	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MA212 MERITOR	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HALDEX	XXXXX	17.0 - 20.3	Effective after 7/07/05
XXXXXX	Hendrickson INTRAAX / VANTRAAX Haldex DB22 Air Disc Brakes	HX-65 Haldex	ConMet Flat Disc 430 mm	DB22X Air Disc	Haldex 24/30	N/A	XXXXX	17.0 - 21.5	Submitted 10-18-05
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB225 Air Disc Brakes	539-29 Jurid	Knorr 16 7/ x 1 3/ Disc	ADB225 Air Disc	Knorr 20/24	N/A	XXXXX	17.0 - 20.8	Submitted 12-15-05 Max GAWR corrected 11-14-07
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3015 Haldex	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HALDEX	XXXXX	17.0 - 20.3	Submitted 7-26-06
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB22X Air Disc Brakes	539-29 Jurid	Knorr 16 7/ x 1 3/ Disc	ADB22X Air Disc	Knorr 18/24	N/A	XXXXX	17.0 - 20.8	Submitted 5-11-07 Max GAWR corrected 12-12-07 Obsoluted 7-30-10
8	4						XXXXX		
8	4	Disc					XXXXX		
<b>Project No.</b>	<b>Axle Specs</b>	<b>Friction</b>	<b>Brake Drum</b>	<b>Brake Size</b>	<b>Spring Brake</b>	<b>Slacks</b>	<b>XXXXX</b>	<b>SLR-(RCS)</b>	<b>NOTES</b>
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA STANDARD SERVICE (FMSI 4515)	Bendix 30/30	5.5" Haldex	XXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA STANDARD SERVICE (FMSI 4515)	Bendix 30/30	6.0" Bendix	XXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	5.5" Haldex	XXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	6.0" Bendix	XXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" Haldex	XXXXX	17.0 - 20.8	Submitted 6-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	931-162 ABEX	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HALDEX	XXXXX	17.0 - 20.8	Submitted 6-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	MB-23 CARLISLE	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" Haldex	XXXXX	17.0 - 20.8	Submitted 8-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	931-162 ABEX	Webb 63680	12.25 X 7.5 HTA EXTENDED SERVICE (FMSI 4692)	Type 24/30	6.0" Haldex	XXXXX	17.0 - 20.8	Submitted 9-21-07



XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	3030-197 ABEX	Webb 61991	15 X 8.625 HTA EXTENDED SERVICE (FMSI 4710)	Type 30/30	5.5" OR 6.0" HALDEX	XXXXXX	17.3 MAX.	Submitted 10-26-07
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	Bendix Spicer Silver Supreme	Webb 66864F	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.3 MAX.	Correction - Submitted 1-16-08
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	3030-197 ABEX	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.6 MAX.	Submitted 1-17-08
<b>Project No.</b>	<b>Axle Specs</b>	<b>Friction</b>	<b>Brake Drum</b>	<b>Brake Size</b>	<b>Spring Brake</b>	<b>Slacks</b>	<b>XXXXXX</b>	<b>SLR-(RCS)</b>	<b>NOTES</b>
XXXXXX	Hendrickson Trailer Axle (HTA)	Carlisle MB21	Webb	16.5 X 7 HTA	Type 30/30	5.5" OR 6.0"	XXXXXX	20.7 MAX.	re-Submitted 11-14-08
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	Bendix Spicer ES600	Webb 63630	12.25 X 5.5 Bendix Spicer (FMSI 4536)	Type 24/30	6.0"	XXXXXX	15.6 MAX.	Submitted 11-14-08
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	Bendix Spicer ES600	Webb 63680	12.25 X 7.5 HTA EXTENDED SERVICE (FMSI 4692)	Type 30/30	6.0"	XXXXXX	20.7 MAX.	Submitted 11-14-08
XXXXXX	Hendrickson INTRAAX / VANTRAAX Haldex DB22LT Air Disc Brakes	Jurid 539	Gunite R6026M	DB22LT Air Disc	Haldex 20/24	N/A	XXXXXX	20.8" Max	Submitted 2-24-09 Max GAWR Corrected 3-4-09
XXXXXX	Hendrickson Chassis Axle (HCA/HTA) Standard Service Brakes (FMSI 4707)	Carlisle MB21	Webb 66864	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	5.5" or 6.0" Bendix	XXXXXX	20.3 MAX.	Submitted 3-13-09
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)	NAB456 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" HALDEX	XXXXXX	17.0 - 20.8	Submitted 8-14-09 Corrected test ID, GAWR, Air chamber stroke 10-27-10
XXXXXX	Hendrickson	Wabco 230	Gunite	PAN22	Meritor-Wabco	N/A	XXXXXX	20.8" Max	Submitted 12-9-11 - Updated 1-6-14
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	Bendix Spicer ES460	Webb 61991	15 X 8.625 HTA EXTENDED SERVICE (FMSI 4710)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.3 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	Bendix Spicer ES460	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.6 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	Bendix Spicer ES460	Webb	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.7 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	Bendix Spicer ES600	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	6.0"	XXXXXX	20.6 MAX.	Submitted 8-14-09 Corrected Material ID 11-19-09
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	Bendix Spicer ES600	Webb	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30	6.0"	XXXXXX	20.7 MAX.	Submitted 8-14-09 Corrected Material ID 11-19-09
<b>Project No.</b>	<b>Axle Specs</b>	<b>Friction</b>	<b>Brake Drum</b>	<b>Brake Size</b>	<b>Spring Brake</b>	<b>Slacks</b>	<b>XXXXXX</b>	<b>SLR-(RCS)</b>	<b>NOTES</b>
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes	Bendix Spicer BX691	GUNITE	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30LS	6.0"	XXXXXX	20.8 MAX.	Submitted 3-30-10
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes	Bendix Spicer BX691	GUNITE	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30LS	6.0"	XXXXXX	20.8 MAX.	Submitted 3-30-10
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB22X Air Disc Brakes	539-29 Jurid	Knorr 16 7/ x 1 3/ Disc	ADB22X	Knorr 18/24	N/A	XXXXXX	17.0 - 20.8	Submitted 7-30-10 Replaces CR-AA-32
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4536)	931-162 FEDERAL MOGUL	Webb 63634F	12.25 X 5.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4536)	Type 24/24	5.5" OR 6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4692)	931-162 FEDERAL MOGUL	Webb 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 24/30	5.5" OR 6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4692)	931-162 FEDERAL MOGUL	Webb 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 30/30 LS	6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)			16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXXX		

XXXXXX	INTRAAX / VANTRAAX and TRLAXLE HXS Extended Service Brakes (FMSI 4711)	NAB456 ABEX	WEBB 66884	SERVICE (FMSI 4711)	Type 30/30 LS	6.0"	XXXXX	17.0 - 20.8	Submitted 10-27-10, Updated 1-6-14
CR-AA-63	Hendrickson INTRAAX / VANTRAAX and TRLAXLE HXS Extended Service Brakes (FMSI 4515)	H20167SF	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXX	17.0-20.8	Submitted 1-6-14
CR-AA-64	Hendrickson INTRAAX / VANTRAAX and TRLAXLE HXS Extended Service Brakes (FMSI 4707)	H20167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXX	17.0-20.8	Submitted 1-6-14
CR-AA-65	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4711)	H20167XF	WEBB 66884	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4711)	Type 30/30	5.5" OR 6.0" 6.0"	XXXXX XXXXX	17.0 - 20.8	Submitted 1-6-14
8	4	Air Disc					XXXXX		
Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	XXXXX	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4710)	H20158XF	WEBB 61991	15.0 X 8.625 HXS EXTENDED SERVICE (FMSI 4710)	Type 24/24 OR Type 24/30 Type 30/30	5.5" OR 6.0" HALDEX 6.0" HALDEX 5.5" OR 6.0" HALDEX	XXXXX XXXXX XXXXX	14.9 - 16.3	Submitted 1-6-14
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Standard Service Brakes (FMSI 4515)	H23167SF	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXX	17.0-20.8	Submitted 1-6-14
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)	H23167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXX	17.0-20.8	Submitted 1-6-14
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4711)	H20168XF	WEBB 66884	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4711)	Type 30/30	5.5" OR 6.0" 6.0"	XXXXX XXXXX	17.0 - 20.8	Submitted 1-6-14
XXXXXX	Hendrickson TRLAXLE Extended Service Brakes (FMSI 4692)	H20127XF	WEBB 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 24/24	5.5" OR 6.0"	XXXXX	14.3 - 15.6	Submitted 1-6-14
XXXXXX	Hendrickson TRLAXLE Extended Service Brakes (FMSI 4692)	H20127XF	WEBB 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 30/30 LS	6.0"	XXXXX	14.3 - 15.6	Submitted 1-6-14
XXXXXX	Hendrickson VANTRAXX PBR3472	Wabco 233	WABCO 415 MM	Hendrickson MAXX 22T	Wabco 18/24	N/A	XXXXX	17.0-20.8 17.0-20.3 17.0-19.3	Re-submitted 02-20-15
XXXXXX	Hendrickson INTRAAX/VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)	H26167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	6.0"	XXXXX	17.0 - 20.8	Submitted 05-11-14
XXXXXX	Hendrickson INTRAAX/VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4711)	H26167XF	WEBB 66864	16.5 X 8.625 HXS EXTENDED SERVICE (FMSI 4711)	TYPE 30/30	5.5" OR 6.0"	XXXXX	17.0 - 20.8	Submitted 05-11-14
XXXXXX	Hendrickson TRLAXLE WABCO PAN 17 AIR DISC BRAKE	Jurid 539-20	HENDRICKSON 325mm X 341mm	WABCO PAN17	WABCO18/24 WABCO 20/24	N/A	XXXXX	14.1-15.6 14.7-41.1	Submitted 6/13/2016
XXXXXX	Hendrickson INTRAAX MODEL 74968	Wabco 230	HENDRICKSON ROTOR	WABCO PAN19	WABCO 1824	NA	XXXXX	17.2	Submitted 09/11/2018
XXXXXX	Hendrickson	H20127XH	KIC 54244-018	12.25 X 7.5	ANCHORLOK 2424LS	5.5"	XXXXX	15.6	Submitted 09/11/2018
XXXXXX	Hendrickson	H20127XH	KIC 54244-018	12.25 X 7.5	HALDEX T3030LS	6.0"	XXXXX	15.6	Submitted 09/11/2018
XXXXXX	Henrickson INTRAAX	H20158XH (FMSI 4710)	WEBB 61988F	15 X 8.625	HALDEX 2424	5.5" OR 6.0"	XXXXX	17.2	Submitted 09/11/2018
XXXXXX	Henrickson INTRAAX	Jurid 539	CONMET 100186 17 X 1.75 ROTOR	HALDEX DB22LD	HALDEX 2024 AND HALDEX 2430	NA	XXXXX	19.4	Submitted 09/11/2018
XXXXXX	Henrickson INTRAAX	Jurid 442	HENDRICKSON 430x45 ROTOR	HALDEX DB22LD	HALDEX 1824	NA	XXXXX	17.0-20.8 17.0-20.3 17.0-10433	Submitted 09/11/2018
XXXXXX	Hendrickson INTRAAX	Bendix BX276	HENDRICKSON 430x45 ROTOR	BENDIX ABD22X-LT	BENDIX 1824	NA	XXXXX	17.0-20.8	Submitted 09/11/2018

Project No.	Axle Spees	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
	Current certification documents for INTRAAX, VANTRAAX, or TRLAXLE Products								
	Current certification documents for Hendrickson Chassis Axles HCA or Hendrickson HTA axles								
	Current certification documents for Hendrickson Trailer Axles (As manufactured in North America)								

Updated 06/22/16

Last Updated 09/11/2018

IMT

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Report Date
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	Date du Rapport
XXXXXXXX	IMT F22S775	ABB 931-162 ABEX	Hayes Lemmerz 2308712	16.5 x 7	HALDEX 3030 GC	5.5" HALDEX	XXXXXX	20,4	nov-94
XXXXXXXX	IMT F22 S/H	P2020 / 3020-1 FF MIDLAND/HALDEX	ERIE 2764-5	16.5 x 7	HALDEX 3030	6.0" CREWSON	XXXXXX	21,1	sept-95
XXXXXXXX	IMT F22 S/H	ABEX 1184-41AI SXI	WEBB 66884	16.5 x 7 Q+	MGM 3030	6.0" CREWSON	XXXXXX	20	déc-96
XXXXXXXX	IMT F22 H775NPA	539-20 Jurid	N/A	1-3/4 x 15 Rotors WABCO PAN 19-1+	TSE 2424HTLD65	N/A	XXXXXX	20.2/ 19.6	mai-03
XXXXXXXX	IMT F22 H775NPAHCR	539-20 Jurid	N/A	1-3/4 x 17 Rotors WABCO PAN 22-1+	TSE 2424HTLD65	N/A	XXXXXX	20.2/ 20.5	déc-04
XXXXXXXX	IMT F22 H775NPAHRC	539-20 Jurid	N/A	1-3/4 x 12-3/4 Rotors WABCO PAN 17-1+	TSE 2424HTLD65	N/A	XXXXXX	14.8/ 15.25	janv-05
XXXXXXXX	IMT Axle	539-FF20 Jurid	N/A	1-3/4 x 17 Rotors WABCO 225 Disc	TSE 2424HTLD65	N/A	XXXXXX	20.4" 569 MM	mars-06
XXXXXXXX	IMT F22H775HPA-11R-22.5	539-20 Jurid	N/A	CONMET 10016601 17 X 1 3/4 Rotors	HALDEX T2024	N/A	XXXXXX	20.4" 518 MM	avr-08
XXXXXXXX	IMT F22H775NWA-233LOC-No Shoe-77	IMT 23C FMSI 4692	WEBB 63680	12 1/4 X 7 1/2	MGM 3030	6" HALDEX	XXXXXX	15.4" 391 MM	juin-09
XXXXXXXX	IMT F22H775NWA-236LOC-77	CBI 12T FMSI 4710	WEBB 61988	15 x 8 5/8	MGM 3030	5.5" HALDEX	XXXXXX	20.9" 531 MM	déc-09
XXXXXXXX	IMT F22H770NWN-23610N-501CM18-77	CBI 08T FMSI 4515	WEBB 66864B	16 1/2 X 7	MGM 3030	5.5" HALDEX	XXXXXX	20.9" 531 MM	févr-10
XXXXXXXX	IMT Axle F22H775NPA-HCR	539-FF20 Jurid	NA	Gunite 5913-4 1-3/4 x 17 Rotors	HALDEX 2024GC	N/A	XXXXXX	20.9" 531 MM	juil-14
XXXXXXXX	IMT F22H775NPA-HCR	BX - 275	N/A	ADB22X	Bendix T1824	N/A	XXXXXX	20.6" 518 MM	déc-12
XXXXXXXX	IMT	IMT 23C	KIC 53033-01	16 1/2 X 7	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	21.2 536MM	juil-07
XXXXXXXX	IMT	C.M. Brake IMT 23C (Superlife) FMSI- 4707	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	20.6 523MM	juin-08
XXXXXXXX	IMT 876252	C.M. Brake Q+ CBI 12T FMSI-4707D	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	21" 533 MM	sept-08
XXXXXXXX	IMT 876252	C.M. Brake Q+ CBM 63 FMSI-4707D	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	6" HALDEX	XXXXXX	21" 533 MM	juil-11
XXXXXXXX	IMT Axle	539-FF20 Jurid	IMT 70005	1-3/4 x 12-3/4 Rotors WABCO PAN 17-1+	TSE T2430	N/A	XXXXXX	15.6" 396mm	juin-12
XXXXXXXX	IMT AXLE	IMT 23 CBI 23C	WEBB 66854FB	16 1/2 X 8 5/8	MGM 3030L3	5.5" HALDEX	XXXXXX	20.8" 528 mm	juil-14
XXXXXXXX	IMT Axle F22H775NPA-HCR	539-FF20 Jurid	NA	1-3/4 x 17 Rotors WABCO PAN 22	HALDEX 2024GC	N/A	XXXXXX	20.8" 528 MM	mai-13
XXXXXXXX	IMT Axle F22H775NPA-HCR	539-FF20 Jurid	NA	1-3/4 x 15 Rotors WABCO PAN 19	HALDEX 2024GC	N/A	XXXXXX	20.8" 528 MM	juil-18
XXXXXXXX	IMT Axle F22H775NPA-HCR	BX - 275	NA	Gunite 5913-4 1-3/4 x 17 Rotors ADB22X (KO95519/K095520)	BENDIX T1824	N/A	XXXXXX	20.8"	août-13
XXXXXXXX	IMT AXLE F22T750NPA-22.5H	442 Jurid	NA	HalDEX Modul T DBT22LT	HalDEX 1824	N/A	XXXXXX	20.5"	janv-18

Last Updated: 06/22/16

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## KGI

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Rotor Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Date
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins		Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	Date
XXXXXXXX	KGI STEERABLE AXLE KGS 230	FRASLE AF/523 (FMSI 4515)	WEMC 03-00043	16.5 X 7 STANDARD SERVICE	N/A	BENDIX T3030	6.0" HALDEX	XXXXXX	20.8 MAX.	juin-11
XXXXXXXX	KGI STEERABLE AXLE KGS 230	ABEX-685 (FMSI 4707) 931-162	WEMC 03-00043	16.5 X 7 EXTENDED SERVICE	N/A	BENDIX T3030	6.0" HALDEX	XXXXXX	20.8 MAX.	août-11
XXXXXXXX	KGI STEERABLE AXLE KGS 230	Jurid 539FF29	N/A	ADB22T - 17x1-3/4	Gunité 5913	BENDIX T1824	N/A	XXXXXX	20.8 MAX.	mai-12
XXXXXXXX	KGI STEERABLE AXLE KGS 230	WABCO 230	N/A	PAN 22 17X1 3/4	N/A	WABCO T2024	N/A	XXXXXX	21.0 MAX	juin-14
XXXXXXXX	KGI MODEL KGF 250	HX12020	KGI CAST KB935	12.25 X 7.5 FMSI 4692	N/A	TSE 3030 3030TN2	6.0" HALDEX	XXXXXX	15,6	avr-16
XXXXXXXX	KGI MODEL KG-250	Jurid 442	N/A	Haldex Modul T DBT22LT	N/A	HALDEX TYPE 24	N/A	XXXXXX	20,5	juin-16
XXXXXXXX	KGS 230	HXI-2020	KIC 54270-018	15 X 8 3/8	NA	TSE 3030 3030TN2	6.0" HALDEX	XXXXXX	15,9	avr-17
XXXXXXXX	KG250	Jurid 539-20	NA	PAN 17	KIC 71750 325 MM x 34 MM	WABCO 2024	NA	XXXXXX	15,6	avr-17

Last Updated: 05/28/18

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

## MERITOR #1

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Report Date
No. de projet	Caractéristiques	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	Date du Rapport
XXXXXXXX	Meritor/Rockwell 4670Q2028	R-202	WEBB 66893	16.5 x 7	TSE 3030	5.5" & 6" MERITOR	XXXXXX	18,9	juil-97
XXXXXXXX	Meritor/Rockwell TO	R201	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXXX	20,6	juil-96
XXXXXXXX	Meritor/Rockwell TO	R-301	DAYTON CAST	16.5 x 7	MGM 3030	6.0" MERITOR	XXXXXX	20,5	avr-97
XXXXXXXX	Meritor/Rockwell TO	R-301	DAYTON CAST	16.5 x 8	MGM 3030	6.0" MERITOR	XXXXXX	20,5	avr-97
XXXXXXXX	Meritor/Rockwell TB	R201	Hayes Lemmerz Centrifuse	15 x 8 5/8	MGM 3030 & 2424	5.5" MERITOR	XXXXXX	16,25 & 20,68	avr-99
XXXXXXXX	Meritor/Rockwell TN	MA 212	WEBB 66864	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXXX	20,8	oct-97
XXXXXXXX	Meritor/Rockwell	SOR-611	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXXX	20,7	mars-00
XXXXXXXX	Meritor/Rockwell	SOR-215	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXXX	20,7	mars-00
XXXXXXXX	Meritor/Rockwell	MA-206	WEBB CAST	16.5 x 7	MGM 3030	5.5" & 6" MERITOR	XXXXXX	20,3	juil-97
XXXXXXXX	Meritor/Rockwell	MA-206	WEBB CAST	15 x 8 5/8	MGM 3030	5.5" MERITOR	XXXXXX	19	mars-99
XXXXXXXX	Meritor/Rockwell	MA-206	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXXX	20,9	juin-00

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 07/07/14

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

**MERITOR #2**

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Report Date
No. de projet	Caractéristiques	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	Date du rapport
XXXXXXXX	Meritor/Rockwell TN	MA 212	WEBB CAST	16.5 x 8 5/8	MGM 3030	5.5" & 6" MERITOR	XXXXXX	20,3	juil-00
XXXXXXXX	Meritor/Rockwell TB	MA 212	WEBB CAST	15 x 8 5/8	MGM 3030 & MGM 2424	5.5" & 6" MERITOR	XXXXXX	20.3 & 16.0	juil-00
XXXXXXXX	Meritor/Rockwell	MA 212	WEBB CAST	16.5 x 8	MGM 3030	5.5" & 6" MERITOR	XXXXXX	20,3	sept-00
XXXXXXXX	Meritor/Rockwell	R-301	WEBB CAST	12.25 x 7.5	HALDEX 2424	6 MERITOR	XXXXXX	15,4	oct-00
XXXXXXXX	Meritor/Rockwell	MA-210	DAYTON CAST	16.5 x 8 5/8	MGM 3030	5 MERITOR	XXXXXX	20,4	févr-01
XXXXXXXX	ArvinMeritor	MA-212	ArvinMeritor SteelLite X30™	16.5 x 7	TSE 3030	5.5" MERITOR	XXXXXX	20.8 528mm	févr-08
XXXXXXXX	ArvinMeritor	MA-312	ArvinMeritor SteelLite X30™	16.5 x 7	TSE 3030	6.0" MERITOR	XXXXXX	20.8 528mm	févr-08
XXXXXXXX	ArvinMeritor	MA-312	WEBB CAST 63680	12.25 x 7.5	MGM 2430 & MGM 2424	5.5" & 6" MERITOR	XXXXXX	15.44 392mm	févr-02
XXXXXXXX	ArvinMeritor	MA-312	WEBB CAST 63680	15 x 8 5/8	MGM 3030 & MGM 2424	5.5" & 6" MERITOR	XXXXXX	20.5&16 521mm/406mm	avr-02
XXXXXXXX	ArvinMeritor	MA-761	N/A	1-3/4 x 17 Rotors	TSE 2424	N/A	XXXXXX	20.4 518mm	avr-02
XXXXXXXX	Hendrickson Intraxx	WABCO 230	N/A	C-28588-1 Rotors	TSE 2024	N/A	XXXXXX	20.9 531mm	févr-08
XXXXXXXX	Rockwell	MA212-A	Meritor 85-123570-002	16.5 X 8 5/8	MGM T3030	5.5" MERITOR	XXXXXX	20.8" 528 mm	mai-14
XXXXXXXX	Meritor	MA212-A	Meritor 85-123466-002	15 x 8 5/8	TSE2424	5.5" MERITOR	XXXXXX	18.8" 478 mm	juin-14

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 07/07/14

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## RIDEWELL

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Report Date
No. de projet	Caractéristiques	Matériau de friction	Tambours de frein	Format des freins	Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS	Date du Rapport
XXXXXX	FN,FP,DCN,DCP, Others	FE12 (MB21) FMSI-4515E	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXXX	20,6	févr-06
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4515 CAM PL133 FF	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXXX	20,6	juin-06
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4692 CAM PL244 GG	KIC 54244-01	12.25 x 7.5	Bendix 30/30	6.0" HALDEX	XXXXXX	15	mai-07
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4515E CAM PL244 GG	WEBB 66864	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXXX	20,1	mai-07
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL133 FF	WEBB 66884	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXXX	20,1	mai-07
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL244 GG	WEBB 66884	16.5 x 7	Haldex 30/30	5.5" HALDEX	XXXXXX	20.8/ 528 mm	juin-08
XXXXXX	2325303B R/00	R403 Q-Plus	KIC 54248-018	16.5 x 6	MGM 24/24	5.5" MERITOR	XXXXXX	20.8/ 528 mm	juin-10
XXXXXX	2600314 R/00	Jurid 539-20	Disc Brakes	PAN 22-1 ADB	TSE 24/24	N/A	XXXXXX	20.8/ 528 mm	févr-12
XXXXXX	FN, FP	Jurid 442	Disc Brakes	Modul T	Haldex 18/24	N/A	XXXXXX	20.5/ 521 mm	juil-16

Last Updated: April 5, 2016

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.



**SAF-HOLLAND**

Project No.	Axle Specs	Friction	Brake Drum	Rotor Size	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	Report Date
No. de projet	Caractéristiques	Materiau de friction	Tambours de frein		Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS	Date du rapport
XXXXXXX	HOLLAND XEM	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	XXXXX	20,3	Jul-98
XXXXXXX	HOLLAND XEM Plus	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	XXXXX	20,3	Jul-98
XXXXXXX	HOLLAND "Q" Plus	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	XXXXX	20,3	Jul-98
XXXXXXX	HOLLAND QEM	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	XXXXX	20,3	Jul-98
XXXXXXX	HOLLAND XEM	CARLISLE MB21	WEBB 66893	N/A	16.5 x 7	MGM 3030	5.5" & 6.0" HALDEX	XXXXX	20,3	Jul-97
XXXXXXX	HOLLAND QEM+	CARLISLE CF 2000	WEBB 66864B	N/A	16.5 x 7 Q	CARLISLE 3030	5.5" HALDEX	XXXXX	19,5	Dec-99
XXXXXXX	SAF-HOLLAND QEM+	Jurid 539FF29	N/A	SAF 4079001500	17x1-3/4	SAF 1624TLD65EU 1824TLD65EU 2024TLD65EU 1624TLD2NA 1824TLD2NA 2024TLD2NA	N/A	XXXXX	21.6" 548mm	Sep-12
XXXXXXX	SAF-HOLLAND QEM+	ABEX 3030-197	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5"	XXXXX	20.5" 521mm	Jun-09
XXXXXXX	SAF-HOLLAND	ABEX 931-162	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm	Sep-09
XXXXXXX	SAF-HOLLAND	Duraline DNA 38FF	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm	Sep-09
XXXXXXX	SAF-HOLLAND	Duraline DNA 18FF	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm	Sep-09
XXXXXXX	SAF-HOLLAND	ABEX 3030-197	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm	Nov-09
XXXXXXX	SAF-HOLLAND	Duraline Crest XL	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm	Nov-09
XXXXXXX	SAF-HOLLAND	Duraline Vista HP	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm	Nov-09
XXXXXXX	SAF-HOLLAND	ABEX 931-162	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm	Nov-09
XXXXXXX	SAF-HOLLAND	MB - 21	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm	Nov-11
XXXXXXX	SAF-HOLLAND	MB - 21	WEBB 66814b	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm	Dec-11
XXXXXXX	SAF-HOLLAND	STEMCO VISTA HP	MOTORWHEEL CENTRFUSE 89996B	N/A	16.5 X 7 FMSI 4707	SAF/TSE 3030 3030TL-3972	HALDEX 5.5	XXXXX	20.8" 528mm	May-14
XXXXXXX	SAF-HOLLAND	KNORR BREMSE ST7 AIR DISC BRAKE ST7	N/A	SAF INTEGRAL 430mm	430mm	SAF 1624 SAF MMS 1624 860	N/A	XXXXX	20.8" 528mm	May-15
XXXXXXX	SAF-HOLLAND	STEMCO VISTA HP1	WEBB 66884B	N/A	16.5 X 7	SAF/TSE 3030 3030TL-3972	HALDEX 5.5	XXXXX	20.8" 528mm	Aug-15
XXXXXXX	SAF-HOLLAND	STEMCO DURALINE CREST XL WITH B LOK	WEBB 66884B	N/A	16.5 X 7	SAF/TSE 3030 3030TL-3972	HALDEX 5.5	XXXXX	20.8" 528mm	Aug-15
XXXXXXX	2006G001770	VISTA HD-2316 FMSI 4707	WEBB 66864B	NA	16.5 X7	TSE 3030	HALDEX 5.5	XXXXX	20.8" 528	sept-17
XXXXXXX	2,006E+11	CREST XL-20K FMSI 4707	WEBB 66864B	NA	16.5 X7	TSE 3030	HALDEX 5.5	XXXXX	20.8" 528mm	sept-17

is no longer available from the manufacturer  
Transportation Equipment Association. All rights reserved.  
is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.