

Vision 2020 A Vision for the Concrete Repair, Protection and Strengthening Industry

2020 VISION



TABLE OF CONTENTS

FOREWORD	page 3
SECTION ONE	
The Concrete Repair, Protection and Strengthening Industry	page 4
Introduction	page 4
Why Concrete Needs Repair, Protection and Strengthening	page 4
Deterioration	page 4
Damage	page 4
Defects	page 5
Changes in Use, Code Upgrades	page 5
Means and Methods for Repairing, Protecting, and Strengthening	page 5
Surface Repair.....	page 5
Protection	page 6
Waterproofing	page 6
Strengthening	page 6
Repair and Protection Materials	page 7
Field Installation.....	page 8
Equipment	page 9
Cost	page 10
Industry Involvement	page 13
SECTION TWO	
Unified Industry Vision.....	page 14
Why we need a vision	page 14
The need to reduce the failure rate of repairs	page 14
Examples of areas in need of improvement.....	page 14
Unified vision and goals	page 16
Participants in Vision 2020	page 23

FOREWORD

The Strategic Development Council (SDC), an inter-industry development group dedicated to supporting the concrete industry's strategic needs, has facilitated Vision 2020 at the request of the concrete repair and protection industry.

As a building material, concrete allows the use of local materials, provides flexibility in form and appearance, and has a long history of successful installations. Concrete is a long-lasting, durable material that with proper use and maintenance can serve its use for 50 to more than 200 years.

The purpose of Vision 2020 is to establish a set of goals to improve the efficiency, safety and quality of concrete repair and protection activities. By focusing on the most important industry goals, it is hoped that we will achieve these goals faster than if we let the industry evolve on its own. The focus on goals for repair is also related to the major issue of sustainability, because extending the useful life of existing installations is a key factor in producing a sustainable environment. Over 100 industry leaders including contractors, engineers, material manufacturers, researchers, educators, owners and industry association executives participated in focused workshops to define the most important industry issues and needs used to establish the goals in Vision 2020.

As part of the Visioning process, each goal has been road-mapped to establish strategies and action plans. This component is not part of this document, but has been completed and documented to form a companion piece to this report. A major part of the road-mapping task was critically examining the suggested dates by which completion of strategies related to the goals could reasonably be expected, and then constructing a timetable of goals. The timetable is needed because many goals are dependent on achieving other goals; thus the timetable will help to define the order in which goals must be achieved. Rather than producing another hard-copy document, it is envisioned that the road-map will be available on-line and continually updated.

Industry leadership teams will use the Vision 2020 documents (Goals and Roadmaps) to guide industry activities by prioritizing efforts and resources to the established goals and action plans. Research and materials organizations will use the established needs to prioritize research and development projects. Contractors and engineers will use this document to better understand the current state of the concrete repair industry and develop ideas for implementation of industry envisioned improvements. Owners will understand that we take our industry very seriously and will use these tools to help them understand their structures and continued investments in repair and protection.

We thank all those who have participated and contributed to Vision 2020 and look forward to focused efforts in accomplishing the goals. Please direct any comments on this report to Peter Emmons, co-chair of the SDC, (pemmons@structural.net) and copy douglas.sordyl@concrete.org.

THE CONCRETE REPAIR, PROTECTION AND STRENGTHENING INDUSTRY

INTRODUCTION

The concrete repair, protection and strengthening industry is driven by deterioration of, damage to, and defects in concrete structures along with changes in use and code requirements. More than 500 million cubic yards of concrete are placed every year in the U.S. Much of the concrete is custom made for almost every job, using local materials of varying quality, some designs that are not standard, and accelerated construction processes that sometimes sacrifice quality in the interest of meeting a schedule. The annual cost to owners for repair, protection and strengthening is estimated between \$18 billion and \$21 billion in the U.S. alone. The result is a repair industry that supports engineers, architects, equipment suppliers, material manufacturers, researchers, educators, testing companies, contractors, and lawyers. The recent explosive growth of the industry in the past 25 years has resulted in the need for many improvements in materials, design practice, installation procedures, contracting processes, QA/QC procedures, education, and more. These improvements are needed to improve service life, reduce costs and reduce conflicts.

WHY CONCRETE NEEDS REPAIR, PROTECTION, AND STRENGTHENING

Deterioration

Concrete deteriorates when subjected to many environments. Saturated concrete exposed to freeze-thaw cycles may experience disintegration. Chloride penetration from deicing salts or sea water, carbonation of the concrete, and inadequate concrete cover depths, result in reinforcement corrosion. The resulting expansion due to corrosion byproducts can cause cracking and delamination of the concrete. (Fig. 1.1).



Fig. 1.1

Damage

Damage caused by fire, earthquakes, chemical spills, overloading, impact, or foundation settlement many times results in immediate spalling, disintegration, cracking, or complete failure of the concrete element or structure (Fig. 1.2 and 1.3).



Fig. 1.2



Fig. 1.3

Defects

Defects caused by improper detailing or design, construction practices or faulty materials may result in inadequate structural capacity, premature deterioration or aesthetic issues (Fig. 1.4); e.g. inadequate concrete reinforcing cover depths.



Fig. 1.4

Change in Use, Code Upgrades

Loads change when structures are adapted for new uses, requiring assessment and structural modifications to accommodate the changes. In some cases, building code changes become more stringent and may require existing structures to be strengthened. Seismic upgrades also are a common reason for strengthening concrete structures.

MEANS AND METHODS FOR REPAIRING, PROTECTING, AND STRENGTHENING

There are many different organizations involved with this industry. The following section details what the industry provides, who provides it, and the market for repair, strengthening and protection of concrete. Professional service companies, including architects and engineers, provide forensic evaluation of existing structures. Testing companies provide field and laboratory services to analyze materials. Structural engineers calculate load capacities and produce design details. Inspection companies ensure that installed systems comply with specifications. Material manufacturers are also an important part of the repair team providing not only specialized materials, but technical support to the specifier and installation contractor. Contractors integrate the design, specifications, materials, labor and equipment to complete the repair.

Surface Repair

Repairing the damaged surfaces of concrete can restore the structural function, protect the surface itself or the underlying concrete and reinforcement from aggressive environments, or restore any lost performance requirements including drainage and abrasive resistance. All repairs require initial surface preparation, which might include abrasive or hydroblasting, chipping, milling, sanding or chemical treatments. Systems for repairing surfaces include overlayment, resurfacing, formed repairs, hand-troweled mortars, cast-in-place repairs, shotcrete and, in some cases, full section replacement (Fig. 1.5 and 1.6).




Fig. 1.5



Fig. 1.6

Protection

Protection techniques are designed to extend the life of the structure by protecting it from the attack of an aggressive environment. Systems are available in the form of coatings, sealers, membranes, liners, cathodic protection (Fig 1.7) and overlays (Fig 1.8).



Fig. 1.7



Fig. 1.8

Waterproofing

All progressive concrete deterioration mechanisms involve water. Waterproofing techniques prevent water from entering or exiting structures through cracks, joints or failed waterstops. Systems include replacement joints and sealants, waterproofing membranes and crack grouting (Fig. 1.9 and 1.10).

Fig. 1.9



Fig. 1.10

Strengthening

Strengthening is the process of adding or restoring capacity to a member or structure (Fig. 1.11). Techniques include the addition of steel, external or internal post-tensioning, FRP composite systems, concrete or other special materials to existing members providing for additional strength and capacity of the structure (Fig. 1.12).








Fig. 1.11



Fig. 1.12

Repair and Protection Materials

Material manufacturers design, manufacture, package, and distribute all types of repair and protection materials including:

TABLE 1.1 – REPAIR AND PROTECTION MATERIALS	
Cementitious Prepackaged Surface Repair Systems	
Ready Mix Concrete	
Coatings, Membranes, Liners, Grouts, Sealants	
FRP Carbon, Steel & Glass Fiber	
Reinforcing Steels	

<p>Pile Jackets</p>	
<p>Cathodic Protection Systems and Components</p>	
<p>Expansion Joint Seals, Bearings and Sealants</p>	

Field Installation

Field installation is provided by contractors' and owners' maintenance staffs (Fig. 1.13). Many repairs are serviced by specialty contractors/installers. A sample of the major categories of contractors is listed below:

- General Contractors
- Contractor specialties
 - Membranes, Sealants, Coatings
 - Surface Preparation – Hydro/Shotblast
 - Grouting/Crack Injection
 - Foundation Underpinning
 - Vertical (High Rise) Repair
 - Shotcrete
 - Underwater Repair
 - Waterproofing
 - General Concrete Repair
 - Concrete Placement
 - Formwork
 - Steel Placement
 - Post-tensioning
 - Cathodic Protection
 - Industrial Floor Repairs











Fig. 1.13

Equipment

Equipment is always necessary for preparing, mixing, placing and testing materials. Many jobs require equipment that allows for specialized access. Dust collection equipment, safety gear and environmental protection are also important elements in installation. Some typical examples are shown below (Table 1.2):

TABLE 1.2 – EQUIPMENT


Hydro demolition	
Removal tools	
Cleaning systems	
Testing equipment	
Specialized small tools	
Mortar and Concrete Pumps	
Shotcrete Machines	
Epoxy Injection Pumps	

Cost of Repair, Protection and Strengthening of Concrete in the U.S

In the U.S., we consume over 100 million metric tons of cement, with a large portion being used for the production of concrete. It is estimated that over 500,000,000 cubic yards (cy)¹ of concrete (almost 2 cy/per person) are installed each year to support the U.S. infrastructure (Fig. 1.14). The volume of in-place concrete is estimated at 9 billion cy² (32 cy/person). Most of this concrete is older than 20 years. Concrete, even if exposed to freeze-thaw cycles, carbonation, chlorides, and other aggressive chemicals, can have a useful life of 50 or more years. More recent developments in the use of low permeability concrete mixes, proper use of air entrainment, epoxy-coated reinforcement, protective coatings, and corrosion-reducing admixtures have greatly increased the service life of concrete structures beyond 30 years. But some concrete structures being built today may require repairs after as few as 5 years of service, since the original design and construction does not take advantage of these technologies, but rather often emphasizes low first cost. More efficient designs may be less tolerant of workmanship and design errors, and fast-track construction methods may make it more difficult to incorporate the quality needed for a long service life. As a result, some new structures, in spite of durability enhancements, undergo early-age deterioration and require repair (Table 1.3). Likewise, repairs intended to extend the service life of structures often fail prematurely due to the improper use of repair materials.

Historical U.S. Ready Mixed Concrete Production

Fig. 1.14








It is estimated that the total cost for repair, rehabilitation, strengthening and protection (including waterproofing) of the concrete structures in the U.S. is \$18-21 billion/year(See Table 1.3). Assuming there are 9 billion cy of concrete in these structures, the annual cost is between \$2.00 and \$2.33 per cy of in-place concrete.

¹ PCA reports 75% of concrete is ready-mixed concrete.

² PCA reports cement and concrete usage from 1930. This is the basis for estimating that 15 billion cy were placed since then. The 9 billion cy estimate is based on an assumption that 60% is still in place.

TABLE 1.3 MARKET SEGMENT COSTS OF REPAIR

STRUCTURE	COST	DESCRIPTION
<p><u>Bridges</u></p> 	<p><u>\$8B</u>³</p>	<p><u>Decks, Superstructure Components, Substructure Components</u> There are 235,000 conventionally reinforced concrete and 108,000 prestressed concrete bridges. Corrosion and other related deterioration mechanisms make 15% of these bridges structurally deficient. Seismic retrofit may also be required because of changes in code requirements. Repair methods include surface repair systems, removal and replacement, protective coatings, membranes, pile jacketing, cathodic protection systems, strengthening systems, and crack repair.</p>
<p><u>Roadways</u></p> 	<p><u>\$4B+</u>⁴ (Ref. 4 for remaining market segments)</p>	<p><u>Slab on Grade, Curb and Gutter, Sidewalks</u> Freeze-thaw deterioration, alkali silica reaction attack, D-cracking, and abrasion are some of the deterioration mechanisms. Repair methods include remove and replace, slab subsealing, doweling, partial-depth repairs, overlays, and use of joint and crack sealants.</p>
<p><u>Piers and Wharfs</u></p>  <p><i>Fig. 1.14</i></p>	<p><u>\$0.2B</u></p>	<p><u>Piles, Bents, Decks</u> Exposure to chlorides and vessel impact are primary distress mechanisms. Repairs include cathodic protection, surface repair systems, jacketing, and protective coatings.</p>
<p><u>Buildings</u></p> 	<p><u>\$2B</u></p>	<p><u>Facades, Balconies, Plaza Decks, Exposed Concrete</u> Airborne chlorides, freeze-thaw cycles, and carbonation are some of the distress mechanisms that may be related to design and construction errors. Waterproofing failures are also common, and seismic retrofits may be needed. Repair methods include foundation waterproofing, plaza deck waterproofing, and replacement or repair of balconies.</p>
<p><u>Parking Structures</u></p> 	<p><u>\$0.5-1B</u> 18,000 structures in the U.S.</p>	<p><u>Precast, Post-Tensioned, Cast in Place, Composite</u> Water leakage through cracks and joints, chloride ingress, and freeze-thaw cycles are common mechanisms that cause reinforcement corrosion, spalling, and other distress. Repair methods include waterproofing membranes, joint sealants to control water intrusion, strengthening systems to correct design and construction errors, surface repair systems for spalling damage, and slab replacement.</p>

³ Source Cost of Corrosion Study NACE

⁴ Market studies performed by Structural Group, Baltimore, MD

<p><u>Locks and Dams</u></p> 	<p><u>\$0.2B</u></p>	<p><u>Locks and Dam Structures</u> Freeze-thaw cycles, abrasion /erosion, structural modifications, and leakage are some causes of distress. Repair systems include overlayments, grouting, spall repair, component replacement, and strengthening with anchors.</p>
<p><u>Residential</u></p> 	<p><u>\$0.3 B</u></p>	<p><u>Sidewalks, Driveways, Patios, Foundations</u> Freeze-thaw cycles, deicing agents, and soil settlement, are some of the distress mechanisms. Basement leakage is also a problem. These may be accentuated by poor quality materials or construction methods. Repair methods include remove and replace, slab jacking, overlays, surface repairs, waterproofing, and crack sealing.</p>
<p><u>Industrial Facilities</u></p> 	<p><u>\$0.3B</u></p>	<p><u>Foundations, Slabs, Structural Frames, Containments, Vessels, Tanks</u> Deterioration mechanisms include chemical attack and structural overloads that produce spalling, cracking, and disintegration. Repair methods include surface patching, coatings, liners, membranes, and strengthening systems.</p>
<p><u>Water Treatment</u></p> 	<p><u>\$0.5B</u></p>	<p><u>Tanks</u> Deterioration mechanisms include chemical attack, leaching, freeze-thaw cycles, and soil settlement that can cause cracking, leakage, spalling, and disintegration. Repairs may include surface patching, concrete replacement, crack injection, coatings, liners and membranes.</p>
<p><u>Pipelines</u></p> 	<p><u>\$1B</u></p>	<p><u>Sewer Pipes, Pressure Pipes, Aqueducts, Canals, Tunnels</u> Deterioration mechanisms include chemical attack, erosion, abrasion, and soil settlement that can cause cracking or spalling. Repairs may include use of liners, coatings and membranes, overlays, spall repair, or specialized trenchless pipe rehabilitation technology.</p>
<p><u>Misc Structures</u></p> 	<p><u>\$1B</u></p>	<p><u>Stadiums, Runways, Chimneys, Towers and Other</u> Freeze-thaw damage, thermal degradation, and aggressive chemicals are some of the deterioration mechanisms. Repairs can include remove and replace, surface repair, and applied surface treatments.</p>

INDUSTRY INVOLVEMENT

Repair contractors, materials manufacturers, equipment suppliers, engineers, and architects have been heavily involved in the repair industry for many years. Although some owners and universities have made contributions to advancements in the industry, more cooperation is needed from education and research establishments that include:

- Government agencies
- Universities
- Private research institutes

Trade associations and technical institutes have also advanced the repair industry by developing codes, specifications and other standards, plus guides and state-of-the-art reports for condition evaluations, testing, and use of repair materials and methods. A more integrated effort is needed, however, because while some or all of these groups have similar objectives, they can produce standards with conflicting requirements. Organizations such as the following need to work more closely to harmonize the standards that are produced.

- American Concrete Institute (ACI)
- American Shotcrete Association (ASA)
- American Society of Concrete Contractors (ASCC)
- American Society of Testing and Materials (ASTM)
- BRE (formerly the British Research Establishment)
- The Concrete Society
- International Concrete Repair Institute (ICRI)
- NACE International (formerly National Association of Corrosion Engineers)
- SSPC: Society for Protective Coatings
- Sealant, Waterproofing and Restoration Institute (SWRI)

Many of these groups have also independently launched certification and education programs that could benefit from an interchange of ideas among the organizations' members when such information products are produced.


A UNIFIED INDUSTRY VISION

Why do we need a vision?

A vision provides a glimpse of the future state of the industry. If most key people in the repair industry believe that no improvements are necessary—and there are no big problems to solve—their vision will result in a future state of the industry no different than what we see today. That isn't the case. Repair industry leaders have spoken in the Vision 2020 workshops, and they envision a great need for improvement. These improvements include reducing repair mistakes, miscalculations, poor performance, and poor workmanship, and finding better repair methodologies that reduce costs while improving quality. This Vision, and the goals related to achieving it, are the basis for moving forward and helping industry organizations, research establishments, and educational institutions to accelerate progress in the repair industry.

The need to reduce the failure rate of repairs

Concrete repair and protection projects do not always satisfy owner performance objects. The U.S. Army Corps of Engineers maintains one of the largest inventories of concrete structures in the world. A little more than 50% of the repairs performed on the Corps structures are performing satisfactorily, which is an unacceptable rate. Failures of repairs are attributable to design or evaluation errors, material performance, and installation or construction errors. The Corps experience is not unusual (Fig. 2.1).



Source After REMR-CS-2 Report

Fig. 2.1

Examples of areas that need improvement

Figure 2.2 shows the collapse of a parking structure that occurred while the repairs were being completed. Lack of temporary shoring caused the weakened structure to collapse. The supervising engineer and contractor did not have adequate training and guidance to perform the work safely.



Fig. 2.2

Figure 2.3 shows an existing concrete repair that has delaminated and is ready to fall from the building façade. Close examination of the picture reveals insufficient surface preparation around the corroded reinforcing bar. Loose pieces of repair material create a large risk for the building's owner, the public, the repair contractor, and the engineer.



Fig. 2.3

Figure 2.4 shows a failed repair on the side of a water storage tank. What at first appears to be an installation error, poor surface preparation, is actually the result of a design error. The design must take into consideration the water vapor transmission from the tank interior. The water vapor transmission is trapped behind the repair which is very dense and resistant to freeze-thaw damage. With a concentration of moisture trapped behind the repair, the original substrate undergoes freeze-thaw disintegration causing the repair to delaminate. The design requires a strategy to mitigate these factors.



Fig. 2.4

Figure 2.5 shows a new repair that has cracked badly and requires removal and reinstallation. The cause of these cracks is the repair material's volume change or drying shrinkage properties. Excessive shrinkage restrained by the repair material's bond to the substrate causes the material to crack. Many prepackaged repair materials shrink more than standard ready-mixed concrete does when drying occurs.



Fig. 2.5



Fig. 2.6

Figure 2.6 shows an elastomeric membrane delaminated from the substrate. Failures like this are a result of many factors, including poor surface preparation, primer installation or high moisture levels in the substrate. These failures can be massive and result in the need to replace the coating systems.



Fig. 2.7

Figure 2.7 shows massive deterioration of a repaired structure. The repair included an impressed current cathodic protection system. Faulty installation of the cathodic protection system, which was improperly balanced and discontinuous reinforcing steel caused accelerated corrosion.

Figure 2.8 shows strengthening systems applied to a newly constructed structure. This costly repair was a result of inadequate reinforcing steel across the top of the pier.



Fig. 2.8

Unified Vision and Goals

The diverse concrete repair and protection industry recognizes the importance of a unified vision. In developing Vision 2020, leaders throughout the industry have described the desired state of the industry by 2020. They have identified potential breakthroughs in materials, equipment, industry cooperation, research and funding, professional practice, design methodology, environmental impact, workforce supply and owner education. They realize that creating an accurate and attainable vision, establishing goals, and seeing the goals completed will require a strong effort. But they also believe this effort will significantly advance the industry by improving repair quality, reducing repair cost, and enhancing the safety of workers and the public. All of these results will enhance the image of the industry and encourage increased owner investment in repair and protection of their structures by providing a more cost-effective product.

Industry leaders have categorized Vision 2020 into 13 key goals, including 45 separate strategies. These are presented here without order of preference.

1. *By the year 2010 the industry will have established mechanisms for industry cooperation to facilitate better and faster worldwide creation of concrete repair and protection technology and dissemination of information about the technology .*

Advances in the repair industry won't be achieved by just one organization. The advances will require a worldwide effort involving many organizations and individuals. Closely coordinating the many organizations' activities will eliminate duplication of effort, improve sharing of resources, coordinate projects to eliminate conflicting recommendations, and improve the education of industry members.

The repair and protection industry envisions:

- a. Establishing a repair and protection council made up of members from several associations and institutes to monitor and manage Vision 2020 initiatives and the existing Concrete Repair Manual project, and to coordinate assignments of needed documents and educational programs. *(By 2005)*
 - b. Developing a Manual of Repair and Protection Practices, which is the next step beyond the current Concrete Repair Manual (second edition)--a joint project of ACI, ICRI, The Concrete Society (CS), and Building Research Establishment (BRE). *(By 2010)*
 - c. Identifying and developing more joint industry documents, thus accelerating the rate at which best practices are delivered to the repair industry. *(Ongoing)*
2. *Develop and implement means of accelerating the process of document creation and dissemination within industry associations.*

Under current conditions, the time needed to produce or revise industry documents such as codes, specifications, and guides averages eight years. Many documents are out of date by the time they are published. Additionally, most industry documents are produced solely by volunteers on a part-time basis. The industry would be well served if more expedient methods were employed to produce and disseminate important industry guidance to the broad user community.

The repair and protection industry envisions:

- a. Establishing corporate funding of specific projects and initiatives, possibly coordinating this with the Strategic Development Council's ATA program. (*Ongoing*)
 - b. Establishing portals for the general public to access important industry knowledge, with funding by private sponsorship in lieu of selling specific documents. Fixconcrete.org is an example of this kind of portal. (*By 2007*)
3. *Create a repair/rehabilitation code to establish evaluation, design, materials, field and inspection practices which raise the level of performance of repair and protection systems, establish clear responsibilities and authorities for all participants and provide the local building officials a means of issue permits. (By 2015)*

Repair and protection practice varies widely based upon individual beliefs, understandings, experiences and motivations. It is very hard to define a current standard practice for many types of repairs. The current ACI 318 Building Code does not deal with repair and protection issues. Practitioners are left by themselves to do the best job they can. When repair and protection projects fail to deliver the intended results, damages, claims, and lawsuits result. Establishing a Code of Practice, especially on projects involving life safety, will give the practitioner proper design, material and construction information. The Code of Practice can also provide a basis for defining standard industry practices. This effort will raise the whole industry to a higher level of performance.

The repair and protection industry envisions:

- a. Establishing a focused team to create a project plan for a "Repair, Rehabilitation, and Protection Code." (*By 2005*)
 - b. Creating a multi-part document that ultimately becomes a complete code. Parts may include:
 - Categorize structure types/importance/service life/performance requirements
 - Condition Assessment/Evaluation/Inspection requirements
 - Defining performance requirements for structures, repairs and strengthening
 - Defining considerations for structural safety during repair and strengthening
 - Developing guidelines/standards for inspections of repairs and strengthening
4. *Develop performance-based guide specifications for specific and generic repair designs to improve specifications. (By 2010 and ongoing)*

A performance-based specification should detail requirements for the work in accordance with the environment during installation of the repair and during service of the repaired element. Other specific criteria such as shrinkage limits for repair materials may also be identified. Such specifications should not provide instructions to the contractor on how to achieve these requirements. Many repair specifications are incomplete, ambiguous, and may establish a basis for claims, poor quality performance, and increased costs. Too many specifications are created from product manufacturer's guide specifications. However, reluctance to embrace performance specifications is based on the fact that there are still few short-term tests that reliably predict long-term performance.

The repair and protection industry envisions:

- a. Establishing a prioritized list of Guide specifications. *(By 2006)*
- b. Creating specifications outlining responsibilities and expected performances, QA and QC methods, and promoting the use of preconstruction mockups and field trials. *(Ongoing after 2006)*

5. *Improve repair material design and performance to eliminate cracking, to carry structural loads and to have set and cure properties established by the construction process.*

Surface repair materials often crack, may sag in vertical or overhead applications, or may set too quickly. Repair materials used in partial depth situations may not be effective in carrying loads because they shrink and can't transfer load to the substrate. Manufacturers are free to develop repair products that don't meet any standards or code requirements for many applications. Some ingredients in repair mortars, such as gypsum-based materials, can cause expansion during use in a wet environment and cause damage to the structure.

The repair and protection industry envisions:

- a. Develop selection guide of materials with defined test methods and commentary.
- b. Developing and instituting a standardized data sheet protocol (in process). *(By 2005)*
- c. Identify critical material/system properties required for specific applications, i.e. compressive members for load-carrying needs. *(By 2015)*
- d. Identifying material properties and test methods necessary to predict long-term performance. *(By 2012)*
- e. Identify and validate models to predict service life. *(Ongoing thru 2020)*
- f. Incorporate appropriate requirements of repair materials into the Repair Rehabilitation and Protection Code.

6. *Develop environmentally and worker friendly repair methods, equipment, and materials that will greatly reduce the adverse effects on workers, the public and the earth's ecosystem.*

Repair processes produce many byproducts that adversely impact the environment. Almost any tool interacting with existing concrete produces particulate materials (dust) that may become airborne unless they are contained. These airborne particles contain the base ingredients of the concrete and, in the case of sandblasting, the abrasives used in the process. Silica-bearing aggregates are commonly used in concrete. Crystalline silica inhaled over a long period of time may cause respiratory illness. Properly worn safety gear will eliminate inhaled dust. Concrete removal is currently done by pneumatic, electric, high pressure water and hydraulic removal tools. For most jobs, the tools are hand held resulting in repetitive motion/vibration to the workers body. In addition, the impacting of concrete results in excessive noise generation. Current personal safety gear, properly worn, will reduce both the vibration and noise impact to the body, but will not eliminate it totally.

The repair and protection industry envisions:

- a. Develop specifications for particulate management. *(By 2010)*
 - b. Establishing a means for identifying, tracking, and disseminating environmental concerns. *(By 2007)*
 - c. Promote development of demolition equipment that is quiet, dust free, and has low impact on the body. *(By 2012)*
 - d. Develop a series of industry safety guides. *(By 2008)*
7. *Develop a means for predicting repair system performance to help ensure the use of proper materials, design details and installation methods based upon predictive models validated by experience.*

Repairs have been performed successfully and unsuccessfully for many years. Within each project lies important feedback for future projects. Learning from what works and what does not work would ultimately eliminate most repair failures. We do not have an effective way to document a project's successes and challenges, thus we miss the greatest opportunity to learn and improve. There is no formula in our business that spells out how systems will perform given a particular service environment. Success is either individual wisdom or just luck.

The repair and protection industry envisions:

- a. Establishing an infrastructure for collection of projects detailing historical performance, combining experiences of U.S., Europe and Asia. Establish a motivation for contributing. *(By 2008)*
 - b. Developing forums to share experiences of both successes and challenges. Create a "what went wrong" guide for solutions. *(By 2009)*
 - c. Developing a monitoring (observation) protocol for repaired structures to properly compare project results. *(By 2008)*
 - d. Develop a protocol for the development of models to estimate the service life of repairs. *(By 2008)*
8. *Develop and implement a strategic research plan for the repair industry.*

At any one time, research in many areas affecting concrete repair and protection is underway. Hundreds of projects involve thousands of people and millions of dollars in seeking to accomplish research tasks. Industry leaders view many of the projects as unimportant or not relevant to what the industry needs. Some projects are duplications of current or past work. Most research is conducted in university settings and results may not transfer to field situations. There are no lists that establish what the industry deems to be important.

The repair and protection industry envisions:

- a. Establish a group to develop and maintain the plan – Strategic Research Council. (2006)
- b. Identify the pertinent research previously done. *(By 2006)*
- c. Identify current research. *(By 2007)*
- d. Develop a list of research needs. *(By 2007)*

- e. Identify and obtain research funding in accordance with the strategic research plan (2008)
9. *Increase the number of material-, engineering-, and construction-related professionals interested in and skilled in repair and protection practice to support the growing need for evaluation, design, new materials and construction professionals.*

Current interest in choosing a career in repair and protection is very low. Very few schools have courses that introduce or prepare the student for the industry. Where courses and interested professors exist, such as the University of Texas at Austin, the University of Illinois, Middle Tennessee State University, Georgia Tech, and the University of Missouri-Rolla, students make their way into the industry with excitement and passion.

The repair and protection industry envisions:

- a. Increase the awareness and number of career opportunities. (2006)
 - b. Develop education materials for universities. (By 2007)
 - c. Promote educational/training materials for trade and technical schools. (2010)
 - d. Recruitment of schools to offer courses from the current 6 schools to 20 schools. (By 2008)
 - e. Develop training programs to enhance quality and skill of existing personnel in industry. (By 2010)
10. *Develop selection processes, contractual agreements, procurement methods and relationship arrangements (partnering) that will greatly reduce conflicts, rework, claims and lawsuits resulting from disagreements among contractors, general contractors, engineers and owners.*

Successful repair and protection projects are a result of the owner, engineer, and contractor establishing and maintaining healthy cooperative relationships, and with realistic expectations that are understood by all parties. The success of all repair projects is the result of the combined experience, attitudes and wisdom of the project team. Selecting the lowest bidder for repair design or construction services often fails to produce the best value because the most qualified bidders aren't chosen. This can cause a claim-oriented process to develop where relationships are tested, corners are cut, and feelings and reputations damaged. Many bidding processes initiated by owners or their agents produce one-sided agreements that place most, if not all, risks on the engineer and contractor. These types of arrangements cause relationships to be strained and future opportunities to be lost.

The repair and protection industry envisions:

- a. Developing standard warranty and indemnification language that will offer clear motivation to the material supplier and contractor to perform in alignment with owner interests, yet not be excessive. (By 2008)
- b. Developing an owner guide for design-build procurement bringing both speed and innovation to cost-effective solutions. (By 2012)
- c. Developing a guide for project partnering arrangements. (By 2012)

- d. Developing standard templates for contracts and subcontracts that are fair to all parties in the contract. *(By 2008)*
- e. Developing guidelines for prequalifying engineers and contractors to improve repair project performance, cost effectiveness and project safety. *(By 2007)*

11. *Develop facility owner education that will promote awareness of the effects of deterioration and the means to reduce the risks while protecting their investments.*

Many owners do not fully appreciate the structures that support activities within a building. Lack of education and a basic understanding of materials and structures by owners can lead to unpleasant surprises and unforeseen risks of a failure. Examples are changing the use of the building and thus increasing live loads, or using aggressive chemicals that can deteriorate even good quality concrete.

The repair and protection industry envisions:

- a. Developing guides for owners to support life-cycle cost investments in maintenance which include flow charts and decision trees. *(By 2012)*
- b. Developing an owner's guide to inspection and maintenance of facilities. *(By 2012)*
- c. Promoting the new ASTM standard for façade inspection. *(By 2005)*

12. *Develop improved means and methods for accurate and thorough condition assessment.*

The success of all repair projects is dependent on the completeness, accuracy, and logic of the condition assessment. Planning for many projects fails to address underlying causes, therefore shortening the repairs' useful life. For many projects, underestimates or overestimates of the quantities of repairs needed cause cost overruns and contractor claims.

The repair and protection industry envisions:

- a. Developing an industry standard for condition assessment and reporting. *(By 2008)*
- b. Improving scope and quantity estimating to improve accuracy.
- c. Developing structural health monitoring systems that continuously measure corrosion potential as an aid in predicting when maintenance and/or repairs will be needed. *(By 2007)*
- d. Developing improved nondestructive diagnostic systems, similar to ultrasound, that can produce 3D imaging of existing concrete including items such as multi-layered reinforcement placement *(By 2006)* and internal defects such as voids and cracks. *(By 2012)*

13. *Develop specific repair system needs for expanded use, efficiency, and failure reductions.*

The repair and protection industry envisions:

- a. Developing a heat-resistant adhesive for FRP systems that will provide an adequate fire rating for the installed system.
- b. Developing coatings that are less sensitive to minor imperfections in concrete surfaces (such as bugholes) and can thus be used to lower surface preparation costs.

Where Does the Repair, Protection, and Strengthening Industry Go From Here?

The SDC thanks the dedicated, hardworking, and visionary individuals who participated in the development of this document to clearly outline what the repair, protection, and strengthening industry would like their industry to be in the year 2020— a view into the not so distant future.

“Vision 2020: A Vision for the Concrete Repair, Protection and Strengthening Industry” is the culmination of the efforts of these individuals who participated in the visioning workshop in Chicago, IL, in 2004, and the Roadmap 2020 workshops in Sedona, AZ, in May 2005 and Baltimore, MD, in Sept. 2005. *Vision 2020* was made possible by the support that individual companies within the concrete repair protection and strengthening industry provided.

The endorsing organizations make this truly an industry-wide vision:

- American Concrete Institute (ACI)
- American Shotcrete Association (ASA)
- American Society of Concrete Contractors (ASCC)
- American Society of Testing and Materials (ASTM)
- BRE (formerly the British Research Establishment)
- The Concrete Society
- International Concrete Repair Institute (ICRI)
- NACE International (formerly National Association of Corrosion Engineers)
- SSPC: Society for Protective Coatings
- Sealant, Waterproofing and Restoration Institute (SWRI)

These organizations represent their members who are interested in improving and advancing the repair, protection, and strengthening industry and look forward to the introduction of technology that will accelerate such improvements.

Even as this version of Vision 2020 is published, the repair, protection, and strengthening industry has begun acting on specific activities to make this vision a reality. The soon to be launched Council of Repair and Protection outlined in Goal #1 will provide oversight and coordination of many independent activities already being initiated.

Participants in Vision 2020 Workshop held April 2004 in Chicago, IL

First Name	Last Name	Company
Nick	Adams	The Euclid Chemical Company
Michael	Ahearn	Seaboard Weatherproofing Co.
Tarek	Alkhrdaji	Structural Preservation Systems, Inc.
Ray	Andrews	Silpro Corporation
Frank	Apicella	Degussa Building Systems
Randal	Beard	Walker Parking Consultants/Engineers, Inc.
Benoit	Bissonnette	CRIB-Laval University
Dick	Bonin	The Western Group
Ken	Bowman	Sealant, Waterproofing & Restoration Institute
Michael	Brainerd	Simpson Gumpertz & Heger, Inc.
Christopher	Brown	Conproco Corporation
Gordon	Brown	TechFab LLC
Ralph	Brown	National Restoration Systems, Inc.
Stephen	Bryan	CEMEX SA de CV
Jeffrey	Carlson	The Consulting Engineers Group, Inc.
David	Carter	Chapman Waterproofing Company
Bruce	Collins	Restruction Corporation
Don	Dancey	Innovative Painting & Waterproofing, Inc.
William (Bud)	Earley	The Euclid Chemical Company
Eric	Edelson*	Tadger-Cohen-Edelson Associates, Inc.
Peter	Emmons**	Structural Preservation Systems, Inc.
Dan	Falconer	American Concrete Institute
Garth	Fallis	Vector Corrosion Technologies
David	Fowler, Ph.D., P.E.	University of Texas at Austin
Brian	Gallagher	Structural Preservation Systems, Inc.
Bev	Garnant	American Society of Concrete Contractors
Fred	Goodwin	Degussa Construction Systems
Gregory	Gray	Eastern Waterproofing & Restoration Co., Inc.
Scott	Greenhaus*	Structural Preservation Systems, Inc.
Timothy	Gumina	Restruction Corporation
Robert	Johnson	The Sherwin-Williams Company
Robert	Joyce	Quality Restorations, Inc.
Kurt	Keifer	UIUC
Paul	Kelley	Simpson Gumpertz & Heger, Inc.
Katherine	Klosowski-Blatz	DeNeef Construction Chemicals (US), Inc.
James	Koch*	Strategic Development Council
Peter	Kolf	Construction Technology Laboratories, Inc.
Amy	Krause*	American Concrete Institute
Curt	Marnett	The Euclid Chemical Company
Stuart	Matthews*	BRE Ltd

First Name	Last Name	Company
Tom	McCall	Tamms Industries, Inc.
James	McDonald*	McDonald Consulting
Jessi	Meyer	Cortec Corporation
Kevin	Michols*	Construction Technology Laboratories, Inc.
Patrick	Morrissey	ConSpec Associates, Inc.
Larry	Mroz	The Sherwin-Williams Company
Tom	Murphy	The Sherwin-Williams Company
Ronald	Negrey	KTA - Tator, Inc.
Mark	Nelson	Degussa Building Systems
Brad	Nemunaitis	Tamms Industries, Inc.
Beth	Newbold	Rampart Hydro Services, L.P.
Kelly	Page*	International Concrete Repair Institute
Jay	Paul*	Klein and Hoffman, Inc.
Dennis	Pinelle	Simpson Gumpertz & Heger, Inc.
Clyde	Porter, Jr.	Clyde Porter Jr., Consulting Engineers
Mark	Postma, P.E.	Carl Walker, Inc.
Randall	Poston	Whitlock Dalrymple Poston & Associates, Inc.
Robert	Pusheck	C.A. Lindman, Inc.
George	Reedy	Valcourt Exterior Building Services
Thomas	Rewerts	Thomas L. Rewerts Structural Engineer
Dr. Sami	Rizkalla	NC State University
David	Rodler, P.E.	Smislova, Kehnemui & Associates, P.A.
Allen	Roth, P.E.	Joseph B. Callaghan, Inc.
Monica	Rourke*	Dry Works, Inc.
Steve	Royer	Houck Services, Inc.
Larry	Schmitt	Kevco Inc.
David	Selby	CEM-KOTE Products, Inc.
Surendra	Shah	Northwestern University
Matt	Shane	Structural Preservation Systems, Inc.
William	Shoup	SSPC
Ron	Shuck	The Sherwin-Williams Company
Lee	Sizemore	Monson Nicholas, Inc.
Marty	Sobelman	Atlas Restoration, LLC
Joe	Solomon	Concrete Restoration Services, Ltd.
Thomas	Spencer	Blaylock Engineering Group
Rachel	Stiffler	Advanced Polymer Technology
Philip	Sumang	Engineering Diagnostics, Inc.
Joshua	Summers	Building Technology Consultants, PC
Robert	Swan	The Euclid Chemical Company
Michael	Tabassi	Tadger-Cohen-Edelson Associates, Inc.
Carlos	Tabora	International Concrete Repair Institute

First Name	Last Name	Company
Robert	Thaxton	Carolina Restoration & Waterproofing, Inc.
Jeffrey	Theo	Vulcan Painters
Jay	Thomas	Structural Preservation Systems, Inc.
William	Tolley	American Concrete Institute
Richard	Toman	Polymer Technology
Rev	Tomko	The Sherwin-Williams Company
Paul	Tourney P.E.	Tourney Consulting Group, LLC
Robert	Tracy	Western Waterproofing Company, Inc.
Kurt	Von Fay	Bureau of Reclamation
Hamid	Vossoughi	Ropelink, Ltd.
Patrick "Doc"	Watson	Degussa Building Systems
Stan	Wellinsky	Valcort Exterior Building Services Inc
David	White	Sika Corporation
Patrick	Winkler	Rampart Hydro Services, L.P.

* Working Group Facilitators and Document Editors

** SDC Facilitators

Participants in Roadmap 2020 Workshop held May 9-10, 2005, in Sedona, AZ

First Name	Last Name	Company
Tom	Adams	American Shotcrete Association
Ray	Andrews	Silpro Corporation
Frank	Apicella	Degussa Building Systems
Randal	Beard	Walker Parking Consultants/Engineers, Inc.
Neal	Berke	W.R. Grace & Company
Benoit	Bissonnette	CRIB-Laval University
Katherine	Klosowski-Blatz	DeNeef Construction Chemicals (US), Inc.
Christopher	Brown	Conproco Corporation
Douglas	Burke	U.S. Navy
Robert	Carcelli	The Sherwin-Williams Company
Paul	Carter	CH2M Hill Canada
Tom	Cook	U.S. Bureau of Reclamation
Luc	Courard	University of Liege
J.V.	Crary	Dayton Superior Corporation
Boris	Dragunsky	Universal Construction Testing, Ltd.
William "Bud"	Earley	The Euclid Chemical Company
Eric	Edelson	Tadjer-Cohen-Edelson Associates, Inc.
Peter	Emmons	Structural Preservation Systems, Inc.
Garth	Fallis	Vector Corrosion Technologies
Edward	Ferguson	Silpro Corporation
Donald	Ford	Lesco Restorations, Inc.
David	Fowler, Ph.D., P.E.	University of Texas at Austin
Timothy	Gillespie	Sika Corporation
Fred	Goodwin	Degussa Construction Systems
Narendra	Gosain	Walter P. Moore and Associates, Inc.
Mark	Grundmann	Degussa Building Systems
Ron	Heffron	Moffatt & Nichol
Norm	Hyndman	U.S. Bureau of Reclamation
Jacques	Marchand	Laval University
Paul	Kelley	Simpson Gumpertz & Heger, Inc.
Stuart	Matthews	BRE Ltd
Todd	Miller	MAPEI Corporation
Richard	Morin	City of Montreal Laboratory
Larry	Mroz	The Sherwin-Williams Company
Kelly	Page	International Concrete Repair Institute
Jay	Paul	Klein and Hoffman, Inc.
Predrag	Popovic	Wiss, Janney, Elstner Associates, Inc.

First Name	Last Name	Company
Randall	Poston	Whitlock Dalrymple Poston & Associates, Inc.
Howard	Robbins	Truesdell Corporation
David	Rodler, P.E.	Smislova, Kehnemui & Associates, P.A.
Nam	Shiu	Walker Parking Consultants/Engineers, Inc.
Douglas	Sordyl	Strategic Development Council
Thomas	Spencer	Blaylock Engineering Group
William	Tolley	American Concrete Institute
Richard	Toman	Polymer Technology
Alex	Vaysburd	Vaycon
Kurt	Von Fay	U.S. Bureau of Reclamation
Patrick "Doc"	Watson	Degussa Building Systems
Patrick	Winkler	Rampart Hydro Services, L.P.
William	Wittlinger	The Euclid Chemical Company

Hosted as part of the "Fifth International Concrete Repair Workshop"

Special

Participants in Roadmap 2020 Workshop held September 25-26, 2005, in Baltimore, MD

First Name	Last Name	Company
Ray	Andrews	Silpro Corporation
Randal	Beard	Walker Parking Consultants/Engineers, Inc.
Edward	Brennan	U.S. Concrete Products
Christopher	Brown	Conproco Corporation
Robert	Carcelli	The Sherwin-Williams Company
Tom	Cook	U.S. Bureau of Reclamation
Brian	Daley	C.A. Lindman, Inc.
William "Bud"	Earley	The Euclid Chemical Company
Eric	Edelson	Tadger-Cohen-Edelson Associates, Inc.
Peter	Emmons	Structural Group, Inc.
David	Flax	CTS Cement
David	Fowler, Ph.D., P.E.	University of Texas at Austin
Timothy	Gillespie	Sika Corporation
Fred	Goodwin	Degussa Building Systems
Narendra	Gosain	Walter P. Moore & Associates, Inc.
Norm	Hyndman	U.S. Bureau of Reclamation
Brian	Iske	DeNeef Construction Chemicals (US), Inc.
Todd	Miller	MAPEI Corporation
Larry	Mroz	The Sherwin-Williams Company
Kelly	Page	International Concrete Repair Institute
Jay	Paul	Klein and Hoffman, Inc.
Dennis	Pinelle	Simpson Gumpertz & Heger, Inc.
Predrag	Popovic	Wiss, Janney, Elstner Associates, Inc.
Randall	Poston	Whitlock Dalrymple Poston & Associates, Inc.
Robert	Pusheck	C.A. Lindman, Inc.
David	Rodler, P.E.	Smislova, Kehnemui & Associates, P.A.
Monica	Rourke	Webac Corp.
Matt	Shane	Structural Group, Inc.
Rina	Singh	New Technology Solutions
Jeffrey	Smith	Federal Highway Administration
Douglas	Sordyl	Strategic Development Council
Michael	Sprinkel	VA Transportation Research Council
William	Tolley	American Concrete Institute
Richard	Toman	Polymer Technology
Alex	Vaysburd	Vaycon
Miroslav	Vejvoda	American Concrete Institute
Kurt	Von Fay	US Bureau of Reclamation

First Name	Last Name	Company
Patrick "Doc"	Watson	Degussa Building Systems
Patrick	Winkler	Rampart Hydro Services, L.P.
William	Wittlinger	The Euclid Chemical Company

Hosted by the "International Concrete Repair Institute"