

Psychotherapy Research/Scientist-Practitioner

- * Beutler, L. E. (2000). David and Goliath: When empirical and clinical standards of practice meet. *American Psychologist, 55*, 997-1007.
- * Sobell, L.C. (1996). Bridging the gap between scientists and practitioners: The challenge before us. *Behavior Therapy, 27*, 297-320.
- * Seligman, M.E.P. (1995). The effectiveness of psychotherapy: The *Consumer Reports* Study. *American Psychologist, 50*, 965-974.
- * Hershenberg, R., Drabick, D. A. G., & Vivian, D. (2012). An opportunity to bridge the gap between clinical research and clinical practice. *Psychotherapy, 49*, 123-134.
- * Drabick, D. A. G, & Goldfried, M. R. (2000). Training the scientist-practitioner for the 21st century. *Journal of Clinical Psychology, 56*, 327-340.
- * Chambless, D.L. (2014). Can We Talk? Fostering Interchange between Scientists and Practitioners. *Behavior Therapy, 45*, 47-50. Also available at: www.stonybrook.edu/twowaybridge
- * Ollendick, T.H. (2014). Advances toward evidence-based practice: Where to from here: *Behavior Therapy, 45*, 51-55. Also available at: www.stonybrook.edu/twowaybridge
- * Castonguay, L. G. (2013). Psychotherapy outcome: An issue worth re-revisiting 50 years later. *Psychotherapy, 50*, 52-67.

* Available electronically

The Therapeutic Change Process

- *Elliott, R. (2010). Psychotherapy change process research: Realizing the promise. *Psychotherapy Research, 20*, 123-135.
- *H. Arkowitz & H. A. Westra (Eds.). (2009). Motivational interviewing and psychotherapy. *Journal of Clinical Psychology/In Session, 65 (11)*. Pages 1149-1155; 1232-1245; and 1245-1253.
- *Swift, J. K., & Greenberg, P. P. (2012). Premature discontinuation in adult psychotherapy: A meta-analysis. *Journal of Consulting and Clinical Psychology, 80*, 547-559.
- * Safran, J.D., & Muran, J. C. (2000). Resolving therapeutic alliance ruptures: Diversity and integration. *Journal of Clinical Psychology/In session, 56*, 233-243.
- * Goldfried, M. R., Raue, P. J., & Castonguay, L. G. (1998). The therapeutic focus in significant Sessions of master therapists: A comparison of cognitive-behavioral and psychodynamic-interpersonal interventions. *Journal of Consulting and Clinical Psychology, 66*, 803-810.
- *Watson, J. C., & Bedard, D. L. (2006). Clients' emotional processing in psychotherapy: A comparison between cognitive-behavioral and process-experiential therapies. *Journal of Consulting and Clinical Psychology, 74*, 152-159.

* Available electronically

Mediators and Moderators of Change: The Therapy Alliance

Norcross, J. C., & Beutler, L. E. (2014). Evidence-based relationships and responsiveness for depression and substance abuse. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.

*Arnow, B. A., et al. (2013). The relationship between the therapeutic alliance and treatment outcome in two distinct psychotherapies for chronic depression. *Journal of Consulting & Clinical Psychology, 81*, 627-638.

* Castonguay, L. G., Goldfried, M. R., Wiser, S. L., Raue, P. J., & Hayes, A. M. (1996). Predicting the effect of cognitive therapy for depression: A study of unique and common factors. *Journal of Consulting and Clinical Psychology, 64*, 497-504.

*Wong, K., & Pos, A. E. (2014). Interpersonal processes affecting early alliance formation in experiential therapy for depression. *Psychotherapy Research, 24*, 1-11.

Westra, H. A., Constantino, M. J., & Antony, M. M. (2016). Integrating motivational interviewing with cognitive-behavioral therapy for severe generalized anxiety disorder: An allegiance-controlled randomized clinical trial. *Journal of Consulting & Clinical Psychology*, [REF TO BE UPDATED]

Aviram, A., Westra, H. A., Constantino, M. J., & Antony, M. M. (2016, March 31). Responsive Management of Early Resistance in Cognitive–Behavioral Therapy for Generalized Anxiety Disorder. *Journal of Consulting and Clinical Psychology*. , [REF TO BE UPDATED]

Shafren, N., Kivlighan, D. M., Gelso, C. J., Avantika, B., & Hill, C. E. (2016). Therapist immediacy: The association with working alliance, real relationship, session quality, and time in psychotherapy. *Psychotherapy Research*, [REF TO BE UPDATED]

* Available electronically

Mediators and Moderators of Change: Cognitive, Emotional, and other Variables

- *Andersen, S. M., & Przybylinski, E. (2014). Cognitive distortion in interpersonal relations: Clinical implications of social cognitive research on person perception. *Journal of Psychotherapy Integration, 24*, 13-24.
- *Fresco, D.M., Segal, Z.V., Buis, T., & Kennedy, S. (2007). Relationship of posttreatment decentering and cognitive reactivity to relapse in major depression. *Journal of Consulting and Clinical Psychology, 75*, 447-455.
- *Samoilov, A., & Goldfried, M. R. (2000). Role of emotion in cognitive-behavior therapy. *Clinical Psychology: Science and Practice, 7*, 373-385.
- *Hayes, A.M., Castonguay, L.G., & Goldfried, M.R. (1996). The effectiveness of targeting the vulnerability factors of depression in cognitive therapy. *Journal of Consulting and Clinical Psychology, 64*, 623-627.
- *McMain, S. et al. (2013). An exploratory study of the relationship between changes in emotion and cognitive processes and treatment outcome in borderline personality disorder. *Psychotherapy Research, 23*, 658-673.
- *Goetz, A. R., Davine, T. P., Siwec, SD. G., & Lee, H-J. (2016). The functional value of preventative and restorative safety behaviors: A systematic review of the literature. *Clinical Psychology Review, 44*, 112-124
- *Porter, E., * Chambless, D. L. (2015). A systematic review of predictors and moderators of improvement in cognitive-behavioral therapy for panic disorder and agoraphobia. *Clinical Psychology Review, 42*. 179-192.
- Abel, A., Hayes, A. M., Henley, W., & Kuyken, W. (2016). Sudden gains in cognitive-behavior therapy for treatment-resistant depression: Process of change. *Journal of Consulting & Clinical Psychology, [REF TO BE UPDATED]*

Psychodynamic-Interpersonal Therapy

Strupp, H.H., & Binder, J.L. (1984). *Psychotherapy in a new key*. New York: Basic Books. Chs. 2, 3, & 7.

*Westen, D. (1988). Transference and information processing. *Clinical Psychology Review*, 8, 161-179.

*Leichsenring, F. & Leibing, E. (2007) Psychodynamic psychotherapy: A systematic review of techniques, indications and empirical evidence. *Psychology and Psychotherapy: Theory, Research and Practice*, 80, 217-228.

*Shedler, J. (2010) The efficacy of psychodynamic psychotherapy. *American Psychologist*, 65, 98-109.

* Available electronically

Experiential Therapy

- * Rogers, C.R. (1957). The necessary and sufficient conditions of therapeutic personality change. Article is reprint of an original work published in 1957 in the *Journal of Consulting Psychology*, 21, 95-103. Reprinted in *JCCP* 1992, Vol. 60, 827-832.
- *Goldfried, M. R. (2007). What has psychotherapy inherited from Carl Rogers? *Psychotherapy: Theory, Research, Practice and Training*, 44, 249-252.
- * Paivio, S.C., & Greenberg, L.S. (1995). Resolving unfinished business: Efficacy of experiential therapy using empty-chair dialogue. *Journal of Consulting and Clinical Psychology*, 63, 419-425.
- * Pos, A. E., Greenberg, L. S., Goldman, R. N., & Korman, L. M. (2003). Emotional processing during experiential treatment of depression. *Journal of Consulting and Clinical Psychology*, 71, 1007-1016.
- *Greenberg, L. S., & Pascual-Leone, A. (2006). Emotion in psychotherapy: A practice-friendly review. *Journal of Clinical Psychology/In Session*, 62, 611-630.
- *Watson, J.C., Gordon, L.B., Stermac, L., Kalogerakos, F., & Steckley, P. (2003). Comparing the effectiveness of process-experiential with cognitive-behavioral psychotherapy in the treatment of depression. *Journal of Consulting & Clinical Psychology*, 71, 773-781.

* Available electronically

Phobias and Obsessive-Compulsive Disorder

- *Penfold, K., & Page, A. C. (1999). The effect of distraction on within-session anxiety reduction during brief in vivo exposure for mild blood-injection fears. *Behavior Therapy, 30*, 607-621.
- *Silverman, W. K., Pina, A. A., & Viswesvaran, C. (2008). Evidence-based psychosocial treatment for phobic and anxiety disorders in children and adolescents. *Journal of Clinical Child & Adolescent Psychology, 37*, 105-130.
- *Kendall, P. C., Safford, S., Flannery-Schroeder, E., & Webb, A. (2004). Child anxiety treatment: Outcome in adolescence and impact on substance use and depression at 4-year follow-up. *Journal of Consulting and Clinical Psychology, 72*, 276-287.
- *Kearney, C. A., Pursell, C., & Alvarez, K. (2001). Treatment of school refusal behavior in children with mixed functional profiles. *Cognitive and Behavioral Practice, 8*, 3-11.
- *Kearney, C. A. (2003). Bridging the gap among professionals who address youths with school absenteeism: Overview and suggestions for consensus. *Professional psychology: Research and Practice, 34*, 57-65.
- Franklin, M. E., & Foa, E. B. (2014). Obsessive-compulsive disorder. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.
- *Piacentini, J., & Langley, A. K. (2004). Cognitive-behavioral therapy for children who have obsessive-compulsive disorder. *Journal of Clinical Psychology/In Session, 60*, 1181-1194.
- *Friedman, et al. (2003). Obsessive-compulsive disorder in a multi-ethnic urban outpatient clinic: Initial presentation and treatment outcome with exposure and ritual prevention. *Behavior Therapy, 34*, 397-410.
- *Obsessive Compulsive Cognitions Working Group (1997). Cognitive assessment of obsessive-compulsive disorders. *Behaviour Research and Therapy, 35*, 667-681.

* Available electronically

Panic Disorder and Social-Evaluative Anxiety

- Craske, M. G., & Barlow, D. H. (2014). Panic disorder and agoraphobia. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.
- *Chambless, D.L., & Williams, K.E. (1995). A preliminary study of African Americans with agoraphobia: Symptom severity and outcome of treatment with in vivo exposure. *Behavior Therapy*, 26, 501-515.
- *Boswell, J. F, et al. (2013). Patient characteristics and variability in adherence and competence in cognitive-behavioral therapy for panic disorder. *Journal of Consulting and Clinical Psychology*, 81, 443-454.
- *Wolf, A.W., & Goldfried, M.R. (2014). Clinical experiences in using cognitive-behavior therapy to treat panic disorder. *Behavior Therapy*, 45, 36-46. Also available at: www.stonybrook.edu/twowaybridge
- Albano, A. M. (2003). Treatment of social anxiety disorder. In M. A. Reinecke, F. M. Datillo, & A. Freeman (Eds), *Cognitive therapy with children and adolescents*. New York: Guilford.
- *Brown, E.J., Heimberg, R.G., & Juster, H.R. (1995). Social phobia subtype and avoidant personality disorder: Effect on severity of social phobia, impairment, and outcome of cognitive behavioral treatment. *Behavior Therapy*, 26, 467-486.
- Heimberg, R. G. , & Magee, L. (2014). Social anxiety disorder. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders 5th ed.*. New York: Guilford.
- *Pachankis, J. E., & Goldfried, M. R. (2006). Social anxiety in young gay men. *Journal of Anxiety Disorders*, 20, 996–1015.
- *McAleavey, A.A., Castonguay, L. G., & Goldfried, M.R. (2014). Clinical experiences in conducting cognitive-behavioral therapy for social phobia. *Behavior Therapy*, 45, 21-35. Also available at: www.stonybrook.edu/twowaybridge

Mood Disorders in Adults

- *Jacobson, N.S., Dobson, K.S., Truax, P.A., Addis, M.E, Koerner, K., Gollan, J.K., Gortner, E., & Prince, S.E. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting & Clinical Psychology, 64*, 295-304.
- Dimidjian, S., Martell, C. R., Herman-Dunn, R., & Dubley, S. (2014). Behavioral activation for depression. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.
- Young, J. E., Rygh, J. L., Weinberger, A. D., & Beck, A. (2014). Cognitive therapy for depression. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.
- *Hayes, A. H., Feldman, G. C., Beevers, C.G., Laurenceau, J.-P., Cardaciotto, L., & Lewis-Smith, J. (2007). Discontinuities and cognitive changes in an exposure-based cognitive therapy for depression. *Journal of Consulting & Clinical Psychology, 75*, 409-421.
- *Kuyken, W., et al. (2016). Efficacy of mindfulness-based cognitive therapy in prevention of depressive relapse. *JAMA:Psychiatry, 73*, 565-574.
- * Klein, D. N., et al., (2011). Social problem solving and depressive symptoms over time: A randomized clinical trial of Cognitive Behavioral Analysis System of Psychotherapy, brief supportive psychotherapy, and pharmacotherapy. *Journal of Consulting & Clinical Psychology, 79*, 342-352.
- Miklowitz, D. J. (2014). Bipolar disorder. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.

* Available electronically

Mood Disorders in Children and Adolescents

- *Klein, D. N., Dougherty, L. R., & Olino, T. M. (2005). Toward guidelines for evidence-based assessment of depression in children and adolescents. *Journal of Clinical Child and Adolescent Psychology, 34*, 412-432.
- *Asarnow, J. R., Jaycox, L. H., & Tompson, M. C. (2001). Depression in youth: Psychosocial interventions. *Journal of Clinical Child Psychology, 30*, 33-47.
- *Cheung, A. H., Emslie, G. J., & Mayes, T. L. (2005). Review of efficacy and safety of antidepressants in youth depression. *Journal of Child Psychology and Psychiatry, 46*, 735-754.
- *Dubicka, B., Elvins, R., Roberts, C., Chick, G., Wilkinson, P., & Goodyer, I. M. (2010). Combined treatment with cognitive-behavioural therapy in adolescent depression: Meta-analysis. *The British Journal of Psychiatry, 197*, 433-440.

* Available electronically

Borderline Personality Disorder and General Anxiety Disorder

- Neacsiu, A. D., & Linehan, M. M. (2014). Dialectical behavior therapy. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.
- *Zittel, C. & Westen, D. (1998). Conceptual issues and research findings on borderline personality disorder: What every clinician should know. *In Session: Psychotherapy In Practice*, 4 (no. 2), 5-20.
- *Clarkin, J. F., Levy, K. N., & Lenzenweger, M. F. (2007). Evaluating three treatments for borderline personality disorder: A multiwave study. *American Journal of Psychiatry*, 164 (6), 922-928.
- *Nock, M. W., & Teper, R. (2007). Psychological treatment of self-injury among adolescents. *Journal of Clinical Psychology/In Session*, 63, 1081-1089.
- *Borkovec, T. D., Abel, J. L., & Newman, H. (1995). Effects of psychotherapy on comorbid conditions in generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 63, 479-483.
- * Newman, M. G., Castonguay, L. G., Borkovec, T. D., Nordberg, S. S., & Fisher, A. J. (2008). An open trial of integrative therapy for general anxiety disorder. *Psychotherapy: Theory, Research, Practice, Training*, 45, 135-147.
- *Donegan, E., & Dugas, M. J. (2012). General anxiety disorder: A comparison of symptom reduction in adults receiving cognitive-behavioral therapy or applied relaxation. *Journal of Consulting and Clinical Psychology*, 80, 490-496.
- *Szkodny, L.E., Newman, M.G., & Goldfried, M.R. (2014). Clinical experiences in conducting empirically supported treatments for generalized anxiety disorder. *Behavior Therapy*, 45, 7-20.
Also available at: www.stonybrook.edu/twowaybridge

* Available electronically

Complicated Grief Reaction and Posttraumatic Stress

Monson, C. M., Resick, P. A., & Rizvi, S. L. (2014) Posttraumatic stress disorder. In D. H. Barlow (Ed.) *Clinical handbook of psychological disorders (5th ed.)*. New York: Guilford.

*Resick, P. A. et al., (2012). Long-term outcomes of cognitive-behavioral treatments for posttraumatic stress among females rape survivors. *Journal of Consulting & Clinical Psychology, 80*, 201-210.

*Boelen, P.A., de Keijser, J., van den Hout, M.A., & van den Bout, J. (2007). Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling. *Journal of Consulting & Clinical Psychology, 75*, 277-284.

*Currier, J. M., Neimeyer, R. A., & Berman, J. S. (2008) The effectiveness of psychotherapeutic interventions for bereaved persons: A comprehensive quantitative review. *Psychological Bulletin, 134*, 648-661.

*Kleim, B., et al. (2013). Cognitive change predicts symptom reduction with cognitive therapy for posttraumatic stress disorder. *Journal of Consulting & Clinical Psychology, 81*, 383-393.

Barlé, N., Wortman, C. B., & Latack, J. A. (2015, August 3). Traumatic Bereavement: Basic Research and Clinical Implications. *Journal of Psychotherapy Integration*. Advance online publication. <http://dx.doi.org/10.1037/int0000013> [REF TO BE UPDATED]

* Available electronically